

County of Mercer

McDade Administration Building, 640 South Broad Street, Trenton, NJ 08650-0068

**UNIFORMS FOR THE
MERCER COUNTY CORRECTION OFFICERS,
PROSECUTOR'S OFFICERS AND SHERIFF'S OFFICERS
AND THE MERCER COUNTY COOPERATIVE CONTRACT
PURCHASING SYSTEM FOR A PERIOD OF ONE (1) YEAR WITH AN
OPTION TO EXTEND ONE (1) YEAR**



To Be Received On
October 16, 2024 at 11:30 A.M.

Prepared By:
Department of Purchasing

CK09MERCER2024-15

**COUNTY OF MERCER
 BIDDER'S DOCUMENT CHECKLIST**

Please initial on the lines below for each document/section attesting to the fact that you have read and/or included the documents with your bid.

SUBMISSION REQUIREMENT (IF CHECKED)

Required With Bid		Read, Signed & Submitted Respondent's Initial
A.	FAILURE TO SUBMIT ANY OF THESE ITEMS IS <u>MANDATORY</u> CAUSE FOR REJECTION OF BID	
<input checked="" type="checkbox"/>	Statement of Ownership	
<input checked="" type="checkbox"/>	Acknowledgement of Receipt of Addenda	
B.	REQUIRED NO LATER THAN TIME PERIOD INDICATED	
B.1	SUBMIT DOCUMENTS AT TIME OF BID RESPONSE DUE DATE	
<input checked="" type="checkbox"/>	Required Evidence EEO/Affirmative Action Regulations Certificate or Questionnaire- Submit Copy of State Certificate of Employee Information Report	
<input checked="" type="checkbox"/>	Proposal Cost Form and Signature Page	
<input checked="" type="checkbox"/>	Disclosure of Investment Activities in Iran Form	
<input checked="" type="checkbox"/>	Signed Insurance and Indemnification Requirements	
<input checked="" type="checkbox"/>	Involvement in Russia and Belarus	
<input checked="" type="checkbox"/>	2024 March Revision IRS W9 Form	
<input checked="" type="checkbox"/>	Signed Continuity of Operation during Emergencies	
<input checked="" type="checkbox"/>	Exceptions	
C.	READ ONLY	
<input checked="" type="checkbox"/>	Americans With Disabilities Act of 1990 Language	
<input checked="" type="checkbox"/>	Sexual Harassment Guidelines	

This checklist is provided for the bidder's use in assuring compliance with required documentation; however, it does not include all specifications requirements and does not relieve the bidder of the need to read and comply with the specifications.

Name of Respondent: _____ Date: _____

By Authorized Representative:

Signature: _____

Print Name & Title: _____

NOTICE TO BIDDERS

Notice is hereby given that on **October 16, 2024 at 11:30 A.M.** (Prevailing time), electronically sealed bids will be opened and conducted in electronic platform in accord with N.J.A.C. 5:34-1 et. Seq., on BidNet Direct at <https://www.bidnetdirect.com/new-jersey/mercercounty> at which time and place the sealed bids will be opened publicly and read via live-stream by the Purchasing Agent in the Mercer County McDade Administration Building, 640 South Broad Street, Room 321 Third Floor, Trenton, New Jersey for:

CK09MERCER2024-15

UNIFORMS FOR THE MERCER COUNTY CORRECTION OFFICERS, PROSECUTOR'S OFFICERS AND SHERIFF'S OFFICERS AND THE MERCER COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM FOR A PERIOD OF ONE (1) YEAR WITH AN OPTION TO EXTEND ONE (1) YEAR

Electronically sealed bids will be received by the Mercer County Purchasing Department acting as Lead Agent on behalf of all contracting units located within the geographic boundaries of Mercer County for the Mercer County Cooperative Contract Purchasing System.

NOTE:

It is the bidder's responsibility to ensure that the bid package is uploaded by the bid opening date and time. Any bid document received after the deadline established by the Department of Purchasing will not be accepted, regardless of the method of delivery. Bid documents may be obtained from the bid platform BidNet Direct at <https://www.bidnetdirect.com/new-jersey/mercercounty>.

BID SUBMISSIONS:

Bids shall be electronically uploaded, no physical bids shall be received, opened or honored. Please contact BidNet for any questions or assistance with electronic bid submission 1800-835-4603 Option 2.

BID OPENING INFORMATION

Webinar link/password will be posted in a timely manner for the Live-Stream of opening a couple days before the bid opening date. During the bid opening process, the bidders will be announced as well as bid amounts. A bid review providing unit prices will not take place at the openings.

Any Bid Addenda will be issued on the BidNet website <https://www.bidnetdirect.com/new-jersey/mercercounty> and processed in accordance with N.J.S.A. 40A:11-23(c)(1). All interested bidders should check the website from now through bid opening. It is the sole responsibility of the respondent to be knowledgeable of all addenda related to this procurement.

Bidders are required to comply with the requirements of N.J.S.A.10:5-31 et seq. and N.J.A.C. 17:27.

COUNTY OF MERCER, NEW JERSEY
Purchasing Department 609 989 6710

COUNTY CONTRACT PURCHASING SYSTEM

County Cooperative Contract Purchasing is specifically provided for in N.J.S.A. 40A:11-11(6) and N.J.A.C. 5:34-7.21.

County Cooperative Contract Purchasing is a Cooperative Purchasing System that may be created only by a county. Using only its own needs, the county advertises for the receipt of bids and awards a contract to the successful bidder. With the approval of both Mercer County and the vendor, contracting units located within the geographic boundary of Mercer County may purchase under the contract subject to its specifications, terms and conditions.

VENDOR WILL EXTEND CONTRACT PRICES TO THE "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS

1.

- Check here if willing to provide the goods and services herein bid upon to local governmental contracting units located within the County of Mercer without substitution or deviation from specifications, size, features, quality, price or availability as herein set forth. It is understood that orders will be placed directly by the contracting units, subject to the overall terms of the contract to be awarded by the County of Mercer, and that no additional service or delivery charges will be allowed except as permitted by these specifications.
- Check here if not willing to extend prices to contracting units located in the County of Mercer. It is understood that this will not adversely affect consideration of this bid with respect to the needs of the County of Mercer. The contract for the stated needs of the County will be awarded to the lowest responsible bidder, and specifically not made available to contracting units within the County of Mercer.

2. In accord with N.J.A.C. 5:34-7.25 (2), should the lowest responsive and responsible bidder not choose to extend bid prices to local units within the Mercer County Cooperative, the County of Mercer will seek if the next lowest bidder will be desirous of extending their proposal to local units within the cooperative. In such instances the County of Mercer will award to the lowest responsible bidder for the needs of the County of Mercer and award to the next lowest responsible and responsive bidder extended prices to local units, within the county. This will occur until a suitable willing proposer is desirous of extending prices or the County is without a next lowest bidder desirous of extending pricing.

SPECIFICATIONS FOR UNIFORMS FOR THE MERCER COUNTY SHERIFF'S OFFICERS, CORRECTION'S OFFICERS, PROSECUTOR'S OFFICERS AND THE MERCER COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM FOR A PERIOD OF ONE (1) YEAR WITH AN OPTION TO EXTEND ONE (1) YEAR

INTENT

The County of Mercer requests bids for uniforms as specified for a period of one (1) year with an option to extend one (1) year. It will be required that the successful bidder have a permanent walk-in site at all times during the contract period within driving distance of 30-50 miles of the County of Mercer. The cost for measurements, tailoring and fittings are to be factored in to the bid price and vendors shall provide walk-in service between the hours of 8:30 AM through 5:00 PM, Monday through Friday. The County reserves the right to award multiple contracts for each agency. The County has attempted to identify required quantities; however, the county reserves the right to increase or decrease quantities per staffing requirements. **All questions must be provided via question Bidnet Portal or via email ohibbert@mercercounty.org no later October 7, 2024.**

All bid prices must include fittings and alterations, and the furnishing and sewing on of all patches, emblems, nametapes, service stripes and chevrons. Garments not properly sewn, tailored and pressed will not be accepted. The contractor will be responsible for delivering the uniforms to the requesting location and ensuring that the uniforms are fitted correctly. All hanging garments must be delivered on hangers. All prices for items in bid are to be submitted F.O.B. Destination. Bidders shall assume all costs for the delivery of merchandise in good condition to the requesting agency.

Estimated Quantities (Open-End Contracts): The County has attempted to identify the item(s) and the estimated amounts of each item bid to cover its requirements; however, past experience shows that the amount ordered may be different than that submitted for bidding. The right is reserved to decrease or increase the quantities specified in the specifications pursuant to N.J.A.C. 5:30-11.2 and 11.10. **NO MINIMUM PURCHASE IS IMPLIED OR GUARANTEED.**

AWARD

Upon award, agencies will encumber funds and forward purchase orders to the awarded vendor. The awarded vendors must have a purchase order in-hand to fulfill orders.

INVOICES: ALL INVOICES MUST INCLUDE BID NUMBER CK09MERCER2024-15 WHEN REQUESTING PAYMENT. IF VENDOR PROVIDES SERVICES TO ADDITIONAL COOPERATIVE MEMBERS VENDOR MUST INCLUDE LEAD AGENCY'S BID NUMBER "CK09MERCER2024-15" ON INVOICES. **FAILURE TO DO SOME MAY DELAY PAYMENT**

SAMPLES

Samples are not required with the bid; however, prior to ordering, samples may be requested. Such samples must be furnished within ten working days of written request. If the sample is not in accordance with the requirements stated in the specifications, the County reserves the right to cancel the contract. Samples must be submitted free of charge and are non-returnable due to testing procedures. All samples are subject to testing.

The contractor will be responsible for any garments shipped that do not meet specifications or are not comparable to the sample(s) submitted. All returns will be at the contractor's expense. All bid prices must include alterations, fittings and stitching or sewing on patches.

SUBSTITUTIONS the County will accept the brands referenced or an equivalent.

MERCER COUNTY CORRECTION CENTER
1750 RIVER ROAD
LAMBERTVILLE, NEW JERSEY 08560
CONTACT PERSON: TANGELA WRIGHT (609) 583-3545 X2214

PURPOSE AND INTENT

It is the intent of the County of Mercer to purchase Officers uniforms for the Mercer County Correction Center. All bid prices must include alternations, fittings and sewing on of patches. The awarded vendor will supply patches. Garments not properly sewn, tailored, and pressed will not be accepted. The contractor will be responsible for delivering the uniforms, clothing and footwear to the County of Mercer and ensuring the uniforms, clothing and footwear are fitted correctly. All hanging garments must be delivered on hangers.

VENDOR GENERAL REQUIREMENTS

Class "A" uniforms must be made available within 24 hours of ordering. Facility must have a full tailor shop on premises. Vendor must supply all emblems at no additional charge. Vendor must keep supply of emblems in stock. All prices must include all shipping and freight charges. No additional payment will be made for this service.

VENDOR MEASUREMENTS & FITTING

The successful bidder shall take individual measurements. Try on garments for all bid items must be available for each individual at time of measurement. Each uniform shall fit to the satisfaction of each individual. Male and Female sizes must be available for try-on. All alterations must be done at no extra charge to department. All fittings shall be inspected by the Warden or his designated representatives and any discrepancies shall be decided solely by the Warden.

VENDOR PROXIMITY FOR FITTING

It will be required that the successful bidder have one or more permanent outlets at all times during the contract period within 20 miles of the Correction Center's main location. All fittings must take place at the department's headquarters, or such place and times deemed convenient by the department. Garments are to be individually pressed and delivered in hanging bags ready to wear with the officer's name in a conspicuous location on outside of bag.

VENDOR SUBMISSION OF ALTERNATE GARMENTS

All garments and trims must match existing department uniform exactly. Alternate samples must be supplied with the bid package.

DUTY UNIFORM TROUSERS

Fechheimer Brother's Company #98289 or approved equal

FABRIC:

100% Textured Polyester. Serge Weave 11.75 OZ./Linear Yard (60-61" WIDTH) GRAB TENSILE: 154.lbs. Warp-173lbs. fill. TONGUE TEAR: 14lbs. Warp-12lbs. fill. Fabric shall incorporate a permanent wash and dry cleanable moisture transport/soil release finish.

COLOR:

Dark Navy Blue

DESIGN:

Trouser shall be manufactured from a man's uniform trouser pattern. The trouser styling shall incorporate a plain front and straight leg bottom. The trouser will have two straight side pockets, two hip pockets, a dropped watch pocket and one club pocket.

POCKETING:

The pocketing shall be 70% Polyester/ 30% Cotton, 2.9 oz. Per square yard (60" width) with a minimum 78 X 64 count. Pocketing must have a durable press finish and the color of the pocketing must be black.

POCKET DESIGN:

The two side pockets will have a minimum opening of 6 ¼" and a minimum depth of 5 ¾" measured from the bottom of the pocket opening. Side pockets shall have firm straight bartacks at top and bottom of pocket openings (use of triangle bartacks will be cause for rejection). Pockets shall be constructed using the stitch, turn and topstitch method. Pocket facings shall be made of the basic fabric and measure a minimum of 1 ½" from the bottom of the pocket opening.

The two hip pockets shall have a minimum opening of 5 ½" and a minimum pocket depth of 5 ¾" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on a REECE PW machine and the welts shall be finished in such a manner that there is no top stitching (top stitched hip pocket welts shall be cause for rejection). The corners of the hip pockets shall have firm straight bartacks for reinforcing strength. Use of triangle bartacks will be cause for rejection. Both hip pockets shall have rounded pocket flaps (New Jersey style) with button/buttonhole closure. The watch pocket shall be located on the right front 1" inch below the waist band. This pocket shall have a minimum opening of ¾" depth 3 ¾". The front of the pocket shall be made of pocketing fabric and the back of the pocket shall be made of basic fabric and the two pieces securely stitched together. Each corner of the pocket opening shall have firm straight bartacks.

There shall be a club pocket located 5 ¼" (plus or minus ¼") below right hip pocket. The club pocket shall be 1 ¼" (plus or minus ¼") from the side seam with a minimum opening of 3 ½" and a minimum depth of 8". Pocketing material to be same as side and hip pockets. Club pocket shall be constructed using the double welt method on a REECE PW machine and the welts shall be finished in such a manner that there is no top stitching (top stitched hip pocket welts shall be cause for rejection). The corners of the hip pockets shall have firm straight bartacks for reinforcing strength. **Use of triangle bartacks will be cause for rejection.**

WAISTBAND:

The waistband shall be constructed using the "closed method" and shall measure 2 ¼" wide when finished. The waistband curtain is to be made of the same fabric and color as the pocketing material and must be attached to the trouser with a zig-zag stitch. The waistband must contain BAN-ROL to prevent roll over and have three strand Snugtex to keep shirts tucked in. The waistband closure shall be accomplished with two sets of crushproof hooks and eyes. The hook and eye shall be reinforced with stays made of non-woven fabric that are anchored by the top stitching for the fly facing and curtain. This top stitching must be to the top of the waistband. The waistband shall be set on and closed using a lockstitch (use of

chainstitch is unacceptable) to stitch in the band seam through the outer fabric and the waistband curtain. The waistband must be top stitched 1/16" below the waistband seam for added strength.

FLY:

Trouser shall have a metal memory lock zipper. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic cloth (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same fabric as the waistband curtain and pocketing. The fly lining shall be sewn to the left fly below the zipper in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide clean and comfortable closure. There shall be a firm straight bartack at bottom of fly going through the zipper tape.

BELT LOOPS:

There shall be a minimum of 7 interlined 3/4" wide belt loops. All loops shall be tacked to the trouser 1/2 " below the bottom of the waistband. The top of the belt loops (except for the center back loop) shall be caught in the waistband curtain seam with a Rocap machine. The top of the center back loop shall be tacked to the outside of the waistband.

STRIPE:

The trouser shall have a 1 1/2" washable French blue stripe. The stripe shall run from the bottom of the waistband to the bottom of the trouser.

STITCHING, PRESSING, & FINISHING:

Trouser must be stitched with matching thread and all stitching to show must be 10-11 stitches per inch. Trouser must be neatly pressed on Hothead Presses and properly shaped. Out seams and inseams must be pressed open. Trouser must be cleaned and finished to eliminate loose threads.

LABELS:

Trouser must have a care label permanently affixed that also indicates the size. A paper ticket showing the size, fabric content, cut number, and WPL number must be on the outside of the waistband.

STOCK SIZES:

Trouser must be available in the following stock sizes:

REGULAR RISE: 28-50 (even only over 38)

LONG SLEEVE SHIRTS

MATERIAL:

Basic material shall be 8 ounces per linear yard, Tropical weave, 100% Texturized woven Dacron Polyester and shall have a Zelcon finish. Tex-Trop or approved equal. Color - French Blue and Dark Navy Blue for Superior Officers. OBJ

STYLE:

All shirts shall be custom tailored for each individual officer. Shirts shall have permanent sewn-in military stitches.

TAILORING:

It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must have the proper tension and size to avoid puckering after the shirt has been laundered in order to give the best durable press performance.

All sewing shall be with Dacron core thread to match shirt fabric.

Collar and cuffs shall be single stitched ¼" from edge. The pockets and flaps shall be single stitched on the edge.

CREASING:

Pockets and pocket flaps shall be die creased to give uniform shape and size.

Shirt shall have permanent military creases. Creases shall be stitched in shirt only, not through pockets and flaps. There shall be one crease in each front extending from hem to joining seam, three (3) vertical creases in back, a middle crease on center back line and side back creases spaced equally from the center crease.

COLLAR:

The shape and style of both leaf and stand shall conform to the TT89 Collar. The medium spread points shall be approximately 3" in length. The back of the stand shall measure 1½". The leaf shall be made of four pieces - two pieces of self cloth, one whole lining, and one piece of strip lining which shall be fused to the collar lining. Permanent collar stays of proper length shall be sewn through bottom leaf. The stand shall fasten with one button. Inner stand and inner yoke shall be made of matching 65% Dacron Polyester/35% Combed Cotton, 4.2 ounce per square yard, 106 x 58. Collar stays shall be made of good quality stalar vinyl, 2½" in length and 3/8" wide.

SLEEVE:

The sleeve shall be straight and whole. The cuffs shall be 2 7/8" in width and fastened with two buttons. There shall be a single stitch 7/16" from top of cuff.

Sleeve opening shall measure 4 7/8" from top of cuff. The top facing for this opening shall be 1¼" wide and the bottom facing to finish about ½" wide. Button shall be placed on sleeve opening with corresponding buttonhole. Sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so that it will properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

BANJO ELBOW:

There shall be a banjo shaped piece of self goods attached to the sleeve starting above the elbow and continuing down the sleeve forming the top sleeve facing.

FRONT:

The front shall have a center facing 1½" wide extending from the collar stand to the bottom of shirt and shall be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six (6) vertical Reece buttonholes placed ¾" from edge and 3½" apart. The 7/8" wide button stand shall be self-lined and placed on right side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

BACK:

There shall be a yoke composed of an outer piece of the same material as the basic shirt and an inner piece of poplin, Western Single Pointed Yoke, 5½" finish.

POCKETS:

Pockets shall have two breast pockets with miter corners to finish 5 5/8" wide and 6" long. The left breast pocket shall have a pencil compartment about 1¼" wide. Both pockets shall have 1½" box stitching top and bottom to prevent spreading. Pockets shall have a small buttonhole for the insertion of a metal shank button.

FLAPS:

Flaps shall have two scalloped flaps to finish 5¾" in length, 2¾" in width at center, and 2½" in width at sides. Flaps shall be secured to front of shirt with two rows of stitching approximately ¼" above top of pocket. The left flap shall have a pencil opening about 1½" in width. Flaps shall be interlined. There will be a matching button and a buttonhole sewn on the flap.

FLAP CLOSURE:

The side points of the flaps shall be secured to the pockets by means of gripper snaps onto the flaps and pockets.

BADGE TAB:

The Badge Tab shall be a patch of basic material on the outside of the left front about ¾" above the center of the left pocket flap. The patch is to have two (2) metal eyelets 1¼" apart for the insertion of a badge. The patch shall measure 2¼" x 1" wide.

SHOULDER STRAPS:

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 13/8". Straps shall be set about ½" from the collar. Shoulder straps shall be box stitched to the shoulders with a row of cross stitching 2" from sleeve head seam. An accommodation for metal buttons shall be provided with a protective piece.

BUTTONS:

Buttons shall be made from thermo-setting polyester material and must match fabric.

EMBLEMS:

Mercer County Correction Patches shall be supplied by vendor and sewn on left sleeve at **no charge to the county.**

NAME PLATE – STYLE # NEW HERMES

Nameplate shall measure 2 3/8 X ½. The officer's nameplate shall be silver with black engraved letters.

SHORT SLEEVE SHIRT
SHIRT:

Shirts shall meet the same specifications as winter shirts except it shall have an open style collar, half sleeves and shirt front which shall have a one piece facing not a placket and shall be lined with fusible Pellon lining on buttonhole and button side to reinforce buttonhole and button firmness. Color – French Blue and Dark Navy Blue for Superior Officers.

MEN'S TACTICAL POLO SHIRTS – SHORT SLEEVE

SIZES L – XL
SIZES 2X – 3X

MEN'S TACTICAL POLO SHIRTS – LONG SLEEVE

SIZES L – XL
SIZES 2X – 3X

**LONG SLEEVE CLASS B SHIRT
BLAUER 8703-7A, NO SUBSTITUTE
COLOR: FRENCH BLUE**

STANDARDS: All garment details specifically described herein, tailoring, styling, materials, and components must match the standard reference sample. Samples may be subject to laboratory testing at the discretion of the contracting officer. Manufacturers are responsible for all testing costs of their sample garment. Garments will have a warranty coverage (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG1710)

SHIRT MATERIAL: 6.5 oz. per square yard 2 x 1 twill weave in a 65% polyester / 35% cotton fiber blend with 10-12% filling stretch that is pre-cured for wrinkle resistance and treated with a soil-release finish. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care. (Color: French blue)

INTERLINING: small parts: 100% polyester. Front placket: 50% cotton

HOOK AND LOOP: Woven nylon base

BUTTONS: melamine, 20 ligne, matching shell fabric

DESIGN AND DESTRUCTION: Long sleeve uniform shirt. 5 crease military style with permanent silicone adhesive creases. Top fused convertible sport collar. Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure. 2 button adjustable cuffs. Epaulets. Extra-long shirt tails.

SIZES: Men's:

Body length regular: sleeve length: short (31-32) sizes S-XL
Body length regular: sleeve length: regular (32.5-33.5) sizes S-3XL
Body length regular: sleeve length: regular (34-35) sizes M-3XL
Body length tall: sleeve length Xlong (35.5-36.5) sizes L-3XL

MEASUREMENTS:

Men's: regular length: L
a. Neck: 17.25 (plus or minus .5 inches)
b. ½ chest: 25.25 (plus or minus .75 inches)

c. Back length: 32.5 (plus or minus .5 inches)

Women's: regular length: M

a. Neck 15.5 (plus or minus .5 inches)

b. ½ chest: 22 (plus or minus .75 inches)

c. Back length: 28.5 (plus or minus .5 inches)

NAMETAPES:

Officer's Silver

1st initial Last name to be sewn on 1 x 6" black nametape placed over left pocket

Supervisors Rank (Supervisor's gold)

1st initial last name

FACILITY INITIALS: COLLAR INSIGNIA:

A rectangular black patch with the identification initials of the correctional facility/unit to which officer is assigned shall be worn across the tip of each shirt collar. Officers silver, Supervisors gold.

EMBLEMS:

Mercer County Corrections emblem sewn on left sleeve Regular American flag sewn on right sleeve Mercer County cloth badge sewn on left chest.

NOTE:

All nametapes, collar insignia, sleeve emblems, cloth badges, and flags to be supplied by the vendor at no extra charge to the county.

SHORT SLEEVE CLASS B SHIRT

BLAUER 8713-7A, NO SUBSTITUTE

COLOR: FRENCH BLUE

STANDARDS:

All garment details specifically described herein, tailoring, styling, materials, and components must match the standard reference sample. Samples may be subject to laboratory testing at the discretion of the contracting officer. Manufacturers are responsible for all testing costs of their sample garment. Garments will have a warranty coverage (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG1710)

SHIRT MATERIAL:

6.5 oz. per square yard 2 x 1 twill weave in a 65% polyester / 35% cotton fiber blend with 10-12% filling stretch that is pre-cured for wrinkle resistance and treated with a soil-release finish. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care. (Color: French blue)

TRIM:

Interlining: small parts: 100% polyester front placket: 50% polyester 50% cotton

Hook and loop: woven nylon base

Buttons: melamine, 20 ligne, matching shell fabric

DESIGN AND CONSTRUCTION:

Short sleeve uniform shirt 5 crease military style with permanent silicone adhesive creases Top fused convertible sport collar. Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure. Epaulets Extra-long shirt tails.

SIZING:

Men's: regular length: S-3XL

Women's: regular length: XS-2XL

MEASUREMENTS:**Men's: regular length: L**

- a. Neck: 17.25 (plus or minus .5 inches)
- b. ½ chest: 25.25 (plus or minus .75 inches)
- c. Back length: 32.5 (plus or minus .5 inches)

Women's: regular length: M

- a. Neck 15.5 (plus or minus .5 inches)
- b. ½ chest: 22 (plus or minus .75 inches)
- c. Back length: 28.5 (plus or minus .5 inches)
- d. ½ chest: 22 (plus or minus .75 inches)
- e. Back length: 28.5 (plus or minus .5 inches)

NAMETAPES:

1st initial Last name to be sewn on 1 x 6" black nametape placed over left pocket. Supervisors Rank 1st initial last name Officer's silver. Supervisor's gold.

FACILITY INITIALS:

COLLAR INSIGNIA: A rectangular black patch with the identification initials of the correctional facility/unit to which officer is assigned shall be worn across the tip of each shirt collar Officer's silver; Supervisor's gold.

Emblems:

Mercer County Corrections emblem sewn on left sleeve. Regular American flag sewn on right sleeve; Mercer County cloth badge sewn on left chest.

Note:

All nametapes, collar insignia, sleeve emblems, cloth badges, and flags to be supplied by the vendor at no extra charge to the county.

CLASS B TROUSER

BLAUER 8819-7A, NO SUBSTITUTE

COLOR: DARK NAVY

STANDARD:

All garment details specifically described herein, tailoring, styling, materials, and components must match the standard reference sample. Samples may be subject to laboratory testing at the discretion of the contracting officer. Manufacturers are responsible for all testing costs of their sample garment. Garments will have a warranty coverage (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG1710)

PANT MATERIAL:

6.5 oz. per square yard 2 x 1 twill weave in a 65% polyester / 35% cotton fiber blend with 10-12% filling stretch that is pre-cured for wrinkle resistance and treated with a soil-release finish. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care.

(Color: dark navy)

POCKET:

70/30 polyester cotton twill, not less than 3.0 oz. sq. yd. Front quarter pockets, cargo side pockets, and inverted double cord hip pockets with flaps. All pockets secured with bartacks

INTERLINING:

polyester non-woven

BINDING:

polyester/cotton bias cut

WAISTBAND:

polyester, spandex, nylon blend with double strip of silicone shirt grip. Stretch waistband with stretch edge control. Interlined with belt loops inserted in bottom of waistband and tacked at top 3" opening. Outlines in waistband (back) and thigh inseam.

FLY ZIPPER:

nylon coil #4.5 with auto lock slider

DRAWSTRING:

100% polyester gross grain ribbon. Finished hem with drawstring closure.

HOOK AND EYES:

nickel-plated, double hook and eye closure.

BUTTONS:

melamine, 22 ligne, matching shirt material

STRIPE:

polyester/cotton, Color: French blue. Stripe color and fabric must match the shirt. 1 ½" stripe sewn along out seam from bottom of waistband to hem, over side pocket flap and pocket bag. Stripe to be made from the same material as the shirt so as to match exact.

DESIGN AND CONSTRUCTION:

Loose pattern through seat and thigh. Tandem needle seat seam. Seat, inseam, and out seams pressed open. 10-12 stitches per inch (all seams). Quarter linings in front quarters.

SIZING:

Men's: regular length: even waist sizes 28-54; odd sizes 31-37

Women's: regular length: even dress sizes 6-24

MEASUREMENTS:

Men's: regular length: Waist size 36:

a. ½ waist: 18 (plus .25 inches)

b. Seat: 23.75 (plus or minus .25 inches)

c. ½ knee: 11.75 (plus or minus .25 inches)

- d. ½ bottom leg: 8.875 (plus or minus .25 inches)
- e. inseam: 33.5 (plus or minus .5 inches)
- f. Out seam: 42.25 (plus or minus .5 inches)
- g. Front rise: 10.5 (plus or minus .25 inches)
- h. Back rise: 16.25 (plus or minus .25 inches)
- Women's: regular length: dress size 12
- i. ½ waist: 15.5 (plus .25 inches)
- j. Seat: 22.75 (plus or minus .25 inches)
- k. ½ knee: 10.875 (plus or minus .25 inches)
- l. ½ bottom leg: 8.5 (plus or minus .25 inches)
- m. Inseam: 30.5 (plus or minus .5 inches)
- n. Out seam: 41 (plus or minus .5 inches)
- o. Front rise: 11.875 (plus or minus .25 inches)
- p. Back rise: 15 (plus or minus .25 inches)

*** Class B uniforms are optional uniform apparel and purchased at the expense of the employee.**

WEATHERTECH®/WATERPROOF SYSTEMS SHELL JACKET

STYLE:

Spiewak #S3616

SHELL FABRIC

The shell fabric shall be Tactel® - 100% Nylon two-ply with a water-repellent finish.

EMBLEM:

Mercer County Correction Patches shall be supplied by vendor and sewn on left sleeve.

Inside Detail

Permanent Body Lining

Cloth type: 100% Nylon Taffeta, 70 Denier warp and fill, color black, with a waterproof breathable – WeatherTech™ coating. All lining joining seams shall be safety stitched and then sealed with 1" heat sealed tape to prevent leakage. The tape shall be applied by hot air method. All stitching through the shell lining shall be sealed with waterproof tape. The lining material shall extend through the top collar of the shell garment to form a waterproof barrier. There shall be 2 female snaps at the seam joining point and opposite, approximately 2 ¼" from the sleeve bottom, to attach to the removable liner.

The parka lining shall be 100% 210T nylon taffeta. There shall be inside zippers sewn on top of front zipper tape on both sides to accommodate an optional zip-in liner (S525V, or S526CF). The inside facing zippers shall be #5 Delrin reversible measuring approximately 26" long. There shall be an 8" nylon coil zipper on a facing of shell material for access to the outer shell for embroidery or customization to the left front without sewing through the lining.

FRONT

There shall be a 2-way zip to the neck YKK zipper with a double storm fly that secures with 6 snaps (size Large/Regular).

POCKETS

There shall be 2 zippered pockets, one on each side under the double covered wind fly. Each pocket shall measure 9" long. There shall be 2, 2-way front pockets on the outside front of the jacket shell which shall be lined with fleece and snap close. Next to each front pocket, closest to the zipper, there shall be 2 Val covered, zippered storage pockets. Each pocket shall measure 8" long. Inside the jacket

there shall be 2 welts covered, zippered storage pockets made of shell fabric on the outside and lining fabric on the inside of each pocket. The pockets shall measure 9 ¼" long by 6 ½" wide (+/- .5").

EPAULETS

There shall be two crossed stitched epaulets that attach to the shoulders of the garment with a snap. The epaulets shall measure 7" long by 2" wide and forming a point at the end closest to the neckline (size Large/Regular).

BOTTOM BAND

There shall be an elasticized back bottom band with a full front bottom band. There shall be zippered side vents that have a double snap adjustment on each side. The side vent zippers shall measure approximately 10" long.

WEATHERTECH®/WATERPROOF SYSTEMS SHELL JACKET CONT'D

SLEEVES

The sleeves shall be two-piece, semi-modified dolman construction for complete freedom of movement. There shall be a black enameled eyelet located approximately ½" up from each cuff to allow for drainage. The shoulder seams shall have an inside facing on the sleeve side, 1 ½" wide, of WeatherTech® waterproof/breathable material and taped with sealing tape to prevent leakage. The reinforcement patch shall be 5 sided. The under sleeves shall feature ventilating pit-zips with #5 Delrin zipper that measure approximately 12" long the pit-zips shall be covered with a welt of shell material 12" long X ½" wide.

CUFFS

There shall be a cuff formed of 2 pieces of shell material approximately 1 5/8" wide at the bottom. Half of the cuff shall be heavy-duty elastic stretched and sewn with 2 threads. There shall be a cuff tab adjustment approximately 1 ¼" wide tapering to approximately ¾" wide by 3" long with a female snap. The top half of the cuff shall be interlined and shall have 3 male snaps for cuff adjustment.

HOOD

There shall be a Val covered zipper with a 3-piece, drop in, waterproof hood. The Val cover shall measure 8 ¾" long. The hood shall be constructed of shell material and lined with a Weather Tech® waterproof/breathable lining that shall drop in between the shell and lining at the collar. The hood shall be attached to the bottom of the zipper opening on the under collar. The under-collar opening shall be approximately 1" from the neckline and 2 ½" from end of the collar and close with a 7" nylon coil zipper. All hood lining joining seams shall be taped with 1" waterproof tape applied by the hot air method to prevent leakage. There shall be an elasticized draw cord with double hole, self-contained cord locks for hood adjustment and inserted into each side of the hood.

BADGE TAB

The tab shall be placed in the front pocket, attached with a swift tab, and shall be 3 ¼" in length and 1" in width unfinished. The eyelets shall be 1 ¼" from the center of one oxidized metal eyelet to the center of the other oxidized metal eyelet.

COLLAR

The collar shall be made of 2 plies of the shell material with an interlining sewn to the top collar for stability and measure 3 ¾" high. The collar points shall be well shaped and symmetrical. There shall be a 7" nylon coil zipper opening on the under collar centered approximately 1" up from the neckline and 2 ½" from the top of the collar edge for the drop-in hood. There shall be 4" triangle covers on both edges of the collar to secure the optional jacket liner collars when inserted into the shell parka.

SNAPS

All snaps shall be spring loaded compression snaps.

COLORS

Dark Navy (011)

SIZES

RegularSmall – 5XL

Longs Medium – 5XL

PUBLIC SAFETY SOFT-SHELL DUTY JACKET LINER

STYLE: Spiewak #S318Z Liner

EMBLEMS

Mercer County Correction Patches shall be supplied by vendor and sewn on left sleeve.

DESIGN

The garment shall be full cut, waist length intermediate soft-shell jacket with performance features designed for public safety use. The garment shall have a full zip front to the top of the collar, side vent zippers, adjustable sleeves, waist draw cord, and zippered hand warmer pockets. All dimensions and lengths are based on men's size large. Dimensions and lengths for all other sizes must be graded appropriately.

FABRIC

The fabric shall be a 3-layer soft-shell whose content is 80% polyester 20% polyurethane and whose construction are 270T/75D and weight of 315gsm. The three layers are as follows: outer face made of 100% polyester mechanical high-elastic PPT fiber, inner face made of 100% polyester 100D/144F 165-175gsm non-pill fleece, and a waterproof/breathable hydrophilic polyurethane membrane bonded in-between.

BODY DETAIL

The front zipper shall be a 26-inch YKK Vislon zipper. There shall be an inside storm flap. The hand-warmer pockets shall have a 7-inch nylon coil zipper. The hand warmer pockets shall be lined with tricot. There shall be a YKK #5 10" nylon coil side vent zippers that shall allow access to equipment or duty belt. There shall be a snap tab to hold side vent zippers when opened. The shoulders feature mic-tabs / epaulets permanently affixed and made from same shell fabric, placed atop a stitched triangular panel wider at the shoulder and narrower at the neck. The body of the jacket shall be tapered to allow the garment to be tucked. The sleeves shall be constructed with a separate stitched panel below the elbow. The inside of the sleeves shall be fully lined with smooth Tricot mesh, for wearer comfort, and ease of use. The gusseted cuff shall be gathered and sewn with elastic and a closure tab using YKK Power hook and loop. There shall be a loop made of shell fabric at the lower cuff sewn into the gusset seam to allow for sleeve attachment into any of the compatible Weathertech® systems shells. There shall be side panels constructed under each armhole and the 7" zippered side pocket shall align with the front seam of the side panel on each side of the garment.

INSIDE DETAIL/POCKETS

Two large inside pockets are to be in the garment constructed of two layers of tricot with a bound opening at the top. The inside pockets shall extend from the center front to the front seam of the side panels. There shall be a tunneled draw cord at the bottom sweep on the front of the jacket. The tunnel shall be created by folding under the shell fabric at base of garment. The draw cord shall be elasticized, and the ends sewn down inside the tunnel at the front ends and shall exit the tunnel at either side of the garment using two finished buttonholes. At the exits the draw cord shall have a bead and barrel lock to allow the cord to be tightened. There shall be a snap tab on each front seam of the side panel on the inside of the garment up from the bottom to secure the elasticized shock cord when tightened. The snaps on the tabs shall be compression nipple snaps. The back bottom inside band of the garment shall have an elasticized gripper.

The S318 must be compatible to be able to zip into any of the existing Weathertech® waterproof shells.

PUBLIC SAFETY SOFT-SHELL DUTY JACKET LINER CONT'D

COLOR

Navy (011)

CARE

Garment to be fully machine washable. Tumble dry low.

SIZES

REGULAR S-5XL

LONG M-5XL

BASEBALL CAP

FABRIC:	65% Polyester / 35% cotton
TAPE:	5/8" Black double fold poly/cotton
EYELETS:	6 sewn eyelets
SWEATBAND:	1 1/4" wide 65 % poly/35% cloth twill
VISOR FILLER:	Texon 400 (natural)
ADJUSTO STRAP:	Velcro closure back strap
SEAM ALLOWANCE:	3/8"
SIZING:	1" Velcro closure
BINDING TAPE:	3/4" black flat, bias, poly/cotton
LABELS:	Size & supplier labels
FRONT STIFFENER:	White perx 60 med. hand, nylon/cotton membrane
VISOR:	6 row stitching
COLOR:	P&F shade Dark Navy Blue
EMBLEM:	Mercer County Correction Patches shall be supplied by vendor and sewn on at no charge to the county.

DRESS HAT

FABRIC

The hat shall be made with Hamburger Woolen #420 P & F shade, 100% polyester.

COLOR

The color shall be dark navy blue to match the trouser.

DESIGN

The design shall be Pershing style. The top shall be oval shaped with medium saddle. Inner band shall be made of the same materials as the top, finished with a welt at the lower edge. Fastened at the sides with Silver Metal New Jersey buttons for officers. The front shall have a plastic front strap.

VISOR

The visor shall be style # 400 [1" w/a short drop]

SWEATBAND

The inner sweatband shall be non-foamed back first quality leather.

EMBROIDED WATCH CAP

Blue

Military style

Small departmental patch embroidered on the front

100% acrylic

This winter cap is great for keeping the winter chill off your head while working outdoors.

NECK TIE

Black 45% wool, 55% polyester

Ready-made knot-metal bend over hook-on style with button tie-down, 3 inches wide.

SHOES

MEN'S BOOTS:

Men's boot shall be black full grain leather and air mesh upper with polishable leather toe. Water/bloodborne pathogen proof membrane. Water resistant YKK side zipper. Highly breathable mesh side panels. Moisture wicking lining. Shock absorbing EVA midsole. Molded TPU heel stabilizer. Dual density nitrile rubber outsole is non-marking, slip resistant, and oil resistant. 7" Height.

WOMEN'S BOOTS:

Women's boot shall be black full grain leather and air mesh upper with polishable leather toe. Water/bloodborne pathogen proof membrane. Water resistant YKK side zipper. Highly breathable mesh side panels. Moisture wicking lining. Shock absorbing EVA midsole. Molded TPU heel stabilizer. Dual density nitrile rubber outsole is non-marking, slip resistant, and oil resistant. 7" Height.

MEN'S SHOES:

Men's shoe shall be Black 5-eyelet plain toe Oxford or approved equal. The upper material shall be smooth black leather. The heel and outsole shall be ultra lightweight slip resistant.

WOMEN'S SHOES:

Women's shoes shall be Black 4-eyelet plain toe Oxford or approved equal. The upper material shall be black smooth leather. The outsole and heel shall be lightweight and slip resistant.

BELT

The uniform belt shall be a Garrison-type made of smooth, full grain leather, 1¾" wide, black in color and shall have a square, open face, nickel-plated buckle.

SIZES AND MEASUREMENTS:

SIZE RANGE

The size range shall be unisex sizing sizes 24" through 54"

OTHER REQUIREMENTS:

STOCK PRODUCT:

The successful bidder will be required to provide a full size run of try-on garments within 10 days for agency approval, sizing of personnel, and for further evidence of in-stock availability.

LIMITED WARRANTY:

The sample and contract garments shall carry a manufacturer's printed warranty hangtag. A sample warranty hangtag must accompany the bid package as well. The tag shall instruct the owner of their rights under the warranty. The Limited Warranty will contain at minimum the following:

WARRANTY COVERAGE: Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in materials and workmanship for a period of three (3) years from date of purchase.

WARRANTY SERVICE: Should a covered product become defective during the warranty period, simply return it to the manufacturer with dated proof of purchase. The manufacturer agrees to repair or replace at its option any item determined to be defective and will return to purchaser at no charge.

ACADEMY UNIFORMS

Style#: 874NV

Navy Dickies Trouser: 8 ½ oz Twill, 65% polyester /35% cotton.
Permanent **sewn in creases**

Style#: 574NV

Navy Dickies Long Sleeve: 5 ½ oz. Twill. 65% polyester /35% cotton
5 Permanent **sewn in creases**.(2 front, 3 back)

Style#:973

Navy Jerzees Sweatpants: 8oz. 50% polyester /50% cotton
Inside drawcord.
Elastic cuffs.
2" gold block letters on back – Last Name

Style#: 562

Navy Jerzees Sweatshirt: 8oz. 50% polyester / 50% cotton.
Pill-free
Double-needle cover seamed stitching on neck, shoulders,
armholes and waistband. Spandex in neck, cuffs, and
waistband.
2" gold block letters on front – Last Name

Style#: G200

Navy Gildan T-Shirt: 6.1oz. 100% preshrunk cotton.
Double needled stitching
Seamless topstitched collar
Taped neck and shoulders.
2" gold block letters on front – Last Name

STYLE#: 44S30

Navy Gildan Gym Short: 5.5oz. 100% polyester.
9" inseam
Inside drawstring.
2" gold block letters on back – Last Name

STYLE#: 6477

Navy Flex- fit 6-panel cap: 83% acrylic, 15% wool, 2% spandex.
Rounded athletic shaped crown.
Spandex sweatband
8 rows of stitching on visor
Sewn eyelets
Stretches to fit most heads.

Rain Coat

ANSI/ISEA 107-2010 Class III Certified

polyurethane side Silver reflective tape trimmed in black on hi-vis
45% polyester, 40% nylon, 15%

Waterproof, Tri-laminated tricot,
Windproof
Breathable; Slash-through
openings w/ hook- and-loop.
Closure
Snap front with inner and outer storm flaps
Detachable hood
Reversible rainwear

OFFICE OF THE PROSECUTOR
P.O. BOX 8068
TRENTON, NEW JERSEY 08650-0068
CONTACT PERSON: JEANNETTE TORRES: 609-989-6528

It is the intent of the Office of the County of Mercer to purchase uniforms for the Mercer Prosecutor's Office. All bid prices must include alterations, fittings and sewing on of patches. The awarded vendor will supply patched. Garments not properly sewn, tailored and pressed will not be accepted. The contractor will be responsible for delivering the uniforms, clothing and footwear to the County of Mercer and ensuring the uniforms, clothing and footwear are fitted correctly. All hanging garments must be delivered on hangers. All hanging garments must be delivered on hangers.

VENDOR GENERAL REQUIREMENTS

Brands are to be interpreted as brand name or equivalent. Clothing must be delivered within two (2) weeks of receipt of purchase order. Facility must have a full tailor shop on premises. Vendor must supply all patches at no additional charge. Vendor must keep supply of Mercer County patches in stock. Vendor must supply all badges and nametapes at no additional charge. All prices must include shipping and freight charges. No additional payment will be made for this service.

5.11: 3-in-1 PARKA 2.0

STYLE NO.: 48358

FABRIC TYPE: COAT

STOCK SIZES: REGULAR OR TALL IN EXTRA-SMALL, SMALL, MEDIUM, LARGE, EXTRA LARGE, 2 XL, and 3XL

COLOR: BLACK (019), DARK NAVY (724), and RANGE RED (477)

Outer Jacket: 100% polyester, hard-shell, 2L plain weave with mechanical stretch, 5.2-oz., DWR, BBP. Inner Jacket: 100% polyester tech fleece, 10.3-oz., anti-pilling. Inner jacket overlays: 100% nylon 6 plain weave, 3.7-oz., Water Resistant. 10K/10K waterproof/breathable rating with Blood Borne Pathogen resistance*. Fully seam sealed. Two-way center front zipper with external/internal storm flaps and chin guard. Buttonhole on internal storm flap for cord management. Hood rolls/stores into collar and is detachable with stash pocket at upper back body. Mic loops. Camera loop in kit. Removable pull out panels at left/right chest and upper back body. Left/right chest ReadyPocket™. Articulated sleeves with adjustable cuffs. Quixip® system at side seams. Back body comms access welts. Hand zipper pockets. Adjustable hem with internal shock cord system. Warm and breathable removable inner fleece jacket. 6 pockets outer jacket and 5 pockets inner jacket. EN 343: 2019 certified, Class 4-3-X. Regular or tall fit. Size XS – 3XL.

DESIGN, FEATURES & BENEFITS: The 3-in-1 Parka 2.0 offers mechanical stretch for improved flexibility. 10K waterproof and 10K breathable fabric with DWR, the 3-in-1 Parka 2.0 provides Blood Borne Pathogen resistance*. The six-pocket outer shell features mic loops, camera loop kit, hood that can be rolled into the collar or detached and stored in back pocket, hidden utility pockets and pull out ID panels for easy on duty identification. A 5.11® ReadyPocket™ on both the left and right chest stores your phone, sunglasses or extra magazines. The new Quixip® system on the sides for rapid firearm access and enhanced ventilation. The warm and breathable fleece liner, with improved lining, cuffs and added document pockets, doubles as a standalone five-pocket tactical jacket when removed.

5.11 5- in -1 JACKET 2.0

STYLE NO.: 48360

FABRIC TYPE: OUTER JACKET/COAT

STOCK SIZES: REGULAR OR TALL IN EXTRA-SMALL, SMALL, MEDIUM, LARGE, EXTRA LARGE, 2XL, 3XL, AND 4XL

COLOR: BLACK (019) AND DARK NAVY (724)

Outer Jacket: 100% polyester, hard-shell, 2L plain weave w/mechanical stretch, 5.2-oz., DWR, BBP. Inner Jacket: 100% polyester tech fleece, 10.3-oz., anti-pilling. Inner jacket overlays: 100% nylon 6 plain weave, 3.7-oz., W/R. 10K/10K waterproof/breathable rating with Blood Borne Pathogen resistance. Fully seam sealed. Two-way center front zipper with external/internal storm flaps and chin guard. Hood rolls/stores into collar and is detachable with stash pocket at upper back body. Mic loops. Camera loop in kit. Left/right chest ReadyPocket™. Articulated sleeves with adjustable cuffs. Quixip® system at side seams. Front hand zipper pockets. Adjustable hem with front internal shock cord system/tunneled elastic back. Warm and breathable removable inner fleece jacket. 5 pockets outer jacket and 5 pockets inner jacket. EN 343: 2019 certified, Class 4-3-X. Regular or tall fit. Size XS – 4XL.

DESIGN, FEATURES & BENEFITS: Features an outer shell of mechanical stretch polyester. The fully seam-sealed 10K waterproof and 10K breathable fabric with DWR provides Blood Borne Pathogen resistance. When it's raining, cover up with the removable hood that can be rolled into the collar or stored in back pocket. Quixip® system on the sides offers enhanced ventilation and rapid firearm access. The two-piece setup's removable interior liner features zip-off sleeves and a side zipper to provide even more versatility. Tech fleece construction ensures years of service and, when coupled with the shock cord at the hem, keeps warmth in. Also features a pair of document pockets on both layers.

5.11: Chameleon Softshell Jacket 2.0

STYLE NO.: 48373

FABRIC TYPE: COAT

STOCK SIZES: EXTRA-SMALL, SMALL, MEDIUM, LARGE, EXTRA LARGE, 2 XL, 3XL and 4XL

COLOR: BLACK (019), DARK NAVY (724), and RANGER GREEN (186)

100% polyester plain weave face with mechanical stretch, micro fleece backer, softshell 3L, 7.3-oz., DWR. 5K/2K waterproof/breathable rating. One-way center front zipper with internal storm flap and chin guard. Removable pull out panels at left/right chest and upper back body. Left sleeve zipper pocket. Hand zipper pockets. Articulated sleeves with tunneled elastic cuffs and cuff adjustment tabs. Inside pocket with organization. Adjustable hem with internal shock cord system. Regular fit. Size XS – 4XL.

DESIGN, FEATURES & BENEFITS: Wind and cold stay on the outside of this breathable, waterproof softshell thanks to the 100-percent polyester weave construction with microfleece back. A partial tricot mesh interior lining piles on warmth, while adjustable, tunneled cuffs and an adjustable shock-cord hem seal out the elements. Warm your hands inside the zippered pockets up front, and carry your accessories in the internal chest pocket. A pocket on the exterior sleeve provides fast access to often-used items. Articulated sleeves ensure full range of motion, which is always critical in the field. A communications eyelet at the hem keeps things tangle free and the softshell comes with pull-out panels on the back and chest.

5.11 FAST-TAC HI-VISIBILITY VEST

STYLE NO.: 49044

FABRIC TYPE: SAFETY VEST

STOCK SIZES: REGULAR AND 2XL

100% polyester mesh, 3.2-oz. Hi-Vis yellow mesh with reflective tapes. ANSI/ISEA 107-2015 Type R&P, Class 2. 5-pt break away system at shoulders, side body, and center front zipper. Mic loops. Badge tab in kit. Black taffeta binding. Sized to fit over outerwear. Regular fit. Size regular and 2XL.

DESIGN, FEATURES & BENEFITS: Fast-Tac Hi-Vis Vest meets ANSI/ISEA 107-2015 Type R&P, Class 2 standards, and offers a level of versatility few other safety vests can match. Breakaway openings at shoulders and sides allow it to be easily donned and doffed, while a zipper front closure keeps it snug. The mesh material enables a breathable, comfortable exterior along with highly visible coloring and reflective strips.

BLAUER B.DRY REVERSIBLE RAIN JACKET

STYLE NO.: 233R

FABRIC TYPE: RAIN COAT

STOCK SIZES: SHORT, REGULAR OR TALL IN EXTRA-SMALL, SMALL, MEDIUM, LARGE, EXTRA LARGE, 2XL, 3XL, 4XL, 5XL, and 6XL

COLOR: HI-VIS YELLOW WITH BLACK

Waterproof, windproof, breathable laminates on both black and vis sides. Fully reversible to fade resistant hi-vis fluorescent polyester for safety. 2" SCOTCHLITETM hi-contrast reflective trim around chest, sleeves, bottom hem and cuffs on hi-vis side. Black perimeter facing prevents "peek through" when worn black side out. Double storm flaps with reversible zipper. Sport collar zips to top for protection from wind and rain. Seams sealed with thermal tape. Go-through slash pockets with welts. Waterproof side zippers for equipment access. Raglan shoulder design for freedom of movement. Snap front closures. Microphone tabs on left and right sides (black and hi-vis sides). Optional badge tabs on both sides. 32.5" length. Certified to ANSI 107-2015 Type P Class 3. Must include snaps to fit hood. Short, regular or tall fit. Size XS – 6XL.

DESIGN, FEATURES & BENEFITS: Features such as properly placed side openings for weapon and equipment access, large waterproof pockets, a collar that zips to the top, cuff closures that seal the wrists, and quiet and easily cleanable shell fabrics have always been important to you. Some lesser known requirements, no peek through of the yellow side when the black side is worn, extra-long raincoat length and a full and generous cut that can be worn over a jacket, an attractive and appealing reflective pattern with high contrast silver on black stripes, and Scotchlite brand reflective materials that meet or exceed ANSI 107, Class 3, the highest rating they can have for safety.

BLAUER SNAP ON RAIN HOOD

STYLE NO.: 123

FABRIC TYPE: HOOD FOR RAIN COAT

STOCK SIZES: SM-M, L-XL, 2XL-3XL, AND 4XL-5XL

COLOR: HI-VIS YELLOW OR BLACK

This snap-on rain hood can be added to style #'s 233R, 733, 26990, and 26991. Jacket must be ordered with snaps to fit hood. Waterproof, windproof, breathable fabric.

PLEASE NOTE: This hood matches the following Waterproof® rainwear styles. Please order reversible snaps for styles 233R, 733, 26990 and 26991. Please order non-reversible snaps for style 26976-1. Jacket must be ordered with snaps to fit hood. Size XS – 6XL.

DESIGN, FEATURES & BENEFITS: 100 nylon with waterproof and windproof fluorocarbon coating. Seams are 2-layer polyurethane thermal tape.

BLAUER B.DRY RAIN PANTS

STYLE NO.: 134

FABRIC TYPE: RAIN PANT

STOCK SIZES: SHORT, REGULAR, TALL, X TALL, OR 2X TALL IN EXTRA-SMALL, SMALL, MEDIUM, LARGE, EXTRA LARGE, 2XL, 3XL, 4XL, 5XL, and 6XL

COLOR: BLACK

Lightweight rain pants will keep you dry and comfortable. Boot cut pattern and elasticized waistband for optimal appearance and fit. Side openings provide access to uniform pockets. Waterproof, windproof, breathable laminate on durable polyester shell fabric. Elasticized drawcord waistband with side openings. Zippered leg openings with adjustable cuffs. Seams sealed with thermal tape. Side openings provide access to pant pockets. Short, regular, tall, X tall, or 2X tall fit. Size XS – 6XL.

MENS DANNER STRIKER BOLT BOOTS

STYLE# 26634

Description: STRIKER BOLT SIDE-ZIP 8"

Sizes: 6-16D; 6-16EE

COLOR: BLACK

Features: PU Coated, Polishable Leather & Nylon Upper. To reduce the weight of the boot, polishable, polyurethane coated leather is combined with incredibly strong nylon. 100% waterproof and breathable, GORE-TEX liners ensure that no water gets in, while allowing sweat and moisture to get out. Lace garage prevents loose laces from snagging or dragging. At the top of the boot's tongue is a stretch fabric pocket designed to tuck your lace ends into. Get in and out of your boots faster with this semi-locking side zipper. It locks itself closed when its zipped up, yet easily releases when you pull the zipper down. By combining the shank, lasting board, and midsole into a single unified piece that is molded to match the shape and contours of our boots, we were able to reduce a significant amount of weight from the boot without sacrificing support. The Vibram Striker® Bolt outsole is slip-resistant and offers maximum surface contact while gripping on and off pavement. The Terra Force Next platform combines an internal and external shank system which helps

to provide arch support and torsion control. The Vibram SPE midsole brings comfort and durability without added weight.

LINING: Waterproof Gore-Tex

SHANK: Bi-Fit Board

WOMENS 5.11 A.T.A.C. 2.0 6"

STYLE# 12404

Description: A.T.A.C. 2.0 6"

Sizes: 5-10D

COLOR: BLACK

Features: Air flow breathable tongue construction. Full-length dual durometer Ortholite® footbed. Achilles heel flex zone for enhanced comfort & flexibility. Shock Mitigation System®. Strobel construction. Lighter weight upper construction. Ortholite® Achilles cuff for comfort. Slip- and oil-resistant outsole. It's lighter and more comfortable, yet maintains its reputation for toughness and durability. A new air flow tongue and full-length dual durometer Ortholite® footbed work to keep your feet cool, dry and comfortable all day, every day. Another new feature, the Achilles heel flex zone, gives a critical part of your foot more range of motion without compromising support. The full-grain leather toe, 840D nylon upper and Shock Mitigation System® provide the kind of rugged protection you need. Imported.

MEN'S 5.11 STRYKE PANTS

STYLE NO. 74369

28-54 Waist, even inseams 30-36 or unhemmed and hemmed to correct length in color Khaki (055). Fade resistance. Made with 65% polyester/35% cotton Flex-Tac mechanical stretch ripstop, 6.8-oz., Teflon finish. Self-adjusting tunnel waistband. Articulated knees with knee pad pocket. 12 pockets sized for tactical use. Front pockets sized for EDC items. YKK zippers and Prym snaps. Gusseted construction. Bar tacking at major seams and stress points. Imported.

WOMEN'S 5.11 STRYKE PANT

STYLE NO. 64386

0-20 Waist in even increments. Regular and Long lengths in color Khaki (055). Fade resistance. Made with 65% polyester/35% cotton Flex-Tac mechanical stretch ripstop, 6.76-oz., Teflon finish. Fixed waistband. Articulated knees and internal kneepad ready. 12 pockets sized for tactical use. YKK zippers and Prym snaps. Gusseted construction. Bar tacking at major seams and stress points. Imported.

THE BADGE ON ALL THE FOLLOWING SHALL BE EMBROIDERED

MEN'S 5.11 SHORT SLEEVE PROFESSIONAL POLO

STYLE NO. 41060

XS-5XL in regular and tall fit. Colors are dark navy (724), black (019), and white (010). Made with 100% cotton, pique jersey, 6.8 oz. treated to retain color. Three melamine buttons on front placket. Drop tail hem with side vents. Wash-and-wear ease. Stay-flat, no-

roll collar, dual pen pockets on left sleeve, wrinkle, shrink and fade resistant fabric. Classic fit. Embroidered badge on left chest.

MEN'S 5.11 LONG SLEEVE PROFESSIONAL POLO

STYLE NO. 42056

XS-5XL in regular and tall fit. Colors are dark navy (724), black (019), and white (010). Made with 100% cotton, pique jersey, 6.8 oz. treated to retain color. Three melamine buttons on front placket. Drop tail hem with side vents. Wash-and-wear ease. Stay-flat, no-roll collar, dual pen pockets on left sleeve, wrinkle, shrink and fade resistant fabric. Classic fit. Embroidered badge on left chest.

WOMEN'S 5.11 SHORT SLEEVE PROFESSIONAL POLO

STYLE NO. 61166

S-XL in regular fit. Colors are dark navy (724), black (019), and white (010). Made with 100% cotton, pique knit, 6.8 oz. treated to retain color. Designed and crafted for a female fit. Three melamine buttons on front placket. Bar tacking at major seams and stress points. Wash-and-wear ease. No-roll collar with collar stays. Pen pocket at the sleeve. Wrinkle, shrink and fade resistant fabric. Embroidered badge on left chest.

ADDITIONAL ITEMS AND SIZES INCLUDED ON THE PROPOSAL PAGE.

1. OCCUNOMIX or equivalent High-visibility sweatshirts and hoodies sizes M-4x
2. SALISBURY Electrical Insulating Gloves or equivalent, Type I, PR1 sizes M-2x
3. Electrical Glove Protector or equivalent, 10,10", PR sizes: M-2x
4. OCCUNOMIX or equivalent T- Shirt, Men's, Yellow sizes: M-4x
5. OCCUNOMIX or equivalent Sweatshirt, Men's, Yellow Sizes: M-4x
6. OCCUNOMIX or equivalent T- Shirt, woman's, Yellow sizes: M-4x
7. OCCUNOMIX or equivalent Sweatshirt, woman's, Yellow sizes: M-4x
8. GLOBE G-XCEL TURNOUT COAT or equivalent BLACK BRIGADE Sizes: M-4x
9. GLOBE G-XCEL TURNOUT PANT, BLACK BRIGADE or equivalent Sizes: M-4x
10. MSA/CAIRNS #1044 HELMET BLACK WITH NFPA BOURKE EYESHIELDS, WITH MCPO FRONT PIECE 7"-14" or equivalent
11. BLACK DIAMOND RUBBER BUNKER BOOTS or equivalent
12. LION #804-6379 STATION 1 LEATHER BOOTS 7"-14" or equivalent
13. PRO-TECH 8 #PT-8SC FUSION FIREFIGHTING GLOVES or equivalent
14. CPA #MX-56 LEATHER MECHFLEX GLOVES or equivalent
15. Men's K- First Tactical Performance Short Sleeve Polo or equivalent Sizes S-4x
16. woman's K- First Tactical Performance Short Sleeve Polo or equivalent Sizes s-2x
17. Men's K- First Tactical Performance Long Sleeve Polo or equivalent Sizes S-4x
18. Women's K- First Tactical Performance Long Sleeve Polo or equivalent Sizes S-2x

For Officer Uniform Shirts

Department badge embroidered on left chest (2.5" W x 3" high). Last name embroidered on the right chest (all capital letters). Rank insignia (for Sergeant and above) embroidered on the collars.

Specific Rank Depictions for embroidery:

Sergeant – Chevron
Lieutenant – Single Bar
Captain – Double Bar
Deputy Chief – Single Star
Chief – Two Stars

EXAMPLES MERCER COUNTY PROSECUTOR'S OFFICE UNIFORM SHIRT:



EXAMPLES PATCHES FOR PROSECUTOR'S OFFICE:



Vendor shall provide a cost for digitization, embroidery/logo and a price list per items that may be emblazoned with Mercer County Prosecutors Offices logo. In addition to logo's provided below additional log styles may be requested during the course of the contract. Department will provide specific details related to color, size and shape of each patch. Vendor agrees to provide any color within the 2024 Pantone Colour Matching system <https://www.pantone-colours.com/>

COST FOR DIGITIZATION \$

COST PER LOGO OR EMBROIDERY \$

COST PER HOUR FOR GRAPHIC \$

Awarded vendors must provide proof and samples prior to production.

**OFFICE OF THE SHERIFF
175 SOUTH BROAD STREET
P.O. BOX 8068 TRENTON, NEW JERSEY 08650-0068
CONTACT PERSON: CHIEF JAMES UDIJOHN (609) 310-3609**

It is the intent of the County of Mercer to purchase Officers uniforms for the Mercer County Sheriff's Office (MCSO) from a single vendor. All bid prices must include alterations, fittings and sewing on of patches. The awarded vendor will supply patches. Garments not properly sewn, tailored, and pressed will not be accepted. The contractor will be responsible for delivering the uniforms, clothing, and footwear to the County of Mercer and ensuring the uniforms, clothing, and footwear are fitted correctly. All hanging garments must be delivered on hangers.

VENDOR GENERAL REQUIREMENTS

Class "A" and "B" uniforms must be made available within one (1) week of ordering with the exception of "off-the-shelf" items. Facility must have a full tailor shop on premises. Vendor must supply all emblems at no additional charge. Vendor must keep supply of Mercer County Sheriff's Office emblems in stock. Vendor must supply all cloth badges and nametapes at no additional charge for Class B long sleeve, and Class B short sleeve. All prices must include all shipping and freight charges. No additional payment will be made for this service.

VENDOR MEASUREMENTS & FITTING

The successful bidder shall take individual measurements. Try on garments for all bid items must be available for each individual at time of measurement. Each uniform shall fit to the satisfaction of each individual. Male and Female sizes must be available for try-on. All alterations must be done at no extra charge to Sheriff's Office. All fittings shall be inspected by the Sheriff or his designated representatives and any discrepancies shall be decided solely by the Sheriff.

VENDOR PROXIMITY FOR FITTING

It will be required that the successful bidder have one or more permanent outlets at all times during the contract period within 30-50 miles of the Sheriff's Office main location. All fittings must take place at the Sheriff's Office headquarters or such place and times deemed convenient by the Sheriff's Office. Garments are to be individually pressed and delivered in hanging bags ready to wear with the officer's name in a conspicuous location on the outside of the bag.

VENDOR SUBMISSION OF ALTERNATE GARMENTS

All garments and trims must match existing Sheriff's Office uniforms exactly. Alternate samples must be supplied with the bid package.

MCSO CLASS "A" TROOPER HAT

Manufacturer

Sentry Uniform Cap Company, Inc.

Style Number

R-801 "Pershing" Trooper style

Color

Dark Navy

GENERAL REQUIREMENTS

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard.

Fabric

The hat shall be made with Hamburger Woolen Dac/Wool material.

Trim

Buttons: Custom gold New Jersey buttons side of hat supplied by vendor.

Front Strap (Officers): Black plastic strap, approximately 1/2" in width.

Front Strap (Lieutenants & Above): Gold lace strap, approximately 1/2" in width.

Visor Decoration (Chiefs & Above): Gold "scrambled eggs" visor.

Top & Rear Straps: Black leather cross strap with gold buckle for adjustment.

Design and Construction

Hat: R-801 "Pershing" Trooper style hat with top lateral gold buckle adjustable black leather cross strap. Officer hats shall have 1/2" wide black plastic front strap just above the brim and attached at the side buttons. For ranking officers, that is Lieutenants and above, hats shall have 1/2" wide gold lace strap just above the brim and attached at the side. An optional gold buckle adjustable black leather cross strap (same as top cross strap) attached at side buttons and placed to rear for hat stability in windy conditions shall be available.

Visor: Visor-400 with approximate 1" drop. For ranking supervisors, that is Chief and above, gold a Visor-400 with approximate 1" drop and decorated "scrambled egg" visor.

Sweatband: The inner sweatband shall be non-foamed back first quality leather.

Badge Eyelet: One black metal "rivet" eyelet shall be located in top front portion of hat for hat badge placement.

Customization

Vendor shall maintain availability of hat sizes for proper officer fitment, and ensure proper officer fitment and decoration (e.g. front strap, visor) upon order fulfillment without additional charge to Sheriff's Office. The optional black leather rear cross strap with gold adjustable buckle shall be available.

MCSO CLASS "A" LONG SLEEVE SHIRT

Manufacturer

Blauer

Style Number

8450

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0304)

Fabric

8.5 oz. per linear yard plain weave polyester fabric with 10% stretch, 2-ply warp, single-ply filling, 75% Dacron polyester / 25% worsted wool. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care.

Trim

Lining: 100% Polyester Satin or 100% Polyester Taffeta.

Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton.

Hook and loop: Woven Nylon base.

Buttons: melamine, 20 ligne, matching shell fabric.

Design and Construction

Shirt: Long sleeve uniform shirt with 5 military style creases (see "Creases" below) and extra-long shirt tails. The front of the shirt shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8"-1" apart. The center front shall contain six (6) vertical buttonholes (not including collar buttonhole) placed 3/4" from edge and 3-1/2" apart. The button stand, 7/8" wide, shall be self-lined and placed on right side extending from collar stand to bottom of shirt. In the back, there is to be yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of poplin. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

Collar: Top fused, banded TT89 dress collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2". Collar stand and yoke lined with polyester taffeta or satin. The stand shall fasten with one button. There shall be one horizontal button hole. The collar is to be single stitched 1/4" from edge.

Creases: Shirt to have permanent military creases. Creases are to be stitched in shirt only, not thru pockets and flaps. One crease is to be in each front extending from hem to joining seam. Three vertical creases are to be in back; middle crease on center back line; side back creases spaced equally from center crease. Pockets and pocket flaps to be die creased to give uniform shape and size.

Pockets & Flaps: Two breast pockets with mitered corners, scalloped flaps, and hook and loop closures. Each breast pocket is to measure 5-1/2" wide, and 6-1/2" long (length: measured top of pocket flap to bottom center of pocket; actual pocket length is 5-7/8" long). The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading. To have two scalloped flaps to finish 5-3/4" wide, 2-5/8" long at center, and 2-1/4" long at sides. Flaps are to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The side points of the flaps are to be secured to the pockets by means of Velcro fasteners sewn onto the flaps and pockets. The left flap is to have a pencil opening about 1-1/4" in width. Flaps are to be interlined. There will be a matching button and a buttonhole sewn on the flap. The pockets and flaps shall be single stitched on the edge.

Sleeves: To be straight and whole. The cuffs are to be 2-7/8" in width and to fasten with two buttons. There is to be a single stitch 7/16" from top of cuff. The sleeve opening shall measure 4-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 2" wide. Button is to be placed on sleeve opening with corresponding buttonhole. The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/4" to 1-1/2" above top of left flap.

Shoulder epaulets: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps are to be set about 1/2" from the base of the collar stand. Shoulder straps shall be box stitched to shoulders with row of cross stitching about 2" from sleeve head seam.

Sizing

Men's:

Body Length Regular: Sleeve Length: 32 sizes 14.5-17
Body Length Regular: Sleeve Length: 33 sizes 14.5-18.5
Body Length Regular: Sleeve Length: 34 sizes 15.5-18.5
Body Length Regular: Sleeve Length: 35 sizes 15.5-19.5
Body Length Tall: Sleeve Length: 37 sizes 16.5-19.5

Women's: Regular Length: even sizes 32 – 46

Measurements

Men's: Regular Length: Size 16.5:

Neck	17	(plus or minus 0.5 inches)
1/2 Chest:	25.25	(plus or minus 0.75 inches)
Back Length:	32.5	(plus or minus 0.5 inches)

Women's: Regular Length: Size 38

Neck	15.5	(plus or minus 0.5 inches)
1/2 Chest:	22	(plus or minus 0.75 inches)
Back Length:	28.5	(plus or minus 0.5 inches)

Customization

Mercer County Sheriff's Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms. All alterations shall be done at no additional charge to the Sheriff's Office.

MCSO CLASS "A" SHORT SLEEVE SHIRT

Manufacturer

Blauer

Style Number

8460

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0305)

Fabric

8.5 oz. per linear yard plain weave polyester with 10% stretch, 2-ply warp, single-ply filling, 75% Dacron polyester / 25% worsted wool. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care.

Trim

Lining: 100% Polyester Satin or 100% Polyester Taffeta

Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton

Hook and loop: Woven Nylon base

Buttons: melamine, 20 ligne, matching shell fabric

Design and Construction

Shirt: Short sleeve uniform shirt with 5 military style creases (see "Creases" below) and extra-long shirt tails. The front of the shirt shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8"-1" apart. The center front shall contain six (6) vertical buttonholes (not

including collar buttonhole) placed 3/4" from edge and 3-1/2" apart. The button stand, 7/8" wide, shall be self-lined and placed on right side extending from collar stand to bottom of shirt. In the back, there is to be yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of poplin. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

Collar: Top fused, convertible sport collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2". Collar stand and yoke lined with polyester taffeta or satin. The collar shall fasten with one button. There shall be one horizontal button hole. The collar is to be single stitched 1/4" from edge.

Creases: Shirt to have permanent military creases. Creases are to be stitched in shirt only, not thru pockets and flaps. One crease is to be in each front extending from hem to joining seam. Three vertical creases are to be in back; middle crease on center back line; side back creases spaced equally from center crease. Pockets and pocket flaps to be die creased to give uniform shape and size.

MCSO CLASS "A" SHORT SLEEVE SHIRT – CONT'D

Pockets & Flaps: Two breast pockets with mitered corners, scalloped flaps, and hook and loop closures. Each breast pocket is to measure 5-1/2" wide, and 6-1/2" long (length: measured top of pocket flap to bottom center of pocket; actual pocket length is 5-7/8" long). The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading. To have two scalloped flaps to finish 5-3/4" wide, 2-5/8" long at center, and 2-1/4" long at sides. Flaps are to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The side points of the flaps are to be secured to the pockets by means of Velcro fasteners sewn onto the flaps and pockets. The left flap is to have a pencil opening about 1-1/4" in width. Flaps are to be interlined. There will be a matching button and a buttonhole sewn on the flap. The pockets and flaps shall be single stitched on the edge.

Sleeves: To be straight and whole with 1" hem. The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well. Sleeves shall be graded in length so as to finish from the shoulder seam as follows:

<u>Size</u>	<u>Finished Length</u>
14 and 14-1/2	9-1/2"
15, 15-1/2, and 16	10"
16-1/2 and above	10-1/2"

Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/4" to 1-1/2" above top of left flap.

Shoulder epaulets: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps are to be set about 3/4" from the base of the convertible sport collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching about 2" from sleeve head seam.

Sizing

Men's: Regular Body: 14.5-19.5

Women's: Regular Length: even sizes 32 – 46

Measurements

Men's: Regular Length: Size 16.5:

Neck 17 (plus or minus 0.5 inches)

1/2 Chest:	25.25	(plus or minus 0.75 inches)
Back Length:	32.5	(plus or minus 0.5 inches)
Women's: Regular Length: Size 38		
Neck	15.5	(plus or minus 0.5 inches)
1/2 Chest:	22	(plus or minus 0.75 inches)
Back Length:	28.5	(plus or minus 0.5 inches)

Customization

Mercer County Sheriff Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. All alterations shall be done at no additional charge to the Sheriff's Office.

MCSO CLASS "A" LONG SLEEVE SHIRT (ADMIN)

Manufacturer

Elbeco

Style Number

3500

Color

White

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0304)

Style: It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirt is cut on a form-fitting line, and the shape of the pockets and general style conform to this sample.

Tailoring: It is imperative that this garment is constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size to avoid puckering after the shirt has been laundered and give best durable press performance. All sewing is with Dacron core thread to match shirt fabric. Collar and cuffs are single-stitched ¼" from edge. Pockets and flaps are single stitched on the edge.

Fabric: 100% Nanospun polyester with 16 % fiber stretch, left hand twill. Weight is 4.5 oz. per square yard. With fiber stretch, fabric maintains its stretch and recovery over time. Must be treated at the fiber level with Nano fluid repellency technology for permanent superior fluid resistance and UV 40+ protection while maintaining original fabric breathability. This fabric meets pilling test standards per ASTM 4970 of 5.0.

Color: White

Collar: Convertible collar is one piece, measures 3" long at points and 1 5/8" wide at back and is constructed of two plies of basic material and one ply of interlining.

Collar lining is banana-shaped. Collar stays are of good quality vinyl that measure 2½" long x ⅜" wide and are attached to the bottom collar."

Sleeves: To be straight and whole. Cuffs are 2⅞" wide and fasten with two-button adjustable cuffs. There is a single stitch ½" from top of cuff. Sleeve opening measures 5¼" from top of cuff. Top facing for this opening is 1 wide and bottom facing finishes about ½" wide.

Sleeves must be secured to the body of the shirt by a merrow stitch with a safety stitch to properly strengthen the stitch. The same stitch is used on the side closing seams.

Flex Vent: Flex Vent is made from 92% polyester/8% spandex mesh. Diamond-shaped mesh measuring 3½" wide x 10¼" long is set into the sleeve and body panels at the underarm to allow body heat ventilation, increased mobility, and comfort.

Front: Front has a facing 3" wide extending from neckline to the bottom of shirt provided by a turn under of material. Left front has a lined false top center 1½" wide, finished, running full length of the shirt with two rows of stitching ⅞" apart. Center front contains seven vertical buttonholes placed ¾" from edge; first at neck, second 2½" down and the balance 3½" apart. The 3rd, 4th, 5th, and 6th buttons are sewn on the top center and are not functional.

Right front has a button piece, ⅞" wide, stitched the full length. The first and 6th buttons are securely attached to the button piece and correspond to the buttonholes in the center front.

Zipper: A 14" nylon zipper is sewn to the front, positioned below the second button to replace the 3rd through 6th buttons.

Dual Comm Access Openings:

Access openings measuring 1½" are set in each side seam 1" below the bottom tip of the Flex Vent. Pouch-style openings are clean-finished, neatly concealed, and reinforced for durability. Openings are used to thread communication wires under the front of the shirt to keep them out of the way.

Pockets: Two double-entry chest pockets with mitered corners finish 5⅝" wide x 6" long. Side entry forms a utility pocket closed with Velcro. Both pockets have 1¼" box-pleats stitched from top to bottom to prevent spreading.

Flaps: Two scalloped flaps that finish 5¾" long, 2¾" wide at center and 2½" wide at sides are secured to front of shirt with two rows of stitching approximately ¼" above top of pocket. Flaps are interlined and have 1¼" wide pencil openings. A matching button and buttonhole are sewn on each flap.

Flap Closure: Side points of the flaps are secured to the pockets by Velcro fasteners sewn onto the flaps and pockets.

Badge Tab: Reinforced on inside of the shirt by a strip of material, 1½" wide, stitched and folded so that no raw edges show. Reinforcement strip extends from the flap setting stitch to the joining seam at the front of the yoke. There are two small horizontal buttonholes 1¼" apart with the bottom hole 1½" above top of left flap.

Mic Tab: A mic tab measuring ¾" x 2" is set 3½" below the center of the neckline.

Name Tape: An optional loose name tape measuring 7⁄8" wide x 8" long is set inside the right front pocket.

Buttons: All buttons, size 20 ligne, are made from high impact melamine and must match fabric.

Shoulder Straps:

Shoulder straps are pointed at the end toward the neck of the shirt. The other end is sewn in the sleeve head seam. Pointed ends are fastened with one matching button. Straps measure 2" at sleeve and taper to 1⅜," and are set about 2" from the collar. Shoulder straps are box-stitched to shoulders with a row of cross-stitching 2" from sleeve head seam. There is a 1" concealed opening under the shoulder straps, set halfway between the neck seam and shoulder seam, to thread communication wires.

Back: Yoke, composed of an outer piece of the same material as the basic shirt and an inner piece of poplin, is joined at the side seams with 5-thread safety stitches.

Permanent Creases:

Shirt has permanent military creases. Creases are stitched in shirt only, not through pockets and flaps. One crease in each front extends from hem to joining seam. Three vertical creases are in back; middle crease is on the center line and side creases are spaced equally from the center crease.

Creasing: Pockets and pocket flaps are die-creased to give uniform shape and size.

Interlining: Collar, cuffs, flaps, and top center are lined with non-fusible interlining for this 4-way stretch fabric.

Labels: There is a heat-seal label containing brand, size, content, and country of origin in the yoke. Care label with cut number is sewn in the inside sideseam. Descriptive product hang tag is attached to front of shirt.

Pressing and Packing:

Shirts are carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts are bulk-packed and shipped in strong boxes so as not to be damaged in shipment.

UPC Identification:

A printed UPC bar code tag must be attached to every garment to be visible in the package. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions are made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, non-discrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions:

Size:	14	14½	15	15½	16	16½	17	17½	18	18½	19/20
Chest	39	41	43	45	47	49	51	53	55	57	63
Waist	35	37	39	41	43	45	47	50	53	55	63
Back Length	32⅞	32¼	32⅜	32⅝	32¾	33	33½	34½	34⅝	35½	36⅝
Combination Sleeve Length:			32/33 is 33								
			34/35 is 35								
			36/37 is 37								

Customization

Mercer County Sheriff Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. All alterations will be done at the vendors cost, no separate payment will be made for this service.

MCSO CLASS "A" SHORT SLEEVE SHIRT (ADMIN)

Manufacturer

Elbeco

Style Number

3510

Color

White

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0304)

Style: It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirt is cut on a form-fitting line, and the shape of the pockets and general style conform to this sample.

Tailoring: It is imperative that this garment is constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size to avoid puckering after the shirt has been laundered and give best durable press performance. All sewing is with Dacron core thread to match shirt fabric. Collar and cuffs are single-stitched ¼" from edge. Pockets and flaps are single stitched on the edge.

Fabric: 100% Nanospun polyester with 16 % fiber stretch, left hand twill. Weight is 4.5 oz. per square yard. With fiber stretch, fabric maintains its stretch and recovery over time. Must be treated at the fiber level with Nano fluid repellency technology for permanent superior fluid resistance and UV 40+ protection while maintaining original fabric breathability. This fabric meets pilling test standards per ASTM 4970 of 5.0.

Color: White

Collar: Convertible collar is one piece, measures 3" long at points and 1⅝" wide at back and is constructed of two plies of basic material and one ply of interlining. Collar lining is banana-shaped. Collar stays are of good quality vinyl that measure 2½" long x ⅜" wide and are attached to the bottom collar.

Sleeves: To be straight and whole, have 1" hems and finish from shoulder seams as follows:

<u>Size</u>	<u>Finished Length</u>
14 and 14½	9½"
15, 15½, and 16	10"
16½ and above	10½"

Sleeves must be secured to the body of the shirt by a merrow stitch with a safety stitch to properly strengthen the stitch. The same stitch is used on the side closing seams.

Flex Vent: Flex Vent is made from 92% polyester/8% spandex mesh. Diamond-shaped mesh measuring 3½" wide x 10¼" long is set into the sleeve and body panels

at the underarm to allow body heat ventilation, increased mobility, and comfort.

Front: Front has a facing 3" wide extending from neckline to the bottom of shirt provided by a turn under of material. Left front has a lined false top center 1½" wide, finished, running full length of the shirt with two rows of stitching ⅞" apart. Center front contains seven vertical buttonholes placed ¾" from edge; first at neck, second 2½" down and the balance 3½" apart. The 3rd, 4th, 5th, and 6th buttons are sewn on the top center and are not functional.

Right front has a button piece, ⅞" wide, stitched the full length. The first and 6th buttons are securely attached to the button piece and correspond to the buttonholes in the center front.

Zipper: A 14" nylon zipper is sewn to the front, positioned below the second button to replace the 3rd through 6th buttons.

Dual Comm Access Openings:

Access openings measuring 1½" are set in each side seam 1" below the bottom tip of the Flex Vent. Pouch-style openings are clean-finished, neatly concealed, and reinforced for durability. Openings are used to thread communication wires under the front of the shirt to keep them out of the way.

Pockets: Two double-entry chest pockets with mitered corners finish 5⅝" wide x 6" long. Side entry forms a utility pocket closed with Velcro. Both pockets have 1¼" box-pleats stitched from top to bottom to prevent spreading.

Flaps: Two scalloped flaps that finish 5¾" long, 2¾" wide at center and 2½" wide at sides are secured to front of shirt with two rows of stitching approximately ¼" above top of pocket. Flaps are interlined and have 1¼" wide pencil openings. A matching button and buttonhole are sewn on each flap.

Flap Closure:

Side points of the flaps are secured to the pockets by Velcro fasteners sewn onto the flaps and pockets.

Badge Tab: Reinforced on inside of the shirt by a strip of material, 1½" wide, stitched and folded so that no raw edges show. Reinforcement strip extends from the flap setting stitch to the joining seam at the front of the yoke. There are two small horizontal buttonholes 1¼" apart with the bottom hole 1½" above top of left flap.

Mic Tab: A mic tab measuring ¾" x 2" is set 3½" below the center of the neckline.

Name Tape: An optional loose name tape measuring ⅞" wide x 8" long is set inside the right front pocket.

Buttons: All buttons, size 20 ligne, are made from high impact melamine and must match fabric.

Shoulder Straps:

Shoulder straps are pointed at the end toward the neck of the shirt. The other end is sewn in the sleeve head seam. Pointed ends are fastened with one matching button. Straps measure 2" at sleeve and taper to 1½," and are set about 2" from the collar. Shoulder straps are box-stitched to shoulders with a row of cross-stitching 2" from sleeve head seam. There is a 1" concealed opening under the shoulder straps, set halfway between the neck seam and shoulder seam, to thread communication wires.

Back: Yoke, composed of an outer piece of the same material as the basic shirt and an inner piece of poplin, is joined at the side seams with 5-thread safety stitches.

Permanent Creases:

Shirt has permanent military creases. Creases are stitched in shirt only, not through pockets and flaps. One crease in each front extends from hem to joining seam. Three vertical creases are in back; middle crease is on the center line and side creases are spaced equally from the center crease.

Creasing: Pockets and pocket flaps are die-creased to give uniform shape and size.

Interlining: Collar, flaps, and top center are lined with non-fusible interlining for this 4-way stretch fabric.

Labels: There is a heat-seal label containing brand, size, content, and country of origin in the yoke. Care label with cut number is sewn in the inside side seam. Descriptive product hang tag is attached to front of shirt.

Pressing and Packing:

Shirts are carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts are bulk-packed and shipped in strong boxes so as not to be damaged in shipment.

UPC Identification:

A printed UPC bar code tag must be attached to every garment to be visible in the package. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions are made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, non-discrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions:

Size:	S	M	L	XL	2XL	3XL	4XL	5XL
Neck	14½	15½	16½	17½	18½	20	22	24
Chest	41	45	49	53	57	63	71	79
Waist	37	41	45	50	55	63	71	79
Back Length	32¼	32⅝	33	34½	35½	36½	36½	36½

Customization

Mercer County Sheriff Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. All alterations will be done at the vendors cost, no separate payment will be made for this service.

MCSO CLASS "A" TROUSER

Manufacturer

Blauer

Style Number

8561P7

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0409)

Fabric

14.5 oz. per linear yard serge weave, 75% Dacron polyester / 25% worsted wool with 10% stretch. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care.

Trim

Pocketing: 7 pockets, 50/50 polyester cotton twill, not less than 4.1 oz. Sq. yd.

Interlining: polyester non-woven.

Binding: polyester/cotton bias cut.

Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip.

Stretch edge control.

Fly zipper: nylon coil #5 with auto lock slider

Hook and eyes: nickel-plated, double hook and eye closure.

Buttons: melamine, 22 ligne, matching shell fabric.

Stripe

Material: 1-1/2" polyester/wool.

Color: Hamburger #420-10 Gold

Position: Sewn along out seam from bottom of waistband to hem.

Design and Construction

Seven pockets: (2) on-seam straight front pockets, (2) inverted double cord hip pockets with button tabs, (2) rear billy pockets, and (1) drop watch pocket. All pockets secured with bar tacks. Stretch waistband with fly tab and 2 bead silicone shirt grip. Interlined wide 2 3/4" belt loops inserted in bottom of waistband and tacked at top. Double hook and eye closure. Quarter linings in front quarters. Outlets in waistband (back) and thigh inseam. Tandem needle seat seam. Seat, inseam, and out seams pressed open. 10-12 stitches per inch (all seams). Permanent silicone adhesive creases front and back.

Sizing

Men's: Regular Length: even waist sizes 28 - 54; odd sizes 31 - 37

Women's: Regular Length: even dress sizes 6 - 24

MCSO CLASS "A" TROUSER - CONT'D

Measurements

Men's: Regular Length: Waist Size 36:

1/2 Waist:	18	(plus 0.25 inch)
Seat:	24	(plus or minus 0.25 inches)
1/2 Knee:	10.875	(plus or minus 0.25 inches)
1/2 Bottom Leg:	8.75	(plus or minus 0.25 inches)
Inseam:	37	(plus or minus 0.50 inches)
Out seam:	46.25	(plus or minus 0.50 inches)
Front Rise:	10.375	(plus or minus 0.25 inches)
Back Rise:	16.875	(plus or minus 0.25 inches)

Women's: Regular Length: Dress Size 12

1/2 Waist:	15.25	(plus 0.25 inch)
Seat:	22.625	(plus or minus 0.25 inches)
1/2 Knee:	10.125	(plus or minus 0.25 inches)
1/2 Bottom Leg:	8.5	(plus or minus 0.25 inches)
Inseam:	35.875	(plus or minus 0.50 inches)
Out seam:	45.875	(plus or minus 0.50 inches)
Front Rise:	11.625	(plus or minus 0.25 inches)
Back Rise:	15.25	(plus or minus 0.25 inches)

Customization

Front creases shall be sewn in the trousers at no extra charge to the Sheriff's Office. All alterations shall be done at no additional charge.

MCSO CLASS "B" UTILITY HAT

Manufacturer

Flexfit, LLC.

Style Number

6477

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Fabric

Hat: 83% Acrylic, 15% Wool, 2% Spandex.

Under Visor: Silver colored

Trim

Brim: Hard buckram.

Thread: Dark navy.

Center Crown Button: Approximately 5/8" steel connector with hat fabric covering.

Design and Construction

Hat: The dark navy utility hat is a mid-profile "baseball" style cap with a 3-1/2" crown, 6 sewn eyelets, and 8 rows of stitching on the visor.

Sizing

S/M (6-3/4" – 7-1/4")

L/XL (7-1/8" – 7-5/8")

Customization

Vendor shall maintain availability of hat sizes for proper officer fitment, and ensure proper officer fitment upon order fulfillment without additional charge to Sheriff's Office. Mercer County Sheriff Office hat emblem shall be sewn on the center front crown approximately 3/8" above the visor. Hat emblems must be supplied by vendor at no extra charge to the Sheriff's Office.

MCSO CLASS "B" LIGHTWEIGHT UTILITY HAT

Manufacturer

Nike.

Style Number

Dri-Fit Tech Cap # NKAA1859

Color

Black/White

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Fabric

Hat: 91/9 Polyester Ripstop / Spandex.

Under Visor: Black

Design and Construction

Hat: The utility hat is a "baseball" style low-profile cap with 6 sewn eyelets, and 4 rows of stitching on the visor.

Sizing

One Size Fits All – Soft Hook & Loop Closure

Customization

Vendor shall maintain availability of hat sizes for proper officer fitment, and ensure proper officer fitment upon order fulfillment without additional charge to Sheriff's Office. Mercer County Sheriff Office hat emblem shall be sewn on the center front crown approximately 3/8" above the visor. Hat emblems must be supplied by vendor at no extra charge to the Sheriff's Office.

MCSO CLASS "B" LONG SLEEVE SHIRT

Manufacturer

Elbeco

Style Number

4424 (male), 4434LC (female)

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty coverage (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG1710)

Style: It is the intention of the department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirt is cut on a form-fitting line, and the shape of the pockets and general style conform to this sample.

Tailoring: It is imperative that this garment is constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size to avoid puckering after the shirt has been laundered and give best durable press performance. All sewing is with Dacron core thread to match shirt fabric.

Fabric: Reflex, 65% polyester/35% RipStop with 18% fiber stretch, weighing 5.8 oz. per square yard. Fabric has a soft hand UV50 protection and is treated at the fiber level with Nano fluid repellency technology for permanent superior fluid resistance, fabric appearance and durability while maintaining original fabric breathability. Colors: midnight navy and black.

Collar: Convertible collar is one piece, measures 3¼" long at points and 1⅝" wide at back, is constructed of two plies of basic material and one ply of interlining and is single-stitched ¼" from edge. Collar lining is banana-shaped. Permanent collar stays are of good quality vinyl that measure 2¾" long x ⅜" wide and are attached to the bottom of the collar.

Sleeves: To be straight and whole. Cuffs are $2\frac{7}{8}$ " wide and fasten with two-button adjustable cuffs. There is a $\frac{1}{4}$ " top-stitch on the cuff. Continuous sleeve opening measures $4\frac{7}{8}$ " from top of cuff. Facing for this opening is $\frac{5}{8}$ " wide. Button is placed on sleeve opening with corresponding buttonhole.

Sleeves must be secured to the body of the shirt by a safety stitch. The same seam is then reinforced with $\frac{1}{4}$ " gauge double-needle top-stitching at body of shirt. A safety stitch is also used on the side closing seams.

Flex Vent: Flex Vent is made from 92% polyester/8% spandex mesh. Diamond-shaped mesh measuring $3\frac{1}{4}$ " wide x $10\frac{1}{4}$ " long is set into the sleeve and body panels at the underarm to allow body heat ventilation, increased mobility and comfort.

Front: Front has a facing $3\frac{1}{4}$ " wide extending from neckline to the bottom of shirt provided by a turn under of material. Left front has a lined box-pleat $1\frac{1}{2}$ " wide, finished, running full length of the shirt and is top-stitched $\frac{1}{4}$ " from both edges.

Left front contains seven vertical buttonholes placed $\frac{3}{4}$ " from edge; the first is placed at the neck, second $2\frac{1}{2}$ " down, and the balance $3\frac{1}{2}$ " apart. Top two buttons and the bottom button are securely attached to the right front and correspond to the functional buttonholes on the left front. Remaining buttons are sewn to the left front on the buttonholes.

Zipper: A 14" nylon zipper is sewn to the front, positioned below the second button to replace the 3rd through 6th buttons.

Dual Comm Access Openings: Access openings measuring $1\frac{1}{2}$ " are set in each side seam 1" below the bottom tip of the Flex Vent. Pouch-style openings are clean-finished, neatly-concealed and reinforced for durability. Openings are used to thread communication wires under the front of the shirt to keep them out of the way.

Pockets: Two double-entry chest pockets with mitered corners finish $5\frac{5}{8}$ " wide x 6" long. Side entry forms a utility pocket closed with Velcro. Left pocket has a pencil compartment about $1\frac{1}{4}$ " wide. Both pockets have $1\frac{1}{2}$ " box-stitching top and bottom to prevent spreading.

Flaps: Two scalloped flaps that finish $5\frac{3}{4}$ " long, $2\frac{3}{4}$ " wide at center and $2\frac{1}{2}$ " wide at sides are secured to front of shirt with two rows of stitching approximately $\frac{1}{4}$ " above top of pocket. Left flap has a pencil opening about $1\frac{1}{4}$ " wide. Flaps are interlined, and a non-functional matching button and buttonhole are sewn on each flap. Pockets and flaps are single-stitched on the edge.

Flap Closure: Side points of the flaps are secured to the pockets by Velcro fasteners sewn onto the flaps and pockets.

Badge Tab: Reinforced on inside of the shirt by a strip of material, 1½" wide, stitched and folded so that no raw edges show. Reinforcement strip extends from the flap setting stitch to the joining seam at the front of the yoke. There are two small horizontal buttonholes 1¼" apart with the bottom buttonhole 1½" above top of left flap.

Mic Loop: Mic loop measuring ¾" wide x 2" long is set vertically 3½" below the neckline.

Camera Mount:

Loose camera mount tab measuring ⅞" x 3" is made of self-goods and set inside the wearer's right pocket.

Name Tape: Loose name tape measuring ⅞" x 8" is made of self-goods and set inside the wearer's right pocket.

Buttons: All buttons are made from melamine material for durability and must match fabric.

Shoulder Straps:

Shoulder straps are pointed at the end toward the neck of the shirt. The other end is sewn in the sleeve head seam. Pointed ends are tacked down and contain one matching button. Straps measure 2" at sleeve and taper to 1¾," and are set about ½" from the collar. Shoulder straps are box-stitched to shoulders with a row of cross-stitching 2½" from sleeve head seam.

Back: Yoke, composed of a double-ply of the same material as the basic shirt, properly secured for strength, is top-stitched along the entire bottom of outside yoke for additional stability.

Permanent Creases:

Shirt has permanent military creases. Creases are stitched in shirt only, not through pockets and flaps. One crease in each front extends from hem to joining seam. Three vertical creases are in back; middle crease is on the center line and side creases are spaced equally from the center crease.

Creasing: Pockets and pocket flaps are die-creased to give uniform shape and size.

Interlining: Collar is CK331. Cuffs are M37 H-Press. Flaps are EZ Crease. Top center is lined with interlining.

Labels: Brand woven label is sewn in yoke with size label sewn next to it. Care and content label are sewn in bottom hem. Descriptive product hang tag is attached to front of shirt.

Pressing and Packing:

Shirts are carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts are bulk-packed and shipped in strong boxes so as not to be damaged in shipment.

UPC Identification:

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions are made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, non-discrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions:

Neck Size:	14-14½	15-15½	16-16½	17-17½	18-18½	19-20	21-22
Chest	41	45	49	53	57	63	71
Waist	36¾	40¾	44¾	49¾	54¾	61¾	69¾
Back Length	31¾	32¾	34	35¾	36¾	37¾	38¾
Sleeve Length	Combination Sleeve:			32/33 is 33			
				34/35 is 35			
				36/37 is 37			

Customization

Mercer County Sheriff's Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. All alterations shall be done at no additional charge to the Sheriff's Office.

For K-9 Officers: Mercer County Sheriff's Office emblem shall be sewn on left sleeve. Mercer County Sheriff's Office K-9 emblem shall be sewn on right sleeve. The "K-9" logo shall be embroidered on both collar points.

MCSO CLASS "B" SHORT SLEEVE SHIRT

Manufacturer

Elbeco

Style Number

4444 (male) 4454LC (Female)

Color

Dark Navy

Standards

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty coverage (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG1710)

Style: It is the intention of the department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirt is cut on a form-fitting line, and the shape of the pockets and general style conform to this sample.

Tailoring: It is imperative that this garment is constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size to avoid puckering after the shirt has been laundered and give best durable press performance. All sewing is with Dacron core thread to match shirt fabric.

Fabric: Reflex, 65% polyester/35% RipStop with 18% fiber stretch, weighing 5.8 oz. per square yard. Fabric has a soft hand UV50 protection and is treated at the fiber level with Nano fluid repellency technology for permanent superior fluid resistance, fabric appearance and durability while maintaining original fabric breathability. Colors: midnight navy and black.

Collar: Convertible collar is one piece, measures 3¼" long at points and 1⅝" wide at back, is constructed of two plies of basic material and one ply of interlining and single-stitched ¼" from edge. Collar lining is banana-shaped. Permanent collar stays are of good quality vinyl that measure 2¾" long x ⅜" wide and are attached to the bottom of the collar.

Sleeves: To be straight and whole, have 1" hems and finish from shoulder seams as follows:

<u>Size</u>	<u>Finished Length</u>
S	9½"
M	10"
L, XL and 2XL	10½"
3XL and up	11"

Sleeves must be secured to the body of the shirt by a safety stitch. The same seam is then reinforced with ¼" gauge double-needle top-stitching at body of shirt. A safety stitch is also used on the side closing seams.

Flex Vent: Flex Vent is made from 92% polyester/8% spandex mesh. Diamond-shaped mesh measuring 3¼" wide x 10¼" long is set into the sleeve and body panels at the underarm to allow body heat ventilation, increased mobility and comfort.

Front: Front has a facing 3¼" wide extending from neckline to the bottom of shirt provided by a turn under of material. Left front has a lined box-pleat 1½" wide, finished, running full length of the shirt and is top-stitched ¼" from both edges.

Left front contains seven vertical buttonholes placed $\frac{3}{4}$ " from edge; the first placed at the neck, second $2\frac{1}{2}$ " down and the balance $3\frac{1}{2}$ " apart. Top two buttons and the bottom button are securely attached to the right front and correspond to the functional buttonholes on the left front. Remaining buttons are sewn to the left front on the buttonholes.

Zipper: A 14" nylon zipper is sewn to the front, positioned below the second button to replace the 3rd through 6th buttons.

Dual Comm Access Openings:

Access openings measuring $1\frac{1}{2}$ " are set in each side seam 1" below the bottom tip of the Flex Vent. Pouch-style openings are clean-finished, neatly-concealed and reinforced for durability. Openings are used to thread communication wires under the front of the shirt to keep them out of the way.

Pockets: Two double-entry chest pockets with mitered corners finish $5\frac{5}{8}$ " wide x 6" long. Side entry forms a utility pocket closed with Velcro. Left pocket has a pencil compartment about $1\frac{1}{4}$ " wide. Both pockets have $1\frac{1}{2}$ " box-stitching top and bottom to prevent spreading.

Flaps: Two scalloped flaps that finish $5\frac{3}{4}$ " long, $2\frac{3}{4}$ " wide at center and $2\frac{1}{2}$ " wide at sides are secured to front of shirt with two rows of stitching approximately $\frac{1}{4}$ " above top of pocket. Left flap has a pencil opening about $1\frac{1}{4}$ " wide. Flaps are interlined, and a non-functional matching button and buttonhole are sewn on each flap. Pockets and flaps are single-stitched on the edge.

Flap Closure:

Side points of the flaps are secured to the pockets by Velcro fasteners sewn onto the flaps and pockets.

Badge Tab: Reinforced on inside of the shirt by a strip of material, $1\frac{1}{2}$ " wide, stitched and folded so that no raw edges show. Reinforcement strip extends from the flap setting stitch to the joining seam at the front of the yoke. There are two small horizontal buttonholes $1\frac{1}{4}$ " apart with the bottom buttonhole $1\frac{1}{2}$ " above top of left flap.

Mic Loop: Mic loop measuring $\frac{3}{4}$ " wide x 2" long is set vertically $3\frac{1}{2}$ " below the neckline.

Camera Mount:

Loose camera mount tab measuring $\frac{7}{8}$ " x 3" is made of self-goods and set inside the wearer's right pocket.

Name Tape: Loose name tape measuring $\frac{7}{8}$ " x 8" is made of self-goods and set inside the wearer's right pocket.

Buttons: All buttons are made from melamine material for durability and must match fabric.

Shoulder Straps:

Shoulder straps are pointed at the end toward the neck of the shirt. The other end is sewn in the sleeve head seam. Pointed ends are tacked down and contain one matching button. Straps measure 2" at sleeve and taper to 1¾," and are set about ½" from the collar. Shoulder straps are box-stitched to shoulders with a row of cross-stitching 2½" from sleeve head seam.

Back: Yoke, composed of a double-ply of the same material as the basic shirt, properly secured for strength, is top-stitched along the entire bottom of outside yoke for additional stability.

Permanent Creases:

Shirt has permanent military creases. Creases are stitched in shirt only, not through pockets and flaps. One crease in each front extends from hem to joining seam. Three vertical creases are in back; middle crease is on the center line and side creases are spaced equally from the center crease.

Creasing: Pockets and pocket flaps are die-creased to give uniform shape and size.

Interlining: Collar is CK331. Flaps are EZ Crease. Top center is lined with interlining.

Labels: Brand woven label is sewn in yoke with size label sewn next to it. Care and content label are sewn next to brand label. Descriptive product hang tag is attached to front of shirt.

Pressing and Packing:

Shirts are carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts are bulk-packed and shipped in strong boxes so as not to be damaged in shipment.

UPC Identification:

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions are made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, non-discrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions:

Size:	S	M	L	XL	2XL	3XL	4XL	5XL
Neck Size	14½	15½	16½	17½	18½	19½	20½	21½
Chest	41	45	49	53	57	61	65	69
Waist	36	40	44	49	54	59	65	69
Back Length	32 ⁵ / ₈	32 ⁷ / ₈	33 ³ / ₈	34 ⁷ / ₈	35 ⁵ / ₈	36 ⁷ / ₈	37	37½

Customization

Mercer County Sheriff's Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. All alterations shall be done at no additional charge to the Sheriff's Office.

K-9 Officers: Mercer County Sheriff's Office emblem shall be sewn on left sleeve. Mercer County Sheriff's Office K-9 emblem shall be sewn on right sleeve. The "K-9" logo shall be embroidered on both collar points.

MCSO CLASS "B" TROUSERS

Manufacturer

Elbeco

Style Number

E7427R (male) E7428LC (female)

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty coverage (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG1710)

Style: Pants are made with the Essential Fit uniform pattern with a lightweight covert waistband, plain front, crotch gusset, straight front pockets, two back pockets, one billy pocket, two double-entry cargo pockets, leg drawstring hems, drop belt loops and 1½" gold stripe on each leg.

Fabric: Reflex, 65% polyester/35% RipStop with 12% fiber stretch, weighing 6.5 oz. per square yard. Fabric has a soft hand UV50 protection. It is treated at the fiber level with Nano fluid repellency technology for permanent superior fluid resistance, fabric appearance and durability while maintaining original fabric breathability. Color: midnight navy.

Pockets:

Front: Straight front pocket openings are a minimum 6½" and 6" deep. Pockets are stitched, turned, and re-stitched. Inside facing is a separate piece of self-material finishing no less than 1¼" wide. Pockets have straight bar-tacks at the top and triangular bar-tacks at the bottom.

Back: Back pockets have minimum openings of 5" and are 6" deep. They are made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. There are two black buttons on each pocket and 6½" x 2⅛" flaps set above the pockets. Flaps are ¼" top-stitched and have a 1⅞" fly piece for two vertical buttonholes.

Billy: One billy pocket with a minimum opening of 3½" and minimum depth of 7½" is located 9" below the bottom of the waistband on the right side, 2" from the side-seam. Pocketing material is the same as side and hip pockets.

Side: Two mitered cargo pockets, sewn to the outside leg seams so that pocket flaps are centered 10½" below bottom of the waistband, measure 7" wide x 8½" long and are constructed of self-fabric. There is a 6" reverse coil zipper sewn vertically behind the front edge of the cargo pocket to create a double entry. Two magnets are sewn inside the hem at the top of each pocket.

A two-compartment internal utility pocket set inside each cargo pocket measures 6" wide x 5½" long and is divided into two compartments: 2" at the front and 4" at the back. Pocket has elastic in the hem.

Flaps: Square pocket flaps that measure 7¼" x 2¼" are made of three plies of self-fabric and one ply of interlining. Flaps are edge-stitched and set ¾" above pocket with its sides secured to the pocket with two magnets inside the hem behind two layers of self-fabric to align with magnets on pocket for stealth, easy closure. Zippers that open front to back are sewn behind the inner pockets to the trouser legs, positioned 1" below the top of flaps, to create concealed pockets.

Pocketing: To be black 65% polyester/35% cotton with a minimum thread count of 68 x 54, 2.60 yards per pound.

Waistband: Lightweight covert waistband contains an elastic extension, providing up to 3" of additional stretch. Front of the outer waistband tapers through the covert opening at the top of the front pocket opening. The 1¼" wide elastic extends from the end of the taper through the waistband behind the sideseam. Finished waistband is fused and all stress points are bar-tacked.

Inner waistband is self-fabric with a low profile 100% polyester fiber and natural rubber gripper strip attached to the center of the waistband, extending from the covert opening from side to side. Woven elastic barrol stiffener measuring 1" is sewn around the entire waistband, except for extender tab, to provide additional support.

Waistband is constructed using the closed method and measures 2" wide when finished. Waistband closure is accomplished with a double crush-proof hook and eye, bar-tacked for stability. Hooks and eyes are reinforced with stays made of a non-woven fabric that are anchored by the topstitching for the fly facing and curtain. Topstitching must be to the top of the waistband. No alternative waistband is acceptable.

Belt Loops: There are seven drop belt loops on all sizes. Each loop is 1" wide of double-thickness and 3½" long when finished, except the center back loop, which is 3¾" long.

Inner Fly/Crotch:

Right fly lining is the same fabric and color as the waistband curtain. A non-woven interlining is sewn to the fly for additional stability and strength. Right fly lining is sewn to the left fly below the zipper.

A fully gusseted crotch made from the trouser fabric provides comfort and mobility. Gusset is set in a diamond shape, measuring 15" long, point-to-point, by 3½" wide at center. Gusset is set evenly, front to back, with a 5-thread safety stitch and then edge-stitched.

Zippers: Trousers are closed with a gunmetal zipper and have a brass bottom stop at the base of the zipper chain. A straight bar-tack sewn through the outside of the garment to the inside at the bottom of the fly. It is sewn through the zipper tape, the right and left fly, and the right fly lining. Right and left fly are joined by an additional bar-tack located below the bottom zipper stop on the inside of the trouser.

Seams: Entire trouser is seamed with polyester core or 100% polyester spun thread. Seat seam is stitched with a tandem needle seat seaming machine.

Striping: Trouser has a 1½" gold stripe centered on each sideseam. Stripe runs from the bottom of the waistband to the bottom of the cargo pocket flap; top of the cargo pocket to the bottom of the trouser and is top-set, edge-stitched on each side.

Hem: A 1¼" hem has a buttonhole at each center front leg for the drawstring. Drawstring is made from ¾" grosgrain ribbon, cut at various lengths as shown below. Ribbon is knotted for shipment.

29" long on sizes 28–35

30" long on sizes 36–42

31" long on sizes 44–50

32" long on sizes 50–58

Labels: There is a Reflex woven label sewn in the left hip pocket bag. A woven size label is sewn next to the main label with a care and content label sewn below that label. An outside waistband label is marked with lot number, size, fiber content, cut number and UPC Identification.

Finishing and Pressing:

All loose threads are removed. Trousers must be pressed completely and properly with side seam, inseam and seat seam pressed open. There must be a Jetclip attached to the top fly of the finished trouser.

UPC Identification:

A printed UPC bar code tag must be attached to every garment to be visible in the package. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions are made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, non-discrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions:

Size:	28	29	30	31	32	33	34	35	36	37
Waist relaxed	28½	29½	30½	31½	32½	33½	34½	35½	36½	37½
Waist stretched	31½	32½	33½	34½	35½	36½	37½	38½	39½	40½
Seat	38 ³ / ₈	40 ³ / ₄	41 ⁵ / ₈	42½	43½	44 ³ / ₈	45 ³ / ₈	46 ³ / ₈	47¼	48
Front Rise	9¼	9 ³ / ₈	9½	9 ⁵ / ₈	9¾	9 ⁷ / ₈	10	10 ¹ / ₈	10 ³ / ₈	10½
Back Rise	14¾	14 ⁷ / ₈	15	15 ⁵ / ₈	15¼	15 ³ / ₈	15½	15 ⁵ / ₈	15 ⁷ / ₈	16

Size:	38	40	42	44	46	48	50	52	54	56
Waist relaxed	38½	40½	42½	44½	46½	48½	50½	52½	54½	56½
Waist stretched	41½	43½	45½	47½	49½	51½	53½	55½	57½	59½
Seat	48¾	50 ³ / ₈	51 ⁷ / ₈	53½	55	56½	58¾	60	61 ⁵ / ₈	63 ³ / ₈
Front Rise	10 ⁵ / ₈	11	11 ³ / ₈	11¾	12	12 ³ / ₈	12 ⁵ / ₈	13	13 ³ / ₈	13 ⁵ / ₈
Back Rise	16 ¹ / ₈	16½	16 ⁷ / ₈	17¼	17 ⁵ / ₈	17 ⁷ / ₈	18¼	18 ⁵ / ₈	19	19 ³ / ₈

Customization

All alterations shall be done at no additional charge.

MCSO Performance Polo Long Sleeve Shirt**Manufacturer**

Elbeco - UFX

Style Number

K5140/K5141/K5142/K5144/K5145/K5147/K5148/K5151

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Fabric

100% polyester circular knit Swiss pique, 7.25 oz. /sq. yd. Permanent X-EEDE performance must provide UV protection and wick moisture away from the body for superior comfort, thermal protection, ultimate dryness and enhanced performance. Fabric to be colorfast, abrasion resistant, and pill-proof. The permanent anti-microbial technology is odor, mildew and 99.9% bacteria resistant. Colors: white, black, navy, tan, red, spruce green, gray and royal blue.

Design and Construction

Shall be a loose fit polo style knit long sleeve shirt with gusseted side panels, three button front placket, full fashion knit collar, mic pockets on shoulders and a mic loop on placket. All measurements will be taken without stretching the material.

It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of proper tension and size so as to avoid puckering after the shirt has been laundered, and to give best durable press performance.

Collar:

The collar shall be a 7.25 oz. /sq. yd 100% polyester circular knit full fashion collar, with 2-3/4" points and permanent built-in stays placed along the edge for no-curl collar performance.

Placket:

The 3-button placket shall be lined and finish 1-1/2" wide and 7" long. The bottom of the placket shall have a 1/2" stitched box, with a 1/2" mic loop sewn over the full width of the placket. The 3 buttons shall be evenly spaced on the placket with a horizontal buttonhole at the collar and vertical buttonholes for the two remaining buttons. The placket shall lap left over right.

Back:

There shall be a semi-circular patch measuring 4-1/2" at the widest point, sewn at the neckline, running 1/4" from each shoulder seam. The seam edge will be merrowed with single needle topstitching sewn around the edge. The heat transfer label will be applied to the inside of this patch below the collar.

Side Panels:

Gusseted side panels for increased comfort and mobility, 2-5/8" wide, made of self fabric, and shall be sewn to the front and back panels. The side panels shall extend from the bottom of the armhole to the bottom hem.

Sleeves:

Sleeves are to be long, one piece. Cuffs to be 2" wide, 1x1 circular knit rib w/Lycra, dyed to match body and knit collar. Sleeve setting and closing shall be done with a merrow stitch. There shall be a 1/4" topstitch around the armhole and next to cuff. The left sleeve shall have a pencil pocket, 2" wide x 6" long. This pocket will be divided into two compartments.

Shoulder Seam: Shoulder seams shall contain stretch elastic for increased mobility and be edge-stitched on the back. Both shoulders shall contain a mic pocket to be approximately 1-3/4" wide x 2" deep, sewn into the shoulder seam.

Hem:

The bottom hem shall be 1" deep and topstitched.

Thread:

The thread for seaming, stitching, buttonholes and button sewing shall be cotton-covered Polyester core. The thread shall be stabilized so as not to shrink in boiling water more than 1.5%.

Sizing

Size: XS S M L XL 2XL 3XL 4XL

Collar Length:	14	15	16	17	18	19	20	20
Chest:	36	40	44	48	52	56	60	64
Sweep/bottom:	37	41	45	49	53	57	61	65
Back Length:	28	29	30	31	32	33	34	35
Sleeve Length:	31½	32½	34	35	36	36½	36½	37

Customization

Badge: A cloth MCSO 5-star badge must be supplied by the vendor and sewn on the left chest so that the top star prong is centered on the left chest military crease and the bottom star prongs are approximately 1/4" above the top of the left pocket flap.

Shoulder epaulets: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 1-3/4" at sleeve and taper to 1-3/8". Straps are to be set about 1" from the base of the convertible sport collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching about 2" from sleeve head seam.

K9: Badge Logos & Embroidery: K9 Logo # 275891 direct embroidered on left chest. Last Name direct embroidered on right chest. "MERCER COUNTY SHERIFF" direct embroidered on the left sleeve in gold no.1951 thread.

MCSO Performance Polo Short Sleeve Shirt

Manufacturer

Elbeco - UFX

Style Number

K5130/K5131/K5132/K5134/K5135/K5137/K5138/K5152

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Fabric

100% polyester circular knit Swiss pique, 7.25 oz. /sq. yd. Permanent X-EEDE performance must provide UV protection and wick moisture away from the body for superior comfort, thermal protection, ultimate dryness and enhanced performance. Fabric to be colorfast, abrasion resistant, and pill-proof. The permanent anti-microbial technology is odor, mildew and 99.9% bacteria resistant. Colors: white, black, tan, navy, red, spruce green, gray and royal blue.

Design and Construction

Shall be a loose fit polo style knit short sleeve shirt with gusseted side panels, three button front placket, full fashion knit collar, mic pockets on shoulders and a mic loop on placket. All measurements will be taken without stretching the material.

It is imperative that this garment be constructed according to the principles set forth in the

specifications. All stitches must be of proper tension and size so as to avoid puckering after the shirt has been laundered, and to give best durable press performance.

Collar:

The collar shall be a 7.25 oz. /sq. yd 100% polyester circular knit full fashion collar, with 2-3/4" points and permanent built-in stays placed along the edge for no-curl collar performance.

Placket:

The 3-button placket shall be lined and finish 1-1/2" wide and 7" long. The bottom of the placket shall have a 1/2" stitched box, with a 1/2" mic loop sewn over the full width of the placket. The 3 buttons shall be evenly spaced on the placket with a horizontal buttonhole at the collar and vertical buttonholes for the two remaining buttons. The placket shall lap left over right.

Back:

There shall be a semi-circular patch measuring 4-1/2" at the widest point, sewn at the neckline, running 1/4" from each shoulder seam. The seam edge will be merrowed with single needle topstitching sewn around the edge. The heat transfer label will be applied to the inside of this patch below the collar.

Side Panels:

Gusseted side panels for increased comfort and mobility, 2-5/8" wide, made of self fabric, and shall be sewn to the front and back panels. The side panels shall extend from the end of the sleeve to the bottom hem.

Sleeves:

Sleeves are to be one piece, have a 1" rib knit welt hem and graded lengths. Sleeve setting and closing shall be done with a merrow stitch. There shall be a 1/4" topstitch around the armhole and next to welt at sleeve hem. The left sleeve shall have a pencil pocket, 2" wide x 6" long. This pocket will be divided into two compartments.

Shoulder Seam:

Shoulder seams shall contain stretch elastic for increased mobility and be edge-stitched on the back. Both shoulders shall contain a mic pocket to be approximately 1-3/4" wide x 2" deep, sewn into the shoulder seam.

Hem:

The bottom hem shall be 1" deep and topstitched.

Thread:

The thread for seaming, stitching, buttonholes and button sewing shall be cotton-covered Polyester core. The thread shall be stabilized so as not to shrink in boiling water more that 1.5%.

Finished Dimensions

Size:	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Collar Length:	14	15	16	17	18	19	20	20	21	22
Chest:	36	40	44	48	52	56	60	64	68	72
Sweep/bottom:	37	41	45	49	53	57	61	65	69	73

Back Length:	28	29	30	31	32	33	34	35	36	37
Sleeve Length:	9	9	9½	10	10½	11	11½	12	12½	13

Customization

Badge: A cloth MCSO 5-star badge must be supplied by the vendor and sewn on the left chest so that the top star prong is centered on the left chest military crease and the bottom star prongs are approximately 1/4" above the top of the left pocket flap.

Shoulder epaulets: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 1-3/4" at sleeve and taper to 1-3/8". Straps are to be set about 1" from the base of the convertible sport collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching about 2" from sleeve head seam.

K9: Badge Logos & Embroidery: K9 Logo # 275891 direct embroidered on left chest. Last Name direct embroidered on right chest. "MERCER COUNTY SHERIFF" direct embroidered on the left sleeve in gold no.1951 thread.

MCSO TRT LONG SLEEVE SHIRT

Manufacturer

First Tactical

Style Number

111004

Color

OD Green

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval upon request.

Specifications

First Tactical Men's Defender Shirt

Body: 6.5 oz 100% Polyester jersey; snag, fade and wrinkle resistant with wicking and anti-microbial finish

Sleeves and collar: 6.9 oz, 55% cotton/45% Cordura® Nylon mechanical 2-way stretch double ripstop with moisture wicking finish

YKK® zippers

Duraflex® pulls

A quarter zip shirt that has specialized pockets boasting ample space for oversized gear, a split yoke to eliminate unwanted bulk, and oversized sleeve pockets to accept patches or embroidery. Shirt shall have articulated elbows, running gussets, and vented mesh locations to provide advanced movement and breathability.

Sizing

XS-4XL

MCSO TRT TROUSERS 'A'

Manufacturer

First Tactical

Style Number

114011

Color

OD Green

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval upon request.

Specifications

First Tactical Men's V2 Tactical Pants
V2 Fabric Technology with two-way mechanical stretch
6.4 oz. 65% polyester/35% cotton
Double Dyed Fabric
Micro ripstop
DWR water and stain repellent finish
YKK® zippers
Prym® snaps
Internal knee pad access with articulated knee

Sizing

Men's Waist: 28-58
Men's Length: 30-36, unhemmed-39

MCSO TRT TROUSERS 'B'

Manufacturer

First Tactical

Style Number

114002

Color

OD Green

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval upon request.

Specifications

First Tactical Men Defender Pants
55% Cotton, 45% Cordura® Nylon
6.9 oz. 2-way mechanical stretch Nyco fabric with double ripstop and moisture wicking finish
YKK® zippers
Prym® snaps
Duraflex® pulls
Internal knee pad access with articulated knee
Specialized pockets (28 in total) providing space for oversized gear, magazines, and all other equipment. Articulated knees, running gussets throughout, and vented mesh pockets.

Sizing

Men's Waist: 26-54
Men's Length: 28-36, unhemmed-39

MCSO TRT RAIN JACKET

Manufacturer

Vertx

Style Number

VTX8800

Color

Black

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval upon request.

Specifications

Vertx Integrity Shell Tactical Rain Jacket

Wind- and water-proof breathable shell with taped seams

Detachable hood with visor has girth and front opening adjustments

Hood and hem adjust with locking shock cords

Zip-through storm collar with zipper garage

Left chest pocket with storm flap and removable credential pull-out

Zippered back opening for credential pull-out and hood storage

2-way side zippers with hem snaps for ventilation and easy access to weapon or tools

3" x 5" pocket with waterproof zipper on right forearm for small tools or ID

Extended tail maintains coverage during strenuous activities

All seams are taped for 100% waterproof protection

Storm flaps protect side zippers from rain and wind

Waterproof YKK® self-repairing nylon coil zippers

Locking shock cord adjustments

VELCRO® Brand adjustment tabs on stretch cuffs and sleeve patch for long-lasting durability and a clean look

Waterproof/breathable tri-laminate 100% ripstop Polyester shell

Hook and loop on stretch cuffs and sleeve patch

37.5® Technology lining

Sizing

XS-6XL

MCSO TRT COLD WEATHER JACKET

Manufacturer

Arc'teryx

Style Number

X000004678

Color

Black

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval upon request.

Specifications

Arc'teryx LEAF Cold WX Jacket LT Gen 2

Synthetic insulated cold weather windproof jacket

Drawcord hem closure vertically routed drawcord with enclosure mitigates snags

4x4.5 Velcro® Upper Arm identification patches with VLite™ retention ring allowing for the application of IFF markings/devices

Insulated zip lower torso pockets

Upper arm zip pockets

Full zip closure (w/No Slip Zip™) prevents zipper from self-opening at collar

CLIMASHIELD 3.0oz Prism Fiberfill with DWR

Sizing

XS-2XL

MCSO WINTER HAT

Manufacturer

Blauer

Style Number

5110

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard.

Fabric

5.5 oz. per square yard 200 Denier Nylon (warp), and 3-ply 70 denier taslanized nylon filling, plain weave, treated with durable fluorocarbon water and stain release agents. Honeycomb pattern printed urethane non-ravel back-coating to insure breathability, prevent seam slippage, and to maintain shell fabric appearance.

Trim

Lining: Permanent Insulated Liner: 1.8 oz. per square yard, 100% Nylon 70 denier plain weave taffeta backing black colored fabric. Fiber shall be migration resistant construction and treatment with no added layers of scrim. Machine washable/dryable, dry cleanable, and can be pressed. Shrinkage shall be less than 2%.

Pile: 100% acrylic face, 100% polypropylene back, high luster seal finish, black in color.

Buckle: brass with flat black finish.

Snaps: non-rusting, 24 ligne, gunmetal finish on brass, heavy-duty closure in black color.

Design and Construction

Hat: The winter hat shall be five-piece design with front and side flaps. The hat shall have a quilted insulated liner with pile lined flaps. Hat shall have a sweatband made of same material as inner lining. The security chin strap shall have an adjustable buckle and snap.

Sweatband: The inner sweatband shall be non-foamed back first quality leather.

Badge Eyelet: One black metal "rivet" eyelet shall be located in front flap portion of hat for hat badge placement.

Sizing

Regular length: Sizes: S-3XL

Customization

Vendor shall maintain availability of hat sizes for proper officer fitment, and ensure proper officer fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO WINTER DUTY JACKET

Manufacturer

Elbeco Shield Duty Jacket

Style Number

SH3200 Black

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Fabric

Outershell is bonded three-ply 100% polyester mini ripstop with protective membrane, and free floating HydroTech waterproof, windproof, breathable laminate on nylon taffeta substrate liner. Weight of shell is 4 oz./sq. yd. Nylon taffeta liner is 2.15 oz./sq. yd. Colors: black and navy. Fabric offers lightweight protection against the elements, while high vapor permeability promotes moisture management, allowing the moisture to pass through the garment, keeping the wearer dry and comfortable in all weather conditions.

Design and Construction

The jacket is a lightweight, breathable, wind and waterproof poly ripstop shell which is fully lined and seam sealed for ultimate protection. The jacket features multiple storage components with magnetic closure systems, taped seams, quick release side zippers, three piece attached hood, adjustable cuffs, shoulder straps and hidden pull down panels among other features. The jacket becomes a 3-in-1 jacket with the addition of the Performance or Apex Softshell jacket as a liner.

Facings and Fronts:

The front shall have a Vislon #5 two-way auto-lock dual separating zipper, functional up to the collar points. Zipper is covered by a continuous front placket piece, which is lined for additional stability. There must be an inner storm flap at the front behind the zipper all the way to the collar point for extra protection. Storm flap is folded over the top of the zipper on the right side to form an abrasion resistant chin protector. An additional zipper is sewn to the interior along the center front facing for insertion of an optional jacket liner.

There are six snaps placed at the center front for placket closure. Placket also has a 1" x 5" pen pocket stitched to the underside of the placket.

Collar:

The permanent collar shall be made of two plies of the shell fabric plus the interlining. The collar points shall be well shaped and symmetrical. The collar shall measure approximately 2-3/4" at center back and 3-1/4" at front collar points. Abrasion resistant chin protectors are sewn on the inside of the collar points to protect against the liner jacket zipper slider when attached.

There shall be a snap strap placed on the inside of the collar at the neck seam which can connect to a loop on the softshell to hold the softshell in place when worn as a liner to the Duty Jacket.

Sleeves:

Sleeves are fully lined and have a slight articulation and curve towards the front of the body. There is an 9" concealed locking zipper set into the underarm seam for internal access for sewing patches, etc., with a zipper hood at each end.

There shall be a snap strap placed on the inside of the wrist area which can connect to a loop on the softshell sleeve to hold the softshell in place when worn as a liner to the Duty Jacket.

Cuffs:

Cuffs shall be 1" wide with elastic at the back and an adjustable tab with 1" Velcro at the front. There is a 1-1/4" x 3-1/2" cuff tab with hook Velcro set in the inside seam to attached to the 1" loop Velcro set on the cuff.

Hood:

The three-piece hood is constructed from the same shell fabric as the jacket and is fully lined. It features a stretch drawcord closure and reinforced stabilized brim. There is a small elastic loop set in the neck seam to secure the drawcord end when the hood is worn. The hood is permanently attached to the jacket and can be stowed in a zipper compartment in the back of the collar.

Yokes/Panels:

There shall be two yokes across the upper front panels and one yoke across the upper back panel of shell fabric with a 1-1/8" turn-up. Inside the turn-up shall be inner hanging flaps with Velcro to which detachable front and back I.D. panels can be connected. These turn-ups shall have additional Velcro which can attach to the front and back of the jacket when there are no I.D. panels connected, or to the edge of the inner hanging flaps when they have I.D. panels connected and are displayed down.

Blank I.D. panels in shell fabric are included with the jacket. Optional panels can be purchased separately.

External Pockets:

There are two reverse pleated dual-opening patch pockets on the lower front of the jacket. Pockets measure 7-3/4" wide x 7-1/2" long and have mitred corners. The flaps measure 8" wide x 3" high and have mitered corners. Flaps consists of two plies of basic material plus the interlining.

The pockets have a side opening measuring approximately 6-1/4" and are securely tacked at top and side bottom. Side pockets are lined with tricot on the inside for warmth. Top pocket and flaps are secured with magnet closures for easy access and stealth. A two-compartment internal utility pocket and tunnel will be set in each top pocket. One compartment measures 3 1/2" x 4 1/2" with a finished bottom. The other compartment measures 2-3/8" x 6" deep and is open at the bottom to accommodate flashlights of different lengths.

There are two large document/utility pockets on the upper front. Pockets have a vertical opening measuring 6-1/2" and extend across the chest. Pockets have a U-shaped bottom with a 3" x 5" patch pocket sewn to the side closest to the wearer to secure a back-up weapon. Pocket opening is secured with dual magnet closures.

SH3230SH SHERIFF Drop Down Panels, Black with Silver Reflective Letters.

Internal Pockets:

There are two patch pockets set inside the lower front of the jacket. These pockets measure approximately 7-1/2" wide x 9-1/2" long and close with a vertical zipper. There is a communications access opening in the top inside corner of each pocket.

There is an inset pocket at the wearer's left chest with a 6" zippered opening along the interior front facing pieces. Zipper is YKK #5 reverse coil zipper.

Waistband:

Waistband has 1" hem in the front of the jacket. Back of jacket has a stretch drawcord secured with an additional ply of fabric. The drawcord exits at metal eyelets at either side of the hemline. The ends of the drawcord are secured to each side by a cloth loop set 2"

from the bottom of the jacket and 3" from the side vent. Drawcord has a stopper at both ends.

Side Vents:

Side vents open 11" from bottom of waistband. "Quick release" coil zippers are sewn into each side seam, extending through the waistband, to allow access to weapon and equipment. Zippers lock when the pull tab is locked in the upright position. These zippers shall be set to both the shell and permanent lining. A cloth tab made from lined shell fabric will be set to the back of the hem. The tab contains a flat snap to align with the two adjustable stud snaps on the front of the jacket. There is also an additional stud snap inside the back of the hem to be used to secure the tab when not in use.

Shoulder Straps:

The permanent utility straps shall be made of two plies of the basic shell fabric plus the pella interlining. The straps are 1-1/4" wide and are single needle edge stitched. Utility straps shall be tacked to shoulder at ends and center to form a 2" opening at the center of the strap for mic attachment.

Optional Items:

A loose badge tab measuring 1" x 4-1/4" unfinished will be included in the jacket pocket, to be attached by the customer if needed. Eyelets will be spaced 1-1/2" apart. A loose mic tab measuring 1/2" x 4" and a name tape measuring 1" x 8" will also be included in the jacket's left side pocket.

Interlining:

The following parts shall be interlined for stability: collar, pocket flaps, front placket, panels and shoulder straps.

Seam Stitching:

All stitching shall be even and uniform. All seams on the shell and liner shall be securely sewn. All seams shall be properly reinforced where needed via back tack or bar tack. Outershell seams are fully taped. All seams shall be eight stitches per inch minimum to twelve stitches per inch maximum. Seams shall be free from puckering, pleats, runoffs and raw edges.

Customization

Badge: A cloth MCSO 5-star badge must be supplied by the vendor and sewn on the left chest so that the top star prong is centered on the left chest military crease and the bottom star prongs are approximately 1/4" above the top of the left pocket flap.

Shoulder epaulets: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 1-3/4" at sleeve and taper to 1-3/8". Straps are to be set about 1" from the base of the convertible sport collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching about 2" from sleeve head seam.

MCSO Performance Soft Shell

Manufacturer

Elbeco Shield Performance Soft Shell

Style Number

SH3500 Black

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Fabric

Softshell is 2-way stretch bonded three-layer fabric - 96% polyester/4% spandex outer with fleece interior which is comfortable and warm. HydroTech membrane is waterproof, windproof and breathable, promoting moisture management, allowing the moisture to pass through the garment, keeping the wearer dry and comfortable in all weather conditions. Weight is 8.50 oz./sq. yd. Colors: black and navy. The sleeve lining is brushed tricot. Fabric offers enhanced thermal protection, airflow and performance during elevated aerobic activities.

Design and Construction

The jacket is a lightweight, breathable softshell treated to repel stains and light rain. The jacket features easy access magnetic closure utility pockets, lower front and internal communications pockets, quick release side zippers, adjustable cuffs, and shoulder straps. This jacket is designed to be worn as a stand-alone outer garment or as a mid-layer liner combined with the Shield Duty Jacket or Hi Vis Parka.

The front shall have a Vislon #5 two-way auto-lock dual separating zipper, functional up to the collar points. There must be an inner storm flap at the front behind the zipper all the way to the collar point for extra protection. Storm flap is folded over the top of the zipper on the right side to form an abrasion resistant chin protector. Storm flap is lined with pellon.

Collar:

The permanent collar shall be made of two plies of the shell fabric with the outershell on the outside and fleece side facing inward. The collar points shall be well shaped and symmetrical and measure 3" high. There is a loop set into the outside of the collar at the neck seam which can connect to a snap strap on the interior of the outershell jackets to hold the softshell in place when worn as a liner to the Duty Jacket or Hi Vis Parka.

Sleeves:

Sleeves are tricot lined and have a slight articulation and curve towards the front of the body. There is a 2" gusset at the lower sleeve. There is a small elastic loop set on the gusset seam line, just above the stitch line of the cuff, which can connect to a snap tab on the outershell sleeve to hold the softshell in place when worn as a liner to the Duty or Hi Vis Parka.

Cuffs:

Cuffs shall be 1" wide with elastic at the back and an adjustable tab with 1" Velcro at the front. There is a 1" x 3" cuff tab with hook Velcro set in the inside seam to attached to the 1" loop Velcro set on the cuff.

External Pockets:

There are two vertical slash pockets on the lower front of the jacket. Pockets have a 6-1/2" opening with a reverse coil zipper closure and a zipper hood at each end. Pockets are fleece lined for warmth.

There are two large document/utility pockets on the upper front. Pockets have a vertical opening measuring 7-1/2" and extend across the chest. Pockets have a U-shaped bottom with a 3" x 5" patch pocket sewn to the side closest to the wearer to secure a back-up weapon. The pocket opening is secured with double magnet closures.

Internal Pockets:

There are two patch pockets set inside the lower front of the jacket to accommodate radios, tablets, etc. These pockets measure approximately 7-1/2" wide x 9-1/2" long and close with a vertical zipper. There is a communications access opening in the top inside corner of each pocket.

Waistband:

Waistband has 1" hem in the front of the jacket. Back of jacket has a Shirred elastic hem with a soft gripper strip.

Side Vents:

Side vents open 10" from bottom of waistband. "Quick release" coil zippers are sewn into each side seam, extending through the waistband, to allow access to weapon and equipment. Zippers lock when the pull tab is locked in the upright position. These zippers shall be set to both the shell and permanent lining. A 3/4" x 3" elasticized tab is set to the inside back of the hem. The tab contains a stud snap to align with the two adjustable flat snaps on the front of the jacket. There is also an additional flat snap inside the back of the hem to be used to secure the tab when not in use.

Shoulder Straps:

The permanent utility straps shall be made of two plies of the basic shell fabric. The straps are 1-1/4" wide and are single needle edge stitched. Utility straps shall be tacked to shoulder at ends and center to form a 2" opening at the center of the strap for mic attachment.

Seam Stitching:

All stitching shall be even and uniform. All seams on the shell and liner shall be securely sewn. All seams shall be properly reinforced where needed via back tack or bar tack. All seams shall be eight stitches per inch minimum to twelve stitches per inch maximum. Seams shall be free from puckering, pleats, runoffs and raw edges.

Customization

Badge: A cloth MCSO 5-star badge must be supplied by the vendor and sewn on the left chest so that the top star prong is centered on the left chest military crease and the bottom star prongs are approximately 1/4" above the top of the left pocket flap.

Shoulder epaulets: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 1-3/4" at sleeve and taper to 1-3/8". Straps are to be set about 1" from the base of the convertible sport collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching about 2" from sleeve head

seam.

MCSO CLASS "A" BLOUSE COAT

Manufacturer

Hope Uniform Company

Style Number

Custom –Modified USMC Dress Blues Style

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Blouse coats will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Fabric

Outer fabric: 13-13.5 oz. 55/45 Dacron Polyester/Wool, Serge. Dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care.

Trim

Lining: 100% Polyester Satin or 100% Polyester Taffeta.

Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton.

Buttons: Five (5) State of New Jersey seal 7/8" gold buttons; Ten (10) State of New Jersey seal 5/8" buttons.

Belt hooks: Four (4) black metal 1" outer height hooks.

Badge tab: black felt and (2) black metal eyelets.

Design and Construction

Blouse Coat: The coat shall be a custom made, dark navy, fully-lined blouse coat with modified USMC Dress Blue styling; that is, the coat has a 5-button front, back center vent design, shoulder pads, sweat shields inside chest area, and two chest pockets and two lower pockets with buttoned flaps. The rear of the coat shall have a center facing 2" wide extending from the rear collar stand to center waist facing and be made of the same material as the coat fabric with two rows of stitching 1-3/4" apart. There shall be a center waist facing measuring 2" in height and be made of the same material as the coat fabric with two rows of stitching 1-3/4" apart. There shall be four (4) belt hooks sewn into this center waist facing; (2) centered on the front pocket centers, and (2) centered on the rear gusset seams.

Collar: The collar shall be choker style with double clasp, locking.

MCSO CLASS "A" BLOUSE COAT – CONT'D

Seams: The coat shall have permanent seams as follows. Seams are to be stitched in coat only, not thru pockets and flaps. One seam is to be in each front extending from bottom center of chest pockets to center waist facing. Two vertical seams are to be in back; these side back seams shall be spaced equally from center rear facing – starting at under sleeve, slightly curving to the center waist facing, and then passing through the center waist facing, and ending at the bottom of the coat.

Rear Gussets: Two rear vertical gussets, starting at the shoulder epaulet and approximately 1/4" inward from the sleeve head seams, single stitched at approximately 3/16" vertically. Each gusset shall be sewn to the jacket from the top approximately 2", followed by an open gusset, then approximately 2-3/4" sewn upward from the center waist facing.

Chest Pockets & Flaps: Two box pleated chest pockets with rounded corners, scalloped flaps, and 5/8" button closures. Each chest pocket is to measure approximately 5-3/4" wide and approximately 7" long (length: measured top of pocket flap to bottom center of pocket;

actual pocket length is 6-3/8" long) and pocket opening edge lined with black polyester satin. Both pockets to have 3/16" box stitching top and bottom to prevent spreading. Each pocket shall have a 5/8" button sewn approximately 1-1/2" down from the top of the actual pocket and centered. To have two scalloped flaps to finish 5-7/8" wide, 2-7/8" long at center, and 2-1/4" long at sides. Flaps are to be secured to front of coat with one row of stitching approximately 3/16" from the edge of the flap. Flaps are to be interlined with black polyester satin. There will be a matching buttonhole sewn on the flap to line up with the pocket button.

Lower Pockets & Flaps: Two lower pockets with square corners, square flaps, and 5/8" button closures. Each lower pocket is to measure approximately 8-1/4" wide and approximately 9-1/4" long (length: measured top of pocket flap to bottom center of pocket; actual pocket length is 8-7/8" long). Both pockets to have 3/16" box stitching top and bottom to prevent spreading. Each pocket shall have a 5/8" button sewn approximately 2-3/4" down from the top of the actual pocket and centered. To have two square flaps to finish 8-3/8" wide at top (nearest to center waist facing), 8-1/2" wide on flap bottom, and 3-3/4" long. Flaps are to be secured to front of coat with one row of stitching approximately 3/16" from the edge of the flap. Flaps are to be interlined with black polyester satin. There will be a matching buttonhole sewn on the flap to line up with the pocket button. There shall be a 1" pen space sewn on the inside of both pockets; both pockets shall be located inside the pocket area closest to the coat's center button line, and not visible on the outside of the pocket.

Inner Pockets: There shall be two (2) inner internal pockets, one on each side of the coat opening. Pockets shall measure approximately 4-3/4" wide opening (5-1/4" wide external) and approximately 6-1/4" long inside the pocket. The edges of the pocket opening and approximately 1-1/2" interior depth of the pocket shall be lined with black polyester satin.

Sleeves: To be straight and whole. On each cuff there shall be two (2) 5/8" buttons. The first button sewn at 1-1/2" from the cuff edge; the second button shall be in line and above the first button at 2-1/2" from the cuff edge. The cuffs shall be gold piped.

Badge Tab: The badge tab shall be made of 15/16" wide by 1-1/2" long black felt shall be on the left chest. The badge tab shall be single stitched 1/8" from the edge. The badge tab shall have two small black metal eyelets, 3/4" center to center, with the bottom of the badge tab approximately 1/2" from the top of the left chest pocket.

MCSO CLASS "A" BLOUSE COAT – CONT'D

Shoulder epaulets: The shoulder epaulets shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed end shall be fastened with one (1) 5/8" button. The epaulets shall measure 2-3/8" at sleeve and taper to 2". Epaulets are to be set about 1/8" from the base of the collar stand. Shoulder epaulets shall be box stitched to shoulders with row of cross stitching about 2-3/8" from sleeve head seam.

Sizing

The following is general sizing as each coat is to be custom fitted.

Short: XS - L
Regular: S - 3XL
Tall: M - 3XL

Customization

Mercer County Sheriff's Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. All alterations shall be done at no additional charge to the Sheriff's Office.

MCSO CLASS "A" DOUBLE BREASTED OVERCOAT

Manufacturer

Newport Harbor

Style Number

761MT

Color

Black

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Overcoats will have a warranty covering (at minimum) defects in materials and workmanship for three (3) years.

Fabric

Outer fabric: 60% combed cotton / 40% polyester treated with DuPont™ Teflon®. Machine washable.

Trim

Lining: 100% Nylon.

Zip-out Quilted Liner: 3M Thinsulate™ Insulation – Liner: 100% Nylon, Sleeves: 80% Polyester / 20% Cotton, Filler: 100% Polyester.

Buttons: (9) 7/16" clear; (4) 3/4" black melamine, 20 ligne, matching shell fabric; (11) 1" black melamine, 20 ligne, matching shell fabric.

Belt loops: Two (2) black fabric same as outer shell.

Badge tab: black fabric same as outer shell with (2) black metal eyelets.

Belt: 1-3/4" black fabric same as outer shell with one (1) 1-1/2" wide by 2-1/2" long black plastic buckle.

Cuff Buckle: Two (2) 1-1/4" wide by 1-3/4" long black plastic buckles.

Design and Construction

Overcoat: The overcoat shall be a black, double-breasted, fully-lined overcoat with zip-out quilted liner. The overcoat has a notched lapel, (8) 1" black button double breasted front, with additional 1" button for notched lapel closure, back vent design, cut through pockets, permanent epaulets with 3/4" black buttons, split raglan shoulder, gun patch on right chest fastened by a button at the chest, 1-3/4" fabric belt and loops, and badge tab. The rear of the coat shall have a bi-swing cut.

Collar: The collar shall be notched. The lower notch, point to inner collar, shall measure approximately 4-3/4" in width. The upper notch, point to inner collar, shall measure approximately 3-3/4". The rear collar stand shall be 2-1/4". The collar is to be single stitched 3/8" from edge.

Seams: The overcoat shall have permanent seams as follows. Seams are to be stitched in overcoat at the sides and full length at the rear center.

Vent: Overcoat shall have a rear vent measuring 13-3/8" at the center and sewn at 5/16".

Side Pockets & Flaps: Two lower pockets with outer entry covering measuring 2" wide by 8" long.

Sleeves: To be straight and whole. Each cuff shall have an approximate 10" in length and 1-1/8" wide cuff design made of the overcoat material on the front of each sleeve. Each cuff shall have 1-1/4" wide by 1-3/4" long black plastic buckle at the pointed end. The pointed end shall be sewn into the sleeve seam farthest from the main overcoat seam. The square end of the cuff shall be sewn into the sleeve seam closest to the main overcoat seam.

Badge Tab: The badge tab shall be 1" wide by 2-1/4" long, on the left chest, of the same fabric as the overcoat. The badge tab shall be single stitched 1/16" from the edge, and affixed to the overcoat at the top and bottom only. The badge tab shall have two small black metal eyelets, 3/4" center to center, with the bottom of the badge tab approximately 10-3/4" from the top of the left pocket.

Shoulder epaulets: The shoulder epaulets shall measure approximately 13-3/8" in overall length. The pointed end shall measure approximately 2-3/8" wide. The other end shall be

sewn in the collar head seam and measure approximately 1-5/8" wide. The epaulet shall fold such that the bottom portion shall remain affixed to the overcoat by means of one cross band of material (same as the overcoat) and the pointed end of the epaulet affixed by one (1) 3/4" button.

Sizing

Men's: 36-50 Short

36-54 Regular

38-60 Long

Women's: 2-18 Regular

0-20 Petite

Customization

Mercer County Sheriff's Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. All alterations shall be done at no additional charge to the Sheriff's Office.

MCSO CLASS "A" LEVEL III DUTY HOLSTER – HONOR GUARD

Manufacturer

Safariland

Style Number

6365

Color

Hi-Gloss Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Holsters will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Leather Look Synthetic

Trim

Screws: black coated steel.

Snaps: Black coated brass.

Design and Construction

Holster: Hi-gloss black Leather Look Synthetic Level III Retention holster for Glock 23. Holster has low-ride belt position and the Automatic Locking System (ALS®) builds on the foundation of the Self Locking System (SLS). It locks the weapon in all directions upon holstering, it's operable with the thumb, and the weapon can be drawn straight out of the holster with no twisting required.

Sizing & Fitment

Glock 23

Right-handed: 6365-283-91

Left-handed: 6365-283-92

Customization

Vendor shall ensure proper holster fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" HDA-KIT – HONOR GUARD

Manufacturer

Safariland

Style Number

HDA-KIT

Color

Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Holsters will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Design and Construction

HAD-Kit: This HDA-Kit is designed to lower by 2" (50mm), any Safariland® holster with the 3-hole pattern. The kit consists of the 6281HDA Holster Drop Adapter, 6 screws, 1 T-spacer, 1 T-nut, and 1 self-locking replacement hook for the paddle. This system is assembled in between the back of the holster and its mounting platform so that the holster can ride lower for comfort and convenience. An Allen wrench is also included.

Sizing & Fitment

Glock 23

Right-handed: HDA-KIT-RH

Left-handed: HDA-KIT-LH

Customization

Vendor shall ensure proper holster fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" FULLY LINED DUTY BELT – HONOR GUARD

Manufacturer

Jay-Pee

Style Number

400B 4-Row Stitching

Color

Hi-Gloss Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Duty belts will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

100% Leather

Trim

Metal stud: black coated steel.

Center metal belt stud: black coated 1" steel.

Main Attachment Buckle: Clear coated double-tongue solid brass 2" wide by 2-7/8" in length buckle.

Slider Keeper: 100% leather.

Design and Construction

Duty Belt: Fully lined 2-3/16" plain finish black leather Sam Browne belt with four rows of stitching with a detachable solid brass double-tongued main attachment buckle. Belt has a

center metal 1" belt stud that fastens to the rear of the brass buckle so that the belt fits firmly around the waist. Belt also has a black metal stud to position the belt along with a free-sliding keeper to hold the belt tip in place.

Sizing

Regular: 24" to 44"

X-Large: 46" and above

Customization

Vendor shall ensure proper duty belt fitment upon order fulfillment without additional charge to Sheriff's Office. Vendor shall supply main attachment brass buckle without additional charge to Sheriff's Office.

MCSO CLASS "A" CROSS STRAP – HONOR GUARD

Manufacturer

Jay-Pee

Style Number

Single Ply

Color

Hi-Gloss Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Duty belts will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

100% Leather

Trim

Main Attachment Buckle: Clear coated double-tongue solid brass 1-1/4" wide by 1-1/2" in length buckle.

Slider Keeper: 100% leather; hi-gloss black color.

"D" Rings: Two (2) clear coated brass.

"D" Ring leather: 100% leather; hi-gloss black color.

Design and Construction

Duty Belt: Single ply 1-1/4" hi-gloss finish black leather cross strap with an attached solid brass single-tongued main attachment buckle which tapers to 7/8" prior to the buckle. Belt has a free-sliding keeper to hold the belt tip in place. This cross strap is designed to be attached to two (2) "D" rings either on a holster or two (2) separate hi-gloss black leather belt loops. An officer typically utilizes this style of belt for use with a blouse coat, or with a Class "A" motorcycle leather coat, or at any time a more formal appearance is desired with a Class "A" uniform.

Sizing

Regular: 24" to 44"

X-Large: 46" and above

Customization

Vendor shall ensure proper cross strap fitment upon order fulfillment without additional charge to Sheriff's Office. Vendor shall ensure main attachment brass buckle and, if requested, the two (2) brass "D" ring hi-gloss black leather belt loops are included without additional charge to Sheriff's Office.

MCSO CLASS "A" HANDCUFF CASE WITH BRASS SNAP – HONOR GUARD

Manufacturer

Safariland

Style Number

90H

Color

Hi-Gloss Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Cases will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Leather Look Synthetic

Trim

Snap: Brass.

Design and Construction

Handcuff case: Hi-gloss finish black round bottom handcuff case with top flap and brass snap.

Sizing

Fits one pair of standard chain or hinged cuffs.

Customization

Vendor shall ensure proper style and cuff fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" DOUBLE MAGAZINE CASE WITH BRASS SNAPS – HONOR GUARD

Manufacturer

Safariland

Style Number

77

Color

Hi-Gloss Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Cases will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Leather Look Synthetic

Trim

Snaps: Brass.

Design and Construction

Double Magazine case: Hi-gloss finish black double magazine case for Glock 23 magazines with top flaps and brass snaps.

Sizing

Fits two Glock 23 magazines

Ambi-dexterous: 77-283-2HS.

Customization

Vendor shall ensure proper style and magazine fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" OXFORDS – HONOR GUARD

Manufacturer

Bates

Style Number

E01842

Color

Hi-Gloss Black

General Requirements

The successful bidder will provide a full size run of try-on boots within 2 days for Sheriff's Office approval. Oxfords will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Leather and Synthetic Uppers
Single Density PU Outsole
Slip-Resistant Tread Design
Moisture Wicking Lining
Two-Needle Stitched Upper

Trim

Laces: Black

Insert: Molded Removable EVA Insert

Design and Construction

The Bates Sentry High Shine Oxfords are designed for comfort and class. These oxford shoes take on a modern look with a tailored fit and features a moisture wicking suede lining that actively keeps the feet dry. The upper section of these black dress shoes are high gloss for easy cleaning and the removable molded EVA insert provides comfort and support.

Sizing

Available in following sizes: D (6-12, 13, 14); EE (7-12, 13, 14).

Customization

Vendor shall ensure proper officer fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" MOTORCYCLE CRUSH HAT

Manufacturer

Sentry Uniform Cap Company, Inc.

Style Number

R-801 styling with no wire inside hat. Banded open cane with a black detachable cloth band (combo band).

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard.

Fabric

The hat shall be made with Hamburger Woolen Dac/Wool material.

Trim

Buttons: Custom gold New Jersey buttons side of Crush Hat supplied by vendor.

Design and Construction

Hat: R-801 Highway Patrol Crush style hat with no wire inside hat and no top cross strap. Hat is to have banded open cane with a black detachable cloth band (i.e. combo band). Sides of hat are to be tacked down utilizing custom gold New Jersey buttons. An optional black stretch nylon strap attached at side buttons, or black leather cross strap with buckle adjustment attached at side buttons for hat stability in windy conditions shall be available.

Visor: Visor-400 with approximate 1-3/4" moderate drop.

Sweatband: The inner sweatband shall be non-foamed back first quality leather.

Badge Eyelet: One black metal "rivet" eyelet shall be located in top front portion of hat for hat badge placement.

Customization

Vendor shall maintain availability of hat sizes for proper officer fitment, and ensure proper officer fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" MOTORCYCLE BREECHES**Manufacturer**

5.11 Tactical

Style Number

74407

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0409)

Fabric

10.3 oz Calvary Stretch Twill. Teflon treatment for stain and moisture resistance.

Trim

Pocketing: 6 Pockets, rear welt flashlight pockets, front slash pockets, hidden on-seam side pockets.

Binding: Bartacks at major stress points.

Waistband: Self-adjustable tunnel waistband; gripper tape at inner waistband.

Fly zipper: YKK zipper hardware.

Stripe

Material: 1-1/2" polyester/wool. Stripe is to be exactly the same as Class "A" Trouser.

Color: Hamburger #420-10 Gold

Position: Sewn along out seam from bottom of waistband to hem.

Design and Construction

Six pockets: (2) front slash pockets, (2) hidden on-seam side pockets, (2) rear welt flashlight pockets. Self-adjustable tunnel waistband; gripper tape at inner waistband. 7 belt loops at 2.25" width, strong enough to support tactical belts. Double-thick seat, inner knee, and calf. Extra-thick, double-articulated knee. Secure lower leg zips. Bartacks at major stress points.

Customization

All alterations shall be done at no additional charge.

Sizing & Measurements

Each officer must be measured for custom fit.

MCSO CLASS "A" MOTORCYCLE LEATHER COAT

Manufacturer

Taylor's Leatherwear

Style Number

Indianapolis #JA551

Color

Black

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. Leather must be processed and finished in the U.S.A. The leather must survive 50,000 flexes on a "bally" flexometer with no visible cracking or peeling. Leather must pass a minimum of 1,000 cycles grams of weight with a CS-10 wheel using a "tabor" 5150 abrasor.

Fabric

Outer shell shall be breathable, water resistant, windproof genuine cowhide leather.

Trim

Top thread: Mono-Nylon T-70

Bobbin thread: Poly-Cotton T-60

Buttons: Vendor to supply State of New Jersey gold buttons, two (2) 5/8" one for each epaulet, and ten (10) 7/8" for double breasted front.

Black metal snaps: Two (2) black metal snaps for each leather keeper.

Design and Construction

Jacket: Jacket design shall be Indianapolis PD half length style. A permanent lining inside jacket made of 100% nylon taffeta, 160 x 90 pic. A removable lining body made of quilted nylon with C-200 Thinsulate. Sleeves are to be lined with quilted nylon with C-100 Thinsulate. Sleeves are to be a three-piece construction, and underarm piece to have vents and gusset for freedom of movement. Sleeves are to be fully double stitched into armholes. Removable liner sleeves to have 1" wide omni-directional knit material installed in armhole for freedom of movement. Each jacket is to have black nylon storm cuff 7" in length sewn in sleeve of removable liner. Each cuff end of leather jacket is to have a 3" sewn cuff line. There shall also be two (2) leather belt keepers attached to the rear of the jacket measuring 5" in length and 2" in width. The leather belt keepers shall be sewn to the jacket at the bottom and have two (2) black metal snaps each at the top to attach to the jacket such that it allows for approximately 3" belt openings when snapped.

Pockets & Side Vents: Inside stealth pockets. Side vents are to be 10" in length with keeper strap.

Badge Tab: All metal "rivet" eyelets on left chest of jacket to affix badge.

MCSO CLASS "A" MOTORCYCLE LEATHER COAT- CONT'D

Shoulder Epaulets: The shoulder straps shall be pointed at the end toward the neck of the jacket. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The epaulet straps shall measure 2-3/8". Straps are to be set about 1-3/4" from the base of the neck of the jacket. Shoulder straps shall be box stitched to shoulders with row of cross stitching about 2" from sleeve head seam.

Sizing

Small – Large

XL – 3XL

Customization

Mercer County Sheriff's Office black-background emblem shall be sewn on left sleeve. Mercer County Sheriff's Office Motorcycle black-background Unit emblem shall be sewn on right sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. All alterations shall be done at no additional charge to the Sheriff's Office.

MCSO MOTORCYCLE RAIN JACKET

Manufacturer

5.11 Tactical

Style Number

48372

Color

Black

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval upon request.

Specifications

5.11 Tac-Dry Rainshell 2.0

Shell: 100% nylon ripstop, 2L hard shell, 3.7 oz DWR

Upper Lining: 100% polyester tricot mesh

Low Lining: 100% nylon taffeta

20K/10K waterproof / breathable and fully seam sealed

Adjustable stationary hood with rigid brim rolls into collar

Left/right chest and back body pull out panels

Quixip® release system at side seams

Hand zipper pockets and internal left chest pocket

Tunneled elastic sleeve cuffs

Adjustable hem with internal shock cord system

Customization

Mercer County Sheriff's Office black-background emblem shall be sewn on left sleeve. Mercer County Sheriff's Office Motorcycle Unit black-background emblem shall be sewn on right sleeve. Mercer County Sheriff's Office embroidered badge patch shall be sewn on left breast. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office

Sizing

XS-6XL

MCSO MOTORCYCLE RAIN PANT

Manufacturer

5.11 Tactical

Style Number

48350

Color

Black

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval upon request.

Specifications

100% polyester plain weave hardshell 2.5L, 3.1 oz, DWR, ink printer back
10k/10k waterproof and breathable
Fully seam sealed
Hook and loop belt loops
Extra support in back waistband
Pass through zips for internal access
Large volume cargo pockets
Articulated knees
Zipper opening at side seams
Tab adjustments at leg openings
Reinforced panel at rear leg hems

Sizing

S-3XL

MCSO MOTORCYCLE PATROL TROUSERS

Manufacturer

Blauer

Style Number

9825Z

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval upon request.

Specifications

Blauer Tacshell Pants
Kevlar thigh patches
Waterproof, windproof, and breathable Waterproof® 3-layer nylon rip-stop shell fabric with stretch
Heat and abrasion resistant inner thigh patches with Kevlar
Seams factory sealed
Pleated cargo side pockets with flaps
Adjustable elasticized waistband
Adjustable zippered leg opening from the knee down
Duty belt snap keeper loops
Zip out Insulated® insulated fleece liner

Sizing

Waist: XS-5XL

Length: Short/Reg/Tall

MCSO MULTI-PURPOSE MOTORCYCLE BOOTS

Manufacturer

Rocky

Style Number

2090

Color

Black

General Requirements

The successful bidder will provide a full size run of try-on boots within 2 days for Sheriff's Office approval. Boots will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Outer: Full-grain water-resistant leather.

Lining: 100% leather lined.

Insole: Contoured EVA insole

Outsole: Oil and slip resistant, rubber lug outsole w/non-metallic stabilizer

Design and Construction

Boots: 10" high "jump boot" style with side zipper. Oil and slip resistant rubber outsole, polishable toe, Goodyear welt construction

Sizing

Available in following sizes: D (6-12, 13, 14); EE (7-12, 13, 14).

Customization

Vendor shall ensure proper officer fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO SWEATER**Manufacturer**

Elbeco

Style Number

3774/T3774

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0409)

Style: Quarter-zip fleece jacket has a self-collar, on-seam hand warmer pockets with D-ring, chest pocket, pencil pocket on sleeve, mic pockets on shoulders, and a mic loop on placket. All measurements are taken without stretching the material.

Tailoring: It is imperative that this garment is constructed according to the principles set forth in the specifications. All stitches must be of proper tension and size to

avoid puckering after the jacket has been laundered and give best durable press performance.

Fabric: 100% polyester microfleece, weighing 8 oz. per square yard. Fabric offers excellent color and shape retention, has four-way stretch, is fluid-repellant and fade-resistant. Outside of fabric is anti-pill for durability and has Nano Fluid Repellency technology. Inside is brushed fleece for warmth. Color: midnight navy.

Collar/Zipper Closure:

Collar is two-ply knit with interlining, clean finished to neck with grosgrain tape. Collar closes with a zipper and finishes with a self-fabric chin guard. The #5 YKK Vislon zipper is set from the top of the collar to the chest. Bottom zipper stop is covered with a small fabric patch.

Mic Tab: A $\frac{3}{8}$ " x $1\frac{1}{2}$ " wide fabric loop is set at the bottom of the zipper above the yoke seam to accommodate mic clip or glasses.

Sleeves: To be set in and finished with $\frac{1}{4}$ " single-needle top-stitch. Cuffs are 93% polyester/ 3% spandex 1x1 ribbed knit measuring $1\frac{1}{2}$ ". A set-in pencil pocket on left sleeve has a dual opening and twill pocket bag that measures $2\frac{7}{8}$ " x $6\frac{1}{2}$ ".

Chest Pockets:

Pocket with twill pocket bag is set in the yoke on wearer's right side. Pocket opening, $5\frac{1}{4}$ " wide, is $7\frac{1}{2}$ " deep, fused for stability and has a Velcro closure. A $1\frac{1}{2}$ " x $4\frac{1}{2}$ " pencil pocket is set in the pocket bag. Two small pieces of Velcro are set 2" from the bottom of the pocket to shorten the pocket depth as required.

Side Pockets:

Each side has an on-seam hand warmer pocket with a 7" opening. Pocket is fleece-lined and has an internal storage pocket for cell phones. Right pocket has a D-ring attached to a $3\frac{1}{2}$ " long double-ply strap sewn into the pocket seam to secure keys.

Shoulders: Shoulder seams are finished with $\frac{1}{4}$ " top-stitching. Each shoulder seam has a $1\frac{1}{2}$ " wide fused mic pocket set in the seam line.

Optional Items:

A loose badge tab measuring 1" x $4\frac{1}{4}$ ", unfinished, with eyelets spaced $1\frac{1}{2}$ " apart, and a loose name tape measuring 1" x 8" are included in the jacket's left pocket to be attached by the customer, if needed.

Back: A semi-circular twill patch is centered inside the back yoke sewn at the neckline. A $\frac{1}{4}$ " wide locker loop is set at the neckline.

Bottom Hem:

Hem is formed with 97% polyester/3% spandex 1 x 1 ribbed knit finishing 2½" deep.

Labels: Each garment has a brand label and labels containing size, country of origin, care, and content. A hang tag is attached to the garment.

Pressing and Packing:

Pullover are carefully completed in a first-class manner and individually packed in polyethylene bags. Pullover are bulk packed.

UPC Identification:

A printed UPC bar code tag must be attached to every garment. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist the Agency in encoding UPC information.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions are made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, non-discrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Sizes: Available in Regular - XS through 5XL and Talls – L through 4XL.

Finished Dimensions – Regular:

Size:	XS	S	M	L	XL	2XL	3XL	4XL	5XL
Chest:	38	42	46	50	54	58	62	66	70
Sweep/bottom (relaxed)	26	30	34	38	42	46	50	54	58
Length	25½	26½	27½	28½	29½	30½	31½	32½	33½
Sleeve Length (from center back)	33⅞	34⅞	35⅞	36⅞	37⅞	38⅞	39⅞	40⅞	41⅞

Finished Dimensions – Tall:

Size:	L	XL	2XL	3XL	4XL
Chest:	50	54	58	62	66
Sweep/bottom (relaxed)	38	42	46	50	54
Length	30½	31½	32½	33½	34½

Sleeve Length (from center back) 38⁷/₈ 39⁷/₈ 40⁷/₈ 41⁷/₈ 42⁷/₈

Customization

Mercer County Sheriff's Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. All alterations shall be done at no additional charge to the Sheriff's Office.

MCSO Reflective Long Polo

Manufacturer

Elbeco- UFX

Style Number

K5226

Color

Yellow

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard.

Style: This loose-fit, polo-style, long sleeve knit shirt in an ultra-light performance fabric is ANSI/ISEA 107-2010 Class 2, Level 2 certified. Shirt has reflective striping, flex mesh underarm vents, three-button placket with mic loop, full-fashion knit collar, zippered chest pockets and mic pockets on shoulders. All measurements are taken without stretching the material.

Tailoring: It is imperative that this garment is constructed according to the principles set forth in the specifications. All stitches must be of proper tension and size to avoid puckering after the shirt has been laundered and give best durable press performance.

Fabric: 100% ultra-light polyester circular knit Swiss pique, weighing 5 oz. per square yard. Permanent Nano moisture wicking takes moisture away from the body for superior comfort, thermal protection, ultimate dryness, and enhanced performance while providing UV protection. Fabric is colorfast, abrasion-resistant and pill-proof. Permanent anti-microbial technology is odor, mildew and 99.9% bacteria resistant. Color: HiVis yellow.

Collar: To be 100% polyester, circular knit, full-fashion collar with 2³/₄" points and permanent built-in stays placed along the edge for no-curl collar performance. Weight is 5 oz. per square yard.

Sleeves: To be long, one piece. Cuffs are 2" wide, 1 x 1 circular knit rib with Lycra, dyed to match body, and knit collar. Sleeve setting and closing are done with a merrow stitch. Left sleeve has a pencil pocket, 2" wide x 6" long, which is divided into two compartments.

Flex Vent: Flex Vent is made from 92% polyester/8% spandex mesh. Diamond-shaped mesh, measuring 2⁵/₈" wide, is set into the sleeve and body panels at the

underarm to allow body heat ventilation, increased mobility and comfort.

Front: Front is one piece and has two 5¼" wide zippered pockets that are 5½" deep. A 1" wide mesh insert is set along each armhole.

Placket: Three-button placket is lined and finishes 1½" wide x 7" long. Bottom of placket has a ½" stitched box with a ½" mic loop sewn over the full width of the placket. Three buttons are evenly spaced on the placket with a horizontal buttonhole at the collar and vertical buttonholes for the two remaining buttons. Placket laps left over right.

Seams: Shoulder seams contain stretch elastic for increased mobility and are edge-stitched on the back. Both shoulders contain a mic pocket, approximately 1¾" wide x 2" deep, sewn into the shoulder seam.

Thread: Thread for seaming, stitching, buttonholes, and button sewing is cotton-covered polyester core. Thread is stabilized so as not to shrink in boiling water more than 1.5%.

Reflective Stripe:

Two bands of 2" patterned reflective stripe heat transfer are set around the torso, and one 2" stripe is set around the lower portion of the sleeves.

Back: Back is one piece. A semi-circular patch measuring 4½" at the widest point is sewn at the neckline, running ¼" from each shoulder seam. A 1" wide mesh insert is set along the armhole.

Bottom Hem:

To be 1" deep and top-stitched.

Labels: Each garment has a heat-seal brand label containing size, country of origin, care and content applied to the inside of the yoke patch. A Ufx hang tag is attached to the garment.

Pressing and Packing:

Shirts are carefully completed in first class manner and individually packed in polyethylene bags. Shirts are bulk packed.

UPC Identification:

A printed UPC bar code tag must be attached to every garment. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist the Agency in encoding UPC information.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions are made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety,

hours of work, non-discrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions:

Size:	XS	S	M	L	XL	2XL	3XL	4XL
Collar Length	14	15	16	17	18	19	20	20
Chest	36	40	44	48	52	56	60	64
Sweep/Bottom	37	41	45	49	53	57	61	65
Back Length	28	29	30	31	32	33	34	35
Sleeve Length	31½	32½	34	35	36	36½	36½	37

MCSO Reflective Short Polo

Manufacturer

Elbeco- UFX

Style Number

K5216

Color

Yellow

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard.

Design: Shall be a loose fit polo style knit short sleeve shirt in an ultra-light performance fabric certified to ANSI/ISEA 107-2010 Class 2 Level 2. Shirt has reflective striping, flex mesh underarm vents, three button front placket, full fashion knit collar, zippered chest pocket, mic pockets on shoulders and a mic loop on placket. All measurements will be taken without stretching the material.

Tailoring: It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of proper tension and size so as to avoid puckering after the shirt has been laundered, and to give best durable press performance.

Fabric: 100% ultra-light polyester circular knit Swiss pique, 5 oz./sq. yd. Permanent X-EEDE performance must provide UV protection and wick moisture away from the body for superior comfort, thermal protection, ultimate dryness and enhanced performance. Fabric to be colorfast, abrasion resistant, and pill-proof. The permanent anti-microbial technology is odor, mildew and 99.9% bacteria resistant. Colors: Hi Vis Yellow.

Collar: The collar shall be a 5 oz. /sq. yd 100% polyester circular knit full fashion collar, with 2-3/4" points and permanent built-in stays placed along the edge for no-curl collar performance.

Front: Front is one piece. Wearer's left front has a 5/4" zippered pocket. A 1" wide mesh insert is set along the armhole.

Placket: The 3-button placket shall be lined and finish 1-1/2" wide and 7" long. The

bottom of the placket shall have a 1/2" stitched box, with a 1/2" mic loop sewn over the full width of the placket. The 3 buttons shall be evenly spaced on the placket with a horizontal buttonhole at the collar and vertical buttonholes for the two remaining buttons. The placket shall lap left over right.

Back: Back is one piece. There shall be a semi-circular patch measuring 4-1/2" at the widest point, sewn at the neckline, running 1/4" from each shoulder seam. A 1" wide mesh insert is set along the armhole.

Flex Vent: Patent pending Flex Vent is made from 92% polyester/8% spandex mesh. Diamond shaped mesh measuring 2-5/8" wide is set into the sleeve and body panels at the underarm to allow for body heat ventilation and increased mobility and comfort.

Sleeves: Sleeves are to be one piece, have a 1" rib knit welt hem and graded lengths. Sleeve setting and closing shall be done with a merrow stitch. The left sleeve shall have a pencil pocket, 2" wide x 6" long. This pocket will be divided into two compartments.

Shoulder Seam: Shoulder seams shall contain stretch elastic for increased mobility and be edge-stitched on the back. Both shoulders shall contain a mic pocket to be approximately 1-3/4" wide x 2" deep, sewn into the shoulder seam.

Reflective Stripe: Two bands of 2" patterned reflective stripe heat transfer are set around the torso and one 2" stripe is set around the banded edge of the sleeves.

Hem: The bottom hem shall be 1" deep and topstitched.

Thread: The thread for seaming, stitching, buttonholes and button sewing shall be cotton-covered Polyester core. The thread shall be stabilized so as not to shrink in boiling water more than 1.5%.

Label and Care Instructions: Each garment shall have a heat-seal brand label containing size, country of origin, care and content applied to the inside of the yoke patch. A Ufx hang tag will be attached to the garment.

UPC Identification: A printed UPC bar code tag must be attached to every garment. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist the Agency in encoding UPC information.

Pressing and Packing: Shirts shall be carefully completed in first class manner and individually packed in polyethylene bags. Shirts to be bulk packed.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions

Size:	XS	S	M	L	XL	2XL	3XL	4XL
Collar Length:	14	15	16	17	18	19	20	20
Chest:	36	40	44	48	52	56	60	64
Sweep/bottom:	37	41	45	49	53	57	61	65
Back Length:	28	29	30	31	32	33	34	35
Sleeve Length:	9	9	9½	10	10½	11	11½	12

MCSO TURTLENECK**Manufacturer**

Elbeco

Style Number

7700

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard.

Fabric

100% pre-shrunk combed cotton - jersey knit with neck and cuffs 95% combed cotton / 5% Lycra rib knit, Weight: 6.0 oz/sq. yd, and machine washable. The finished turtleneck, after five launderings and dryings, shall not elongate more that 2 percent or shrink more than 8 percent lot average with no sample unit to exceed 8 percent.

Design and Construction

Turtleneck: Shall be a pullover type turtleneck with seamless body and full neck with long sleeves. Tag-less neck for no-scratch comfort; collar height 4 1/2" (unfolded). Vat-dyed for excellent color retention through wash and wear. There shall be a cover-stitch shoulder and neck seams for durability and professional appearance, and seamless neck and body for better fit and superior comfort. Generous fit and extra-long tails allow for wear over body armor. Shoulder seams shall be reinforced with elastic tape for superior strength.

Collar: Turtleneck shall be manufactured so that it will retain its shape and will finish 4½" in height unfolded. "M.C.S.O." shall be embroidered in gold no. 1951 thread on the left front facing side of the neck. An external cover stitch shall secure the neck and shoulder seams, so as to ensure superior durability and appearance of the garment.

Sleeves: The sleeves are to be long set-in type with Lycra blended 1 x 1 rib knit cuffs.

Seams: Seam allowances shall be maintained with seams sewn so that no raw edges, run-offs, pleats, puckers or open seams occur. Shoulder seams shall have a 3/16" wide white elastic cord sewn into the seams so as to add stability and durability.

Sizing

Regular Cut: S-6XL

Customization

Vendor shall ensure proper turtleneck fitment and embroidery upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" REVERSIBLE HAT COVER

Manufacturer

Blauer

Style Number

107

Color

Black and Florescent Yellow

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard.

Fabric

2.5-3.0 oz. per square yard (uncoated) Nylon, plain weave, type 66, treated with fluorocarbon water & stain release agents. 2.0 oz. (+ or - 0.25 oz) polyurethane (pigmented to match fabric color) back coating shall resist oil, discoloration, and be odor free.

Trim

Elastic: 0.6875-inch black colored webbing, dry cleanable.

Design and Construction

Hat Cover: Designed to fit an eight-point class "A" hat. Reverses to high-visibility Elasticized edge

Sized to fit "Pershing" Trooper style peak hat

Sizing

One size fit all.

Customization

Vendor shall ensure proper hat fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO REVERSIBLE RAINCOAT

Manufacturer

Blauer

Style Number

733

Color

Black and Florescent Yellow

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for agency approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for three (3) years. Garments must meet ANSI/ISEA 107-2010 Class II requirements. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0900)

Fabric

100% Polyester Oxford 300Dx300D PU visible coating 2000mm waterproof 3000gm MVP; shall resist oil, discoloration and be odor free. Color as specified above. 100% Nylon Oxford 200Dx200D PU clear coating 2000mm waterproof 3000gm MVP; shall resist oil, discoloration and be odor free. Color as specified above.

Trim

Eyelets: Black 3L matt.

Hook and loop: Black woven nylon base.

Plastic fastener: 100mm translucent plastic pin.

Reflective trim: 2-inch-wide, 3M Scotchlite™ silver reflective fabric on 2.5-inch-wide black ribbon.

Seam tape: waterproof seam-sealing tape, 1.0 inch in width compatible with the coating compound.

Snaps: non-rusting reversible and regular, 24 ligne, gun metal finish nickel on brass, heavy duty closure, black nylon cap.

Front zipper: vislon, two way, 29 inches. (Size L/Reg, Color: black)

Design and Construction

Raincoat: B. Dry waterproof, windproof, breathable reversible 48-1/2" raincoat. ANSI/ISEA 107-2010 Class II certified. Adjustable cuffs with hook and loop closure. Raincoat shall have double storm fly front with reversible delrin zipper. Raincoat shall have hi-contrast Scotchlite™ reflective trim around chest, sleeves, and cuffs. Shoulder shall be Raglan drop for unrestricted movement. Reversible hook and loop sleeve adjustment. Raincoat shall be reversible to high-visibility color.

MCSO REVERSIBLE RAINCOAT – CONT'D

Collar: One-piece collar. Sport collar zips to top.

Pockets: Quick dry taffeta pockets. Two 10-inch welt style cut through pockets for access to equipment.

Sleeves: One-piece sleeves. Hi-contrast Scotchlite™ reflective trim shall be around sleeves and cuffs. Velcro closures around cuffs for tight fit during inclement weather.

Badge Tabs: Badge tabs both sides, that is, the left chest black side of raincoat and left chest florescent yellow side of raincoat.

Microphone Tabs: Microphone tabs on left upper chest and right upper chest of both black and florescent yellow sides of the raincoat.

Sizing

Unisex: XS - 6XL

Measurements

Unisex: Regular length, Size: Large

Chest: 56 (plus or minus 0.75 Inches)

Sweep: 56.25 (plus or minus 0.75 inches)

Back Length 48 (plus or minus 0.75 inches)

Sleeve Inseam 18.5 (plus or minus 0.5 inches)

Customization

Vendor shall ensure proper raincoat fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO REVERSIBLE DUTY JACKET

Manufacturer

Spiewak

Style Number

S315V

Color

Dark Navy and High Visibility Yellow

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for agency approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for three (3) years. Garments must meet ANSI 107-2010 Class III requirements. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0900)

Fabric

The outer fabric shall be two-ply 100% Tactel Nylon with a non-ravel Urethane back coating. The shell fabric shall have a durable waterproof finish. The outer fabric shall be dark navy in color. All sewing shall be done with polyester core thread or 100% spun polyester thread. The VizMax™ High Visibility fabric (or equal) shall comply with ANSI 107-2010 and EN 471. Third party test results shall be provided upon request. The fabric shall be windproof and waterproof 100% polyester and allow for moisture vapor transmission (breathability). All seams and retro-reflective tape shall be sealed with hot air applied tape to ensure waterproof integrity. The minimum fabric requirements shall meet the performance levels for the VizMax™ fabric as listed below (minimum standards for ANSI 107-2010 given for reference).

Trim

Eyelets: Black 3L matt.

Hook and loop: Black woven nylon base.

Reflective trim: 2-inch-wide, 3M Scotchlite™ silver reflective fabric.

Seam tape: waterproof seam-sealing tape, 1.0 inch in width compatible with the coating compound.

Snap tabs: non-rusting reversible and regular, 24 ligne, gun metal finish nickel on brass, heavy duty closure, black nylon cap.

Side vent zipper: 10" nylon coil zippers, black in color, on both sides.

Front zipper: Urethane coated reversible waterproof nylon zipper, black in color, measuring 26" from collar top to waistband bottom.

MCSO REVERSIBLE DUTY JACKET – CONT'D

Design and Construction

Jacket: WeatherTech waterproof, windproof, breathable reversible 26-1/2" duty jacket with hood. ANSI 107-2010 Class III certified. The front shall have a straight yoke. There shall be a urethane coated reversible waterproof nylon front zipper measuring approximately 26" from the top of the collar to the bottom of the waistband. The zipper bottom shall be reinforced by bar tacks. The 2" wide bottom front facings of the waistband shall be formed from shell material and an interlining extending 11-1/4" on either side (size large) of the front opening. There shall be a 2" elasticized back waistband made of shell material sewn with two threads to stretched heavy duty elastic. There shall be a 10" nylon coil zippered side vent on both sides. There shall be a 4-1/2" snap tab closure at the bottom of each side vent to secure the waistband when the vent is worn open. The snap tab shall fasten to one of two male snaps spaced 1-3/4" apart on the front of the waistband. There shall be oxidized metal eyelets on each side of the side vent for moisture drainage. Each jacket shall have a sewn-in woven size label and care instructions in the front left pocket. The collar, cuffs and the waistband shall be of Tactel nylon matching the color of the front side. There shall be an inside facing of Tactel nylon matching the shell of the front side extending to the top reflective band to prevent "see through" of the fluorescent and reflective fabric when the jacket is worn partially open.

Collar: The stand-up collar shall be 4" in width and made of 2 pieces of self-material with an interlining. The collar shall be made of shell fabric on both the front and the hi-visibility side.

Hood: There shall be a waterproof, coated, 7" coil non-separating zipper located at the base of the collar on the outside of the jacket which shall contain a full 3-piece hood with taped seams. The hood shall be made with shell fabric and shall have elasticized shock cords and sewn-in cord lockers for adjustment. The hood shall be lined with nylon taffeta.

Pockets: There shall be slanted hand-warmer pockets with 8-1/2" long YKK nylon coil zipper closures. There shall be a 9" long X 2" wide snow-proof pocket covers extending from the front yoke to the side seam. The cover shall be rounded on the bottom. The pockets shall be lined with 230T nylon Taffeta.

Sleeves: The sleeves shall be 2-piece and finished with a 1-1/2" elasticized cuff. The cuff shall be formed of shell material on the inside as well as the outside on the under-sleeve seam there shall be a hidden #3 nylon coil access zipper measuring 8-1/4" in length. The zipper shall provide access for attaching sleeve emblems without compromising the waterproof reverse shell of the garment. An oxidized metal eyelet shall be provided at the cuff to allow for moisture drainage.

MCSO REVERSIBLE DUTY JACKET – CONT'D

Badge Tab: There shall be a badge tab on the left side of the chest. On dark navy side, the badge tab shall be made of shell fabric, 1" wide with 2 metal eyelets spaced 1-1/4" vertically apart. It shall be placed 3/4" above the left yoke and approximately 3-1/2" from the front zipper (size large reg). On the high visibility side, the badge tab shall be made of VizMax™ fabric, 1" wide with 2 metal eyelets spaced 1-1/4" vertically apart. It shall be placed on the left breast 4" above the top horizontal reflective band and approximately 3-1/2" from the front zipper (size large reg).

Reflective Tape: There shall be 2" wide silver reflective tape sewn to the shell for nighttime safety. The reflective properties of the reflective tape and configuration shall meet and exceed the EN-471 and ANSI 107 Class III minimum requirements. A letter of compliance for the reflective tape shall be available upon request. The placement configuration shall consist of two horizontal bands of 2" reflective tape placed 5" apart and 2" above the waistband on the body. There shall a band of reflective tape on the sleeve approximately 2" above the cuff and another band approximately 3-1/2" from the shoulder seam.

Shoulder Epaulets: The epaulets shall be made of shell fabric. They shall be sewn into the sleeve head seam; "X" stitched, and fastened to the jacket at the neck. The epaulets shall measure 8" in length and 2" in width. There shall be a black oxidized female snap 1" from the end of the epaulet that shall fasten to a male snap approximately 1-1/2" from the neckline.

Sizing

Regular: S – 5XL
Long: M – 5XL
Short: S-XL

Customization

There shall be reflective "SHERIFF" lettering on the back of both the dark navy and Hi-Viz sides. Mercer County Sheriff's Office emblem must be supplied by the vendor and to be sewn on the left sleeve. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. Vendor must supply all emblems at no additional charge.

MCSO CLASS "A" TIE

Manufacturer

Uniform Cravat

Style

Clip or choke-proof

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Fabric

75% polyester, 25% wool, broom 455BOBH.

Trim

Clip: black metal.

Hook and loop: Black woven nylon base.

Design and Construction

Tie: Shall be a solid dark navy clip on or choke-proof hook and loop attachment tie. Design shall be of single knot design measuring approximately 1-1/4" at base of knot to 3" at the bottom of the front vertical portion of the tie.

Sizing

Short

Regular

Long

Customization

Vendor shall ensure proper tie fitment upon order fulfillment without additional charge to Sheriff's Office. The bottom base of a properly fitted tie should just touch or partially cover the officer's uniform duty belt buckle.

MCSO CLASS "A" FULLY LINED DUTY BELT

Manufacturer

Jay-Pee

Style Number

400B 4-Row Stitching

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Duty belts will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

100% Leather

Trim

Metal stud: black coated steel.

Center metal belt stud: black coated 1" steel.

Main Attachment Buckle: Clear coated double-tongue solid brass 2" wide by 2-7/8" in length buckle.

Slider Keeper: 100% leather.

Design and Construction

Duty Belt: Fully lined 2-3/16" plain finish black leather Sam Browne belt with four rows of stitching with a detachable solid brass double-tongued main attachment buckle. Belt has a center metal 1" belt stud that fastens to the rear of the brass buckle so that the belt fits firmly around the waist. Belt also has a black metal stud to position the belt along with a free-sliding keeper to hold the belt tip in place. This belt style is designed to be worn with an inner "Garrison" style belt and belt "keeper" loops.

Sizing

Regular: 24" to 44"
X-Large: 46" and above

Customization

Vendor shall ensure proper duty belt fitment upon order fulfillment without additional charge to Sheriff's Office. Vendor shall supply main attachment brass buckle without additional charge to Sheriff's Office.

MCSO CLASS "A" SINGLE PLY DUTY BELT

Manufacturer

Jay-Pee

Style Number

NJSP Single Ply

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Duty belts will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

100% Leather

Trim

Metal stud: Brass.

Main Attachment Buckle: Clear coated double-tongue solid brass 2" wide by 2-7/8" in length buckle.

Slider Keeper: 100% leather.

Design and Construction

Duty Belt: Single ply 2-1/8" plain finish black leather NJSP style Sam Browne belt with an attached solid brass double-tongued main attachment buckle. Belt has a center metal 1" belt stud that fastens to the rear of the brass buckle so that the belt fits firmly around the waist. Belt also has a free-sliding keeper to hold the belt tip in place. This belt style is designed to be worn without an inner belt. An officer typically utilizes this style of belt for use with a blouse coat, or with a Class "A" motorcycle leather coat, or through the trouser loops of Class "A" trousers.

Sizing

Regular: 24" to 44"
X-Large: 46" and above

Customization

Vendor shall ensure proper duty belt fitment upon order fulfillment without additional charge to Sheriff's Office. Vendor shall ensure main attachment brass buckle is included without additional charge to Sheriff's Office.

MCSO CLASS "A" CROSS STRAP

Manufacturer

Jay-Pee

Style Number

Single Ply

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Duty belts will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

100% Leather

Trim

Main Attachment Buckle: Clear coated single-tongue solid brass 1-1/4" wide by 1-1/2" in length buckle.

Slider Keeper: 100% leather; black color.

"D" Rings: Two (2) clear coated brass.

"D" Ring leather: 100% leather; black color.

Design and Construction

Duty Belt: Single ply 1-1/4" plain finish black leather cross strap with an attached solid brass single-tongued main attachment buckle which tapers to 7/8" prior to the buckle. Belt has a free-sliding keeper to hold the belt tip in place. This cross strap is designed to be attached to two (2) "D" rings either on a holster or two (2) separate black leather belt loops. An officer typically utilizes this style of belt for use with a blouse coat, or with a Class "A" motorcycle leather coat, or at any time a more formal appearance is desired with a Class "A" uniform.

Sizing

Regular: 24" to 44"

X-Large: 46" and above

Customization

Vendor shall ensure proper cross strap fitment upon order fulfillment without additional charge to Sheriff's Office. Vendor shall ensure main attachment brass buckle and, if requested, the two (2) brass "D" ring black leather belt loops are included without additional charge to Sheriff's Office.

MCSO CLASS "A" INNER BELT

Manufacturer

Jay-Pee

Style Number

1000SS

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Inner belts will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

100% Leather

Trim

Metal cap rivet: black coated steel.

Main Attachment Buckle: Brass colored buckle.

Slider Keeper: 100% leather.

Design and Construction

Inner Belt: Single ply 1-1/4" plain finish black leather Garrison belt with an attached brass colored single-tongued main attachment buckle.

Sizing

Regular: 24" to 44"

X-Large: 46" and above

Customization

Vendor shall ensure proper inner belt fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" KEEPER LOOPS

Manufacturer

Jay-Pee

Style Number

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Keeper loops will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

100% Leather

Trim

Snaps: Brass.

Design and Construction

Keeper Loops: Plain finish black leather loops shall be 3/4" in width and designed to attach 2-1/4" duty belt to a 1-1/4" inner belt with two (2) brass snaps.

Sizing

3/4" width to accommodate 2-1/4" duty belt and 1-1/4" inner belt

Customization

Vendor shall ensure proper keeper loop fitment and style upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" LEVEL III DUTY HOLSTER

Manufacturer

Safariland

Style Number

070

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Holsters will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Safari-Laminate™

Trim

Screws: black coated steel.

Snaps: Black coated brass.

Design and Construction

Holster: Plain black Safari-Laminate™ Level III Retention holster for Glock 23. Holster has mid-ride belt position and cants slightly forward the grip to allow for a comfortable carry and quick, easy draw. Holster has top thumb break and middle finger release tab, and internal ejection port lock.

Sizing & Fitment

Glock 23

Right-handed: 070-83-161

Left-handed: 070-83-162

Customization

Vendor shall ensure proper holster fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" O.C. SPRAY HOLDER

Manufacturer

Safariland

Style Number

38-4-2# #

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. O.C. spray holders will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Safari-Laminate™

Trim

Snap: Brass.

Design and Construction

O.C. Spray Holder: Plain finish black O.C. spray holder with top flap and brass snap measuring 1-1/2" diameter by 4"- 4-1/2" high.

Sizing

Fits Defense Technology MK-3 1.47oz.

Customization

Vendor shall ensure proper style and O.C. spray canister fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" HANDCUFF CASE WITH BRASS SNAP

Manufacturer

Safariland

Style Number

90H

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Cases will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Safari-Laminate™

Trim

Snap: Brass.

Design and Construction

Handcuff case: Plain finish black round bottom handcuff case with top flap and brass snap.

Sizing

Fits one pair of standard chain or hinged cuffs.

Customization

Vendor shall ensure proper style and cuff fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" HANDCUFF CASE WITH HIDDEN SNAP

Manufacturer

Gould & Goodrich

Style Number

B583

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Cases will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

100% Leather

Trim

Snap: Hidden steel.

Design and Construction

Handcuff case: Plain finish black leather round bottom handcuff case with top flap and hidden snap.

Sizing

Fits one pair of standard chain or hinged cuffs.

Customization

Vendor shall ensure proper style and cuff fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" DOUBLE MAGAZINE CASE WITH BRASS SNAPS

Manufacturer

Safariland

Style Number

77

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Cases will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Safari-Laminate™

Trim

Snaps: Brass.

Design and Construction

Double Magazine case: Plain finish black double magazine case for Glock 23 magazines with top flaps and brass snaps.

Sizing

Fits two Glock 23 magazines

Ambi-dexterous: 77-283-2HS.

Customization

Vendor shall ensure proper style and magazine fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" DOUBLE MAGAZINE CASE WITH HIDDEN SNAPS

Manufacturer

Gould & Goodrich

Style Number

B629

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Cases will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

100% Leather

Trim

Snaps: Hidden steel.

Design and Construction

Double Magazine case: Plain finish black leather double magazine case for Glock 23 magazines with top flaps and hidden snaps.

Sizing

Fits two Glock 23 magazines

Customization

Vendor shall ensure proper style and magazine fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" UNIFORM BADGE

Manufacturer

Blackinton

Style Number

B1916

Color

Karat Klad finish with dark navy lettering

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Uniform badges will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Badge: Karat Klad solid steel.

Attachment Pin & Rotating Catch: Gold plated steel.

Trim

Permanently rear affixed attachment pin (1-1/2" overall length attached) and rotating catch.

Design and Construction

Badge: The 5-star karat klad uniform badge shall measure 2-11/16" wide from star tip to star tip, and 2-1/8" in height from the top of the center star tip to the bottom center of the badge (located where the two lower star tip bases meet). The state seal of New Jersey and shall be in the center of the badge in karat klad. Next, and outside of the state seal of New Jersey, shall be the words "STATE OF" at the top and "NEW JERSEY" encircling the state seal in blue

enamel. Next, shall be the “. SHERIFF'S OFFICE.” at the top and “MERCER COUNTY” at the bottom both engraved in dark navy lettering on the karat klad circle on the badge. On each star of the five-star prongs, there shall be six (6) dark navy lines converging to the point of each prong. On the top prong closest to the karat klad circle, there shall be a karat klad panel that specifies rank in engraved capital dark navy letters (i.e. Officer, Sergeant, Lieutenant, etc.). On the top prong closest to the prong's tip, there shall be a karat klad panel that specifies badge number in engraved dark navy numbers.

Attachment Pin & Rotating Catch: A gold plated steel rear affixed pin, measuring 1-1/2" in overall length as attached, with a rotating catch mounted at 1-1/4" from the rotation point of the pin.

Customization

Vendor shall ensure proper badge style, lettering, officer rank, and officer badge number upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS “A” HAT BADGE

Manufacturer

Blackinton

Style Number

B960

Color

Gold Plated finish with dark navy lettering

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Hat badges will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Badge: Gold Plated steel.

Position Pin & Attachment Screw/Nut: 1/4" pin – gold plated, 3/8" screw & 1/2" diameter circular nut – gold plated.

Trim

Permanently rear affixed position pin and attachment screw and circular nut.

Design and Construction

Badge: The 5-star gold plated uniform badge shall measure 1-15/16" wide from star tip to star tip, and 1-1/2" in height from the top of the center star tip to the bottom center of the badge (located where the two lower star tip bases meet). The state seal of New Jersey and shall be in the center of the badge in gold plating. Next, and outside of the state seal of New Jersey, shall be the words “STATE OF” at the top and “NEW JERSEY” encircling the state seal in gold plating with dark navy relief. Next, shall be the “. SHERIFF'S OFFICER.” at the top and “MERCER COUNTY, NJ” at the bottom both engraved in dark navy lettering on the gold-plated circle on the badge. On each star of the five-star prongs, there shall be six (6) dark navy lines converging to the point of each prong.

Position Pin & Attachment Screw/Nut: The position pin shall be located in the center of the rear top prong of the hat badge. The attachment screw and nut shall be located on the rear center of the hat badge.

Customization

Vendor shall ensure proper badge style, lettering, officer rank, and officer badge number upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS “A” NAME PLATE

Manufacturer

Blackinton

Style Number

A8584

Color

Gold plate with black lettering

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Name plates will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Name Plate: Gold plated steel.

Clutches: Gold colored steel.

Trim

Attachments: (2) Gold colored steel clutch back attachments

Design and Construction

Name Plate: The gold-plated name plate shall measure 2-3/8" wide by 1/2" in height. The officer's name plate shall be gold plated with black engraved letters. Officer's name shall be in the block lettering. The format shall be as the following example: J. SMITH

Customization

Vendor shall ensure proper name plate style, lettering, and officer's name upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" WHISTLE, HOOK, & CHAIN

Manufacturer

HWC

Style Number

Whistle: HW NPW-1

Hook: HW NWH-1

Chain: HW NSC-1

Color

Gold

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Whistle, hook, and chain will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Whistle: Gold plated steel with a fine cork ball and gold-plated steel attachment ring.

Hook: Brass.

Clutches: Gold colored steel.

Chain: Gold colored steel.

Trim

Clutches: (2) Gold colored steel clutch back attachments

Design and Construction

Whistle: The gold-plated whistle is designed for high pitch long range sound for law enforcement standard use. A gold-plated ring is on top of whistle for attachment to a hook and chain.

Hook: The brass plate shall measure 1-3/16" wide by 3/8" in height with a 7/8" brass hook and two rear fixed clutches.

Chain: The gold plated "snake" chain shall have a metal button hook on one end for epaulet attachment, and the other end push closure for whistle ring attachment.

Customization

Vendor shall ensure proper style and color upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" BUCKLE CHUKKAS

Manufacturer

Bates

Style Number

E00083

Color

Black

General Requirements

The successful bidder will provide a full size run of try-on chukkas within 2 days for Sheriff's Office approval. Chukkas will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Outer: 100% polish-able leather; black color.

Lining: breathable polyester.

Trim

Buckle: adjustable black single prong metal buckle.

Insert: cushioned and removable.

Design and Construction

Chukkas: Classic black leather 3/4" buckle style Bates Lites® boots with lightweight slip resistant outsoles. Goodyear welt chain stitched to the soles.

Sizing

Available in following sizes: 3 – 11.5 in half sizes, 12, 13. Available in following widths: B, C, D, E, 3E.

Customization

Vendor shall ensure proper officer fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO INCLEMENT WEATHER OVERSHOES

Manufacturer

Lacrosse

Style Number

100030

Color

Black

General Requirements

The successful bidder will provide a full size run of try-on overshoes within 2 days for Sheriff's Office approval. Overshoes will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Overshoes: ZXT high-tensile strength waterproof black rubber.

Inner lining: 100% nylon.

Trim

Buckle: adjustable black metal buckle.

Design and Construction

Boots: ZXT Utah Brogue waterproof black rubber overshoes, 14" in height, designed to fit over leather work boots. A diamond chevron cleated rubber outsole provides excellent traction. A top strap and buckle ensure an adjustable and secure fit.

Sizing

Men's medium width in sizes: 6-16.

Customization

Vendor shall ensure proper officer boot fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO HIGH VISIBILITY TRAFFIC VEST

Manufacturer

Elbeco

Style Number

SH3900V SH3901V

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for agency approval. Vest shall have a warranty covering (at minimum) defects in materials and workmanship for three (3) years. Vest complies with FHWA required Rule 23 CFR Part 634 of the Federal Registry. Vest must meet ANSI 207-2006 requirements. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0900)

Style: The Shield HiVis Safety Vest is made with durable, breathable fabric and is ANSI 107-2015 Type P Class 2 certified. The five-point breakaway design with hook-and-loop fasteners comes apart at the shoulders, zip front and waist. Front and back can accommodate two vertical rows of reflective black lettering for day or night identification.

Tailoring: It is imperative that this garment is constructed according to the principles set forth in the specifications. All thread is 2-ply spun polyester wrap and color matches the fabric. All seams are single-needle stitched with 8 stitches per inch minimum, 12 per inch maximum. Visible needle holes in garment will be rejected.

Fabric: Shell fabric: 100% polyester fluorescent knit, single-ply with no lining, weighing 3.5 oz. per square yard. Color: HiVis yellow.

Reflective striping is silver 3M™ heat-sealed tape. All Velcro tape is HiVis yellow.

Front: Front shoulders connect to back shoulders with strips of 5¾" x 7/8" loop Velcro, edge-stitched along all four sides. There are no side seams or shoulder seams. A #5 black non-locking "break away" zipper that measures 11½" long joins both sides.

Two strips of 1" reflective tape on each side extends from shoulder seams to Velcro strips at the waist. Inner strips start at the neck seam and outer strips are set 1¾" from the inner strips towards the side edges.

Two strips of loop Velcro run along the waist from each side edge to center front. Top strip placement is graded by vest size, and lower strip is set 3½" below

the top strip. Both sides have 2" wide strips of reflective tape that run from side edges to center front, centered between the Velcro strips.

Back: Back shoulders connect to front shoulders with strips of 5³/₄" x 7⁷/₈" hook Velcro, edge-stitched along all four sides. Four strips of 1" reflective tape extends from shoulder seams to reflective tape at the waist. Inner strips start at the neck seams and outer strips are set 1³/₄" from the inner strips towards the side edges. Back strips align with front strips when shoulders are joined.

Two strips of 1" reflective tape run along the waist from side edge to side edge. Top strip placement is graded by vest size, and the lower strip is set 3¹/₂" below the top strip.

Waist Closure:

Each side has 9" long x 4⁵/₈" wide side straps, extending from the back-body sides along the waist. Straps are made from double-layer shell fabric and are clean finished on all four sides. Two strips of 1³/₈" reflective tape run along the top and bottom edge on the outside of each strap and align with the reflective strips that run along the back.

Each underside has two strips of 3" long x 1¹/₄" wide hook Velcro on the top and bottom 3³/₈" from the finished edges. These Velcro strips align with the soft Velcro on the vest to act as an adjustable waist closure. Additional 1¹/₄" x 1¹/₄" squares of hook Velcro are set 1³/₈" in from the first strips with loop Velcro squares secured to it for added protection of the Velcro strips.

Mic Tabs: Chest tabs made from 2-ply self-fabric that measure 2¹/₄" wide x 1" long is set 4³/₄" from the shoulder seams, centered over the center-front reflective tape strips. They are stitched at the sides so that the tops and bottoms are tunnel pass-throughs.

Pen Pocket: A 5¹/₂" long x 2¹/₄" wide dual pen pocket on the wearer's left side is placed 1¹/₈" from the center-front edge. A single-needle stitch down the center separates the pockets. Left and bottom outer edges are sandwiched under vertical reflective tape and loop Velcro at the waist.

Optional Items:

A loose badge tab measuring 3³/₄" x 3¹/₂" with eyelets spaced 1³/₈" apart, and a mic loop measuring 3¹/₄" wide x 1" long is cut from 2-ply shell fabric, unfinished and placed inside a poly bag that is attached to the main label.

Optional Letter Placement:

On the front, 3M™ reflective black lettering is centered vertically between the wearer's left reflective tape strips, starting 3³/₄" below the shoulder seam. SHERIFF lettering extends for 10" from the top of the first letter to the bottom of the last letter.

On the back, lettering is centered vertically between the wearer's right reflective tape strips, starting 3½" below the shoulder seam. SHERIFF lettering extends for 10" from the top of the first letter to the bottom of the last letter. On both sides, each letter is 1⅛" tall.

- SH3900HV – Plain
- SH3901HV – Sheriff

Labels: A woven label is sewn at the interior neckline and a size label is sewn to the left. ANSI/care and content labels are sewn on the underside of the wearer's right-side strap. A PPE label is sewn on the underside of the wearer's left side strap.

Pressing and Packing:

Vest are folded in half and individually packed in polyethylene bags. Vests are packed 20 per box and shipped in strong boxes so as not to be damaged in shipment.

UPC Identification:

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions are made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, non-discrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection

Finished Dimensions:

Size:	S/M	L/XL	2XL/3XL	4XL/5XL
Front Length (high point of shoulder to bottom hem)	21¾	23¼	24¾	26¼
Across Shoulder	19¼	20½	21¾	23

Chest Width	20½	24½	28½	32½
Center Back Length (neck seam to bottom hem)	20¼	21½	22¾	24

Customization

There shall be "SHERIFF" black lettering on the front vertically lettered, and on the back horizontally lettered. Vendor shall ensure proper officer fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO ACADEMY UNIFORMS

Style#: 874NV

Navy Dickies Trouser: 8 ½ oz Twill, 65% polyester /35% cotton.
Permanent **sewn in creases**

Style#: 574NV

Navy Dickies Long Sleeve:5 ½ oz. Twill. 65% polyester /35% cotton
5 Permanent **sewn in creases**.(2 front, 3 back)

MCSO CLASS "A" TIE

Manufacturer

Uniform Cravat

Style

Clip or choke-proof

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Fabric

75% polyester, 25% wool, broom 455BOBH.

Trim

Clip: black metal.

Hook and loop: Black woven nylon base.

Design and Construction

Tie: Shall be a solid dark navy clip on or choke-proof hook and loop attachment tie. Design shall be of single knot design measuring approximately 1-1/4" at base of knot to 3" at the bottom of the front vertical portion of the tie.

Sizing

Short

Regular

Long

Customization

Vendor shall ensure proper tie fitment upon order fulfillment without additional charge to Sheriff's Office. The bottom base of a properly fitted tie should just touch or partially cover the officer's uniform duty belt buckle.

BELT

The uniform belt shall be a Garrison-type made of smooth, full grain leather, 1-1/2" wide, black in color and shall have a square, open face, nickel-plated buckle.

SIZES AND MEASUREMENTS:

SIZE RANGE

The size range shall be unisex sizing:

Regular: XS - 3XL

Long: M - 3XL

MCSO ACADEMY UNIFORMS: CONT'D

MEN'S SHOES:

Men's shoe shall be Black 5-eyelet plain toe Oxford or approved equal. The upper material shall be smooth black leather. The heel and outsole shall be ultra-lightweight slip resistant.

BASEBALL CAP

FABRIC:	65% Polyester / 35% cotton
TAPE:	5/8" Black double fold poly/cotton
SWEATBAND:	1 1/4" wide 65 % poly/35% cloth twill
VISOR FILLER:	Texon 400 (natural)
ADJUSTO STRAP:	Flex Fit
SEAM ALLOWANCE:	3/8"
SIZING:	Flex Fix
LABELS:	Size & supplier labels
VISOR:	6 row stitching
COLOR:	Black
EMBLEM:	None

**COUNTY OF MERCER
ACKNOWLEDGMENT OF RECEIPT OF ADDENDA**

The undersigned Bidder hereby acknowledges receipt of the following Addenda:

<u>Addendum Number</u>	<u>Dated</u>	<u>Acknowledge Receipt</u> (initial)
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

No addenda were received:

Acknowledged for: _____

(Name of Bidder)

By: _____
(Signature of Authorized Representative)

Name: _____
(Print or Type)

Title: _____

Date: _____

INSTRUCTIONS TO BIDDERS AND STATUTORY REQUIREMENTS

SUBMISSION OF BIDS

- A. Electronically sealed bids shall be received by the County of Mercer in accordance with public advertisement as required by law, with a copy of said notice being attached hereto and made a part of these specifications.
- B. **Bids shall be electronically uploaded. NO physical bids shall be received, opened or honored.** Electronically sealed bids will be opened and conducted in electronic platform in accord with N.J.A.C. 5:34-1 et. Seq., on BidNet Direct at <https://www.bidnetdirect.com/new-jersey/mercercounty>
- C. It is the bidder's responsibility that bids are presented to the County at the time and at the place designated. Once bids have been opened, they shall remain firm for a period of sixty (60) calendar days.
- D. The Mercer County Park Commission and the Mercer County Library System are considered agencies of the County entitled to participate in the contract(s) resulting from this bid.
- E. Sealed bids forwarded to the County before the time of opening of bids may be withdrawn upon written application of the bidder. Once bids have been opened, they shall remain firm for a period of sixty (60) calendar days.
- F. All prices and amounts must be written in ink or preferably machine-printed. Bids containing any conditions, omissions, unexplained erasures or alterations, items not called for in the bid proposal form, attachment of additive information not required by the specifications, or irregularities of any kind, may be rejected by the County. Any changes, whiteouts, strikeouts, etc. in the bid must be initialed in ink by the person signing the bid.
- G. Each bid proposal form must give the full business address, business phone, fax, e-mail if available, the contact person of the bidder, and be signed by an authorized representative as follows:
- Bids by partnerships must furnish the full name of all partners and must be signed in the partnership name by one of the members of the partnership or by an authorized representative, followed by the signature and designation of the person signing.
 - Bids by corporations must be signed in the legal name of the corporation, followed by the name of the State in which incorporated and must contain the signature and designation of the president, secretary or other person authorized to bind the corporation in the matter.
 - Bids by sole-proprietorship shall be signed by the proprietor.
 - When requested, satisfactory evidence of the authority of the officer signing shall be furnished.
- H. Bidder should be aware of the following statutes that represent "Truth in Contracting" laws:
- N.J.S.A. 2C:21-34, governs false claims and representations by bidders. It is a serious crime for the bidder to knowingly submit a false claim and/or knowingly make material misrepresentation.
 - N.J.S.A. 2C:27-11 provides that a person commits a crime if said person offers a benefit to a public servant for an official act performed or to be performed by a public servant, which is a violation of official duty.
 - N.J.S.A. 2C:27-11 provides that a bidder commits a crime if said person, directly or indirectly, confers or agrees to confer any benefit not allowed by law to a public servant.
 - Bidder should consult the statutes or legal counsel for further information.
- I. If not submitting a bid proposal in accordance with the attached instructions and specifications, the outside of the above stated envelope shall be plainly marked "**NO BID**" when being returned. If bidder wishes to remain on bid list, please mark "**NO BID - PLEASE RETAIN**"

ON BID LIST" on front page of this proposal. Failure to comply may result in bidder being dropped from bid list.

- J. Contract shall be awarded to the lowest responsible bidder as declared by the County of Mercer. The contract awarded between the County of Mercer and the successful bidder shall establish the contractual obligation regarding specific items, specifications and services to be provided to the county.
- K. Successful bidder shall not assign, transfer, convey sublet or otherwise dispose of the contract or any part thereof to anyone without the written consent of the County of Mercer.
- L. The County of Mercer reserves the right in the event of unsatisfactory service to cancel the contract awarded to the successful bidder and procure the goods or services from other sources and hold the contractor responsible for any excess cost.
- M. The successful bidder agrees that he will make no claim for additional payment or any other concession because of any misrepresentation or misunderstanding of the contract on his part, or of any failure to fully acquaint himself with any conditions relating to the contract.
- N. Bidders are cautioned to fill in all information as requested on the proposal forms to serve as a basis for making awards. The county, without invalidating the contract, may order changes consisting of additions, deletions or modifications and the contract sum shall be adjusted accordingly.
- P. Bidder shall list all deviations from the specifications as contained herein when returning proposal as specified.
- Q. The bidder, if awarded a contract, agrees to protect, defend and save harmless the County of Mercer against any damage for the payment for the use of any patented material process, article or device that may enter into the manufacture, construction or form a part of the work covered by his contract, and he further agrees to indemnify and save harmless the County of Mercer from suits or actions of every nature and description brought against it, for or on account of any injuries or damages received or sustained by any parties, by, or from any acts of the contractor, his servants or agents.
- R. Bidder must provide Certificate of insurance in a form and amount acceptable to the County of Mercer including General Liability, Automobile, Workman's Compensation and such other coverage as may be deemed necessary by the County of Mercer for the work, services or goods being bid.
- S. Bidder may be required to submit financial statements unless a guarantee by certified check, cashier's check or bid bond, or surety certificate is required. Refer to Bidder's Checklist.
- T. BIDDERS SHALL PROVIDE TRADE SECRET OR PROPRIETARY INFORMATION UNDER SEPARATE COVER WITH THE BID RESPONSE.
- U. SOURCE OF SPECIFICATIONS/BID PACKAGES Official County bid packages for routine goods and services are available from on the county website www.mercercounty.org at no cost to the vendor. All addenda are posted on this site. Potential bidders are cautioned that they are bidding at their own risk if a third party supplied the specifications that may or may not be complete. As such, the County is not responsible for third party supplied specifications.
- V. The County reserves the right to purchase items from state contract or other county contracts, co-op vendors and/or in the open market, if such use serves the interest of the County. The County reserves the right to bid separately for any commodity.

BUDGET SEQUESTRATION

All contracts shall include the following language with regard to automatic spending cuts to United States federal government funding:

“THE CONTRACT AWARD IS CONTINGENT UPON RECEIVING REQUISITE FEDERAL FUNDING NECESSARY TO COMPLETE THE TERMS OF THE CONTRACT.”

INTERPRETATION AND ADDENDA, CHALLENGE TO SPECIFICATIONS

The bidder understands and agrees that its bid is submitted on the basis of the specifications prepared by the County. The bidder accepts the obligation to become familiar with these specifications. Bidders are expected to examine the specifications and related documents with care and observe all their requirements. Ambiguities, errors or omissions noted by bidders should be promptly reported in writing to the Purchasing Agent. In the event the bidder fails to notify the County of such ambiguities, errors or omissions, the bidder shall be bound by the bid.

No oral interpretation of the meaning of the specifications will be made to any bidder. Every request for an interpretation shall be in writing, addressed to the Purchasing Agent. In order to be given consideration, written requests for interpretation must be received at least ten (10) days prior to the date fixed for the opening of the bids. Any and all such interpretations and any supplemental instructions will be in the form of written addenda to the specifications, and will be distributed to all prospective bidders, in accordance with Statute. All addenda so issued shall become part of the contract documents, and shall be acknowledged by the bidder in the bid. The County's interpretations or corrections thereof shall be final.

If the amount shown in words and its equivalent figures do not agree, the written words shall be binding. Ditto marks are not considered writing or printing and shall not be used. In the event that there is a discrepancy between the unit prices and the extended totals, the unit prices shall prevail. In the event there is an error of the summation of the extended totals, the computation by the County of the extended totals shall govern.

Any prospective bidder who wishes to challenge a bid specification shall file such challenges in writing with the contracting agent no less than three business days prior to the opening of the bids. Challenges filed after that time shall be considered void and having no impact on the contracting unit or the award of contract.

PRE-BID CONFERENCE – REFER TO ADVERTISEMENT FOR BID FOR DATE AND TIME – IF REQUESTED**BRAND NAMES, STANDARDS OF QUALITY AND PERFORMANCE**

Only manufactured and farm products of the United States, wherever available, shall be used on this contract in accordance with prevailing statutes.

Brand names and or descriptions used in this bid are to acquaint bidders with the type of commodity desired and will be used as a standard by which alternate or competitive materials offered will be judged. Competitive items must be equal to the standard described and be of the same quality of work. Variations between materials described and the materials offered are to be fully explained by the bidder on a separate sheet and submitted with the proposal form. Vendor's literature will not suffice in explaining exceptions to these specifications. In the absence of any changes by the bidder, it will be presumed and required that materials as described in the proposal be delivered. It is the responsibility of the bidder to demonstrate the equivalency of item(s) offered. The County reserves the right to evaluate the equivalency of a product which, in its deliberations, meets its requirements.

The contractor shall hold and save harmless the County, its officers, agents, servants, and employees, from any liability of any nature and kind for or on account of the use of any copyrighted or

uncopyrighted composition, secret process, patented or unpatented invention or article furnished or used in the performance of this contract.

Wherever practical and economical to the County, it is desired that recycled or recyclable products be provided. Please indicate when recycled products are being offered.

In submitting its bid, the bidder certifies that the goods and services to be furnished will not infringe upon any valid patent or trademark and that the successful bidder shall, at its own expense, defend any and all actions or suits charging such infringement, and will save the County harmless from any damages resulting from such infringement.

MULTI-BRAND MANUFACTURER'S

Specifications for a contract item may include a specific manufacturer's brand and model number or equivalent. The product brand or brands referenced in the specifications shall be restricted to one brand produced or manufactured by a multi-brand commercial products manufacturer.

PRICING INFORMATION FOR PREPARATION OF BIDS

The County is exempt from any local, state or federal sales, use or excise tax.

Estimated Quantities (Open-End Contracts): The County has attempted to identify the item(s) and the estimated amounts of each item bid to cover its requirements; however, past experience shows that the amount ordered may be different than that submitted for bidding. The right is reserved to decrease or increase the quantities specified in the specifications pursuant to N.J.A.C. 5:30-11.2 and 11.10. NO MINIMUM PURCHASE IS IMPLIED OR GUARANTEED.

Contractor shall be responsible for obtaining any applicable permits or licenses from any government entity that has jurisdiction to require the same. All bids submitted shall have included this cost.

Bidders shall insert prices for furnishing goods and services required by these specifications. Prices shall be net, including any charges for packing, crating, containers, etc. All transportation charges shall be fully prepaid by the contractor, F.O.B. destination and placement at locations specified by the County. As specified, placement may require inside deliveries. No additional charges will be allowed for any transportation costs resulting from partial shipments made for the contractor's convenience.

METHOD OF CONTRACT AWARD

The length of the contract shall be stated in the technical specifications. Pursuant to requirements of N.J.A.C. 5:30-5.1 et seq., any contract resulting from this bid shall be subject to the availability and appropriation of sufficient funds annually.

If the award is to be made on the basis of a base bid only, it shall be made to that responsible bidder submitting the lowest base bid. If the award is to be made on the basis of a combination of a base bid with selected options, it shall be made to that responsible bidder submitting the lowest net bid.

The County may also elect to award the contract on the basis of unit prices.

The form of contract shall be submitted by the County to the successful bidder. Terms of the specifications/bid package prevail. Bidder exceptions must be formally accepted by the County.

TERMINATION OF CONTRACT

If, through any cause, the contractor shall fail to fulfill in a timely and proper manner obligations under the contract or if the contractor shall violate any of the requirements of the contract, the County shall there upon have the right to terminate the contract by giving written notice to the contractor of such termination and specifying the effective date of termination. Such termination shall relieve the County of any obligation for balances to the contractor of any sum or sums set forth in the contract. County will pay only for goods and services accepted prior to termination.

Notwithstanding the above, the contractor shall not be relieved of liability to the County for damages sustained by the County by virtue of any breach of the contract by the contractor and the County may withhold any payments to the contractor for the purpose of compensation until such time as the exact amount of the damage due the County from the contractor is determined.

The contractor agrees to indemnify and hold the County harmless from any liability to subcontractors or suppliers concerning payment for work performed or goods supplied arising out of the lawful termination of the contract by the County under this provision.

In case of default by the contractor, the County may procure the goods or services from other sources and hold the contractor responsible for any excess cost.

Continuation of the terms of the contract beyond the fiscal year is contingent on availability of funds in the following year's budget. In the event of unavailability of such funds, the County reserves the right to cancel the contract.

ACQUISITION, MERGER, SALE AND/OR TRANSFER OF BUSINESS, ETC.

It is understood by all parties that if, during the life of the contract, the contractor disposes of his/her business concern by acquisition, merger, sale and or/transfer or by any means convey his/her interest(s) to another party, all obligations are transferred to that new party. In this event, the new County(s) will be required to submit all documentation/legal instruments that were required in the original bid/contract. Any change shall be approved by the County.

The contractor will not assign any interest in the contract and shall not transfer any interest in the same without the prior written consent of the County.

The County of Mercer reserves the right, at its option, to terminate this contract upon giving thirty (30) days written notice to the contractor. Such termination shall relieve the County of any obligation for balances to the contractor of any sum or sums set forth in the contract. County will pay only for goods and services accepted prior to termination.

PAYMENT

No payment will be made unless duly authorized by the County of Mercer's authorized representative and accompanied by proper documentation. Payment will be made in accordance with the County of Mercer's policy and procedures.

TRANSITIONAL PERIOD

In the event services are terminated by contract expiration or by voluntary termination by either the Contractor or The County of Mercer, the Contractor shall continue all terms and conditions of said contract for a period not to exceed thirty (30) days at the County's request.

STATISTICAL DATA REPORT

If requested, the contractor shall provide in writing to the County, all statistical data reports which identify all goods and or services provided.

NEW JERSEY SALES TAX

In submitting his bid, the Contractor certifies that the total base bid set forth does not include any New Jersey Sales Tax, and he further certifies that in the event he is the successful bidder, he will only apply for an exemption for materials or supplies to be used in connection with County property.

Contractor's Exemption Purchase Certificate, Form ST-13, issued by the State of New Jersey Division of Taxation, Sales Tax Bureau, shall be completed and presented to his suppliers for material used to make any permanent change to a County Building on this contract.

http://www.state.nj.us/treasury/taxation/pdf/other_forms/sales/st13.pdf

LATE FEE POLICY

The County of Mercer pays vouchers bi-weekly, thus vendors, in most cases are paid in less than 30 days, if the vendor has complied by responding promptly with delivery, a signed voucher and an original invoice. We can pay only for goods and services rendered and late fees and service charges are not appropriated for such purposes. All County employees are reminded that no one is authorized to sign a letter of credit or any other document that represents a legal commitment on the part of the County without a specific authorization from our governing body or through a resolution that grants the same. All credit applications or similar forms are carefully read in Finance and terms the County does not agree to, are stricken.

TIE BIDS: Tie bids will be decided by the County of Mercer.

DEMONSTRATION AND SAMPLE

If so requested, the vendor shall provide demonstration. If so requested, the vendor shall submit a sample of the units or merchandise.

MANUFACTURERS' NAMES

Any manufacturers' names, trade names, brand names or catalog numbers used in the specifications are for the purpose of describing and establishing general quality levels. Such references are not intended to be restrictive. Bids will be considered for any brand, which meets or exceeds the quality of the specifications listed for any item.

AWARD/REJECTION

In accordance with N.J.S.A. 40A:11-24, all contracts will be awarded or all bids will be rejected within sixty (60) days of the receipt of bids unless vendor agrees to extend for a longer period of time.

AVAILABILITY OF FUNDS

Pursuant to statutory requirements, any contract resulting from this bid shall be subject to the availability and appropriation of sufficient funds annually.

MULTIPLE BIDS NOT ALLOWED

More than one bid from an individual, a firm or partnership, a corporation or association under the same or different names shall not be considered.

FAILURE TO ENTER CONTRACT

Should the bidder, to whom the contract is awarded, fail to enter into a contract within 21 days, Sundays and holidays excepted, the County of Mercer may then, at its option, retain the bidder's bid deposit/bond and accept the bid of the next lowest responsible bidder.

INQUIRIES

All questions and information pertaining to this proposal shall be directed to the Department of Purchasing at (609) 989-6710.

COMMUNICATIONS AFTER THE BID OPENING

It is highly improper for a bidder after bid opening to contact any representative of the County of Mercer to discuss the bids. The solicitation package contains all documents and instructions. These may be supplemented by any comments you wish to make. Such additional material and comments must be submitted with the bid. Should there be any questions concerning the bid submitted, you will be contacted by a representative of the County of Mercer and any discussion or contact will be limited to the questions of the representative.

INDEX RATE

If the County of Mercer desires to extend a contract under the provisions of N.J.S.A. 40A:11-15 or N.J.S.A. 18A:18A-42, the index rate is the basis to determine the appropriate increase in the contract price. The following are the requirements for using this provision: Contracts for services, the statutory length of which is for three years or less, may only include provisions for no more than one (1) two-year or two (2)

one-year extensions. The original bid specifications and contract must include language that explains the possibility for an extension.

W-9

Successful bidder/respondent shall complete A W-9 Form and submit to the Purchasing Department prior to the contract award. The form is available at the following link: www.irs.gov/pub/irs-pdf/fw9.pdf

INVOICING

Awarded contractors shall provide detailed invoicing itemizing hours worked for each trade and trade rate. Materials shall be broken out. Reflecting the contractor's cost of materials and up charge. Proof of purchase is required to be submitted with invoicing.

SAFETY PROGRAM:

Observe all rules and regulations of the Federal, State, and local health officials, including regulations concerning construction safety and health standards. At the preconstruction meeting, submit to the County approval a written safety program that meets or exceeds the minimum requirements of the Contract and applicable State or Federal regulations. Include at a minimum the following:

1. **Description.** Describe in detail how the safety program is implemented and monitored. Provide guidelines for protecting personnel from hazards associated with Project operations and activities. Establish the policies and procedures for safety practices that are necessary for the Work to be in compliance with the requirements of OSHA and other State and Federal regulatory agencies with jurisdiction, rules, regulations, standards, or guidelines in effect at the time the Work is in progress.
2. **Certification, Responsibility, and Identification of Personnel.** Identify the qualified safety professional responsible for developing the safety program and provide that person's qualifications for developing the safety program including, but not be limited to, education, training, certifications, and experience in developing this type of safety program. Provide a certification, executed by the qualified safety professional that developed the safety program, stating that the safety program complies with the rules, regulations, standards, and guidelines in effect at the time the Work is in progress, of OSHA, and other applicable Federal, State, and local regulatory agencies having jurisdiction.

Identify a safety officer and designate the on-site supervisory-level personnel responsible for implementing and monitoring the safety program until Acceptance and having the authority to take prompt corrective measures to eliminate hazards, including the authority to stop work. Include documentation of training provided to the on-site supervisory-level personnel. For work that requires a competent person as defined by OSHA, ensure that the person is capable of identifying existing and predictable hazards and has the authority to take prompt corrective measures to eliminate the hazards, including the authority to stop work. Include documentation of the qualifications of such competent persons identified, including certifications received.

3. **Elements of the Program.** Include information and procedures for the following elements:
 - a. **Chain of Command.** Include the responsibilities of the management, supervisor, safety officer, and employees.
 - b. **Traffic Control Coordinator.** Include the name and contact information.
 - c. **Environmental Manager.** Include the name and contact information.
 - d. **Local Emergency Telephone Numbers.** Include police, fire, medical
 - e. **Procedures for Handling Emergencies.** Provide guidelines for handling emergencies, including emergency action plans for accidents involving death or serious injury, property damage, fires, explosions, and severe weather. Include the emergency contact information of the Contractor's personnel responsible for handling emergencies.

- f. **Training Topics.** Include regulatory and jobsite toolbox meetings. Include the documentation from the training and an attendance sheet for each.
- g. **Contractor's Safety Rules.** Include housekeeping procedures and personal protective equipment requirements.
- h. **Employee Disciplinary Policy.** Include the violation forms.
- i. **Safety Checklists.** Include project safety-planning, emergency plans and procedures, documentation, and protective materials and equipment.
- j. **Forms.** Include OSHA 300 Log
- k. **Security Policy Guidelines.** Provide a copy for the County.
- l. **Hazard Communication Program.** Provide the following:
 - 1. The location of and instructions for understanding the MSDS. Ensure that the location and instruction are available to anyone within the Project Limits.
 - 2. The person responsible for the hazard communication program and the method of informing personnel of the hazardous communication program. Include attendance sheets of hazard communication meetings.
 - 3. When performing work that generates airborne crystalline silica, include engineering and work practice controls to limit exposure levels to at or below the permissible exposure limit according to 29 CFR 1910.1000 Table Z-3. Ensure that the program includes employee training and respiratory protection measures according to 29 CFR 1910.134 and control of the area when the permissible exposure limit is exceeded. Provide a trained and competent person, according to 29 CFR 1926.30, within the Project Limits at all times when performing work that produces airborne crystalline silica.
- m. **Additional Requirements.** Provide additional procedures for Project specific topics including:
 - 1. Compressed gas cylinders.
 - 2. Confined spaces.
 - 3. Cranes.
 - 4. Electrical.
 - 5. Equipment operators.
 - 6. Fall protection.
 - 7. Hand and power tools.
 - 8. Hearing conservation.
 - 9. Highway safety.
 - 10. Lead.
 - 11. Lock out/tag out.
 - 12. Materials handling, storage, use, and disposal.
 - 13. Night work.
 - 14. Personal protective equipment.
 - 15. Project entry and exit.
 - 16. Respiratory protection.
 - 17. Sanitation.
 - 18. Signs, signals, and barricades.
 - 19. Subcontractors.
 - 20. Trenching.

The Contractor is responsible for implementing, monitoring, updating, and revising the safety program until Acceptance. Submit updates and revisions to the safety program to the County for approval when new information, new practices or procedures, or changing site and environmental conditions necessitate modifications to protect site personnel. Maintain a copy of the updated safety program, including the appropriate documentation associated with each element, within the Project Limits so that it is available to workers and other authorized persons entering the Project Limits. Provide program updates to County.

The Contractor is responsible for safety in all aspects, and as set forth in the Insurance and Indemnification Agreement, shall defend and indemnify the County for any failure or breach to comply with the rules, regulations, standards, and guidelines in effect at the time the Work is in progress, of OSHA, and other applicable Federal, State, and local regulatory agencies having jurisdiction pertaining to the Contractor's safety program.

STATUTORY REQUIREMENTS

REQUIRED AFFIRMATIVE ACTION EVIDENCE

No firm may be issued a contract unless they comply with the affirmative action regulations of P.L. 1975, c. 127, as amended from time to time.

GOODS AND SERVICES (INCLUDING PROFESSIONAL SERVICES) CONTRACTS

Each contractor shall submit to the public agency, after notification of award but prior to execution of a goods and services contract, one of the following three documents:

- A photocopy of the Federal Letter of Affirmative Action Plan Approval, or;
- A photocopy of a Certificate of Employee Information Report; or
- A photocopy of an Employee Information Report (Form AA302) which is available upon request.

MAINTENANCE/CONSTRUCTION CONTRACTS

After notification of award, but prior to signing the contract, the contractor shall submit to the public agency compliance officer and the Division of Contract Compliance and Equal Employment Opportunity in Public Contracts (Division) an initial project workforce report (Form AA201) provided to the public agency by the Division for distribution to and completion by the contractor, in accordance with N.J.A.C. 17:27-7.

NEW JERSEY WORKER AND COMMUNITY RIGHT TO KNOW ACT

The manufacturer or supplier of chemical substances or mixtures shall label them in accordance with the N.J. Worker and Community Right to Know Law (N.J.S.A. 34:5A-1 et seq., and N.J.A.C 5:89-5 et seq.). Containers that the law and rules require to be labeled shall show the Chemical Abstracts Service number of all the components and the chemical name. Further, all applicable Material Safety Data Sheets (MSDS) and hazardous substance fact sheets must be furnished. All direct use containers shall bear a label indicating the chemical name(s) and Chemical Abstracts Service number(s) of all hazardous substances in the container, and all other substances which are among the five most predominant substances in the container, or their trade secret registry number(s). (N.J.A.C. 8:59-5) or adhere to the requirements of The Globally Harmonized System of Classification and Labeling of Chemicals (GHS) and the U.S. Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (HCS) as outlined in the **Federal Register** / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations as **adopted in final rule by DEPARTMENT OF LABOR, Occupational Safety and Health Administration, 29 CFR Parts 1910, 1915, and 1926, [Docket No. OSHA-H022K-2006-0062, (formerly Docket No. H022K)], RIN 1218-AC20, Hazard Communication.**

C.40A:11-13 SPECIFICATIONS

No Financial Statement shall be required of vendors if either a guarantee, by certified check, cashier's check or bid bond, or a surety company certificate is also required to be furnished by the bidder, unless any law or regulation of the United States imposes a condition upon the awarding of a monetary grant to be used for the purchase, which condition requires that a financial statement be submitted.

PREVAILING WAGE ACT

Pursuant to N.J.S.A. 34:11-56.25 et seq., contractors on projects for public work shall adhere to all requirements of the New Jersey Prevailing Wage Act. The contractor shall be required to submit a certified payroll record to the owner within ten (10) days of the payment of the wages. The County of Mercer may terminate work if workers are paid less than prevailing wage. The contractor is also responsible for obtaining and submitting all subcontractors' certified payroll records within the aforementioned time period. **P.L. 2009, c. 249 (A-4268/S-3095)**: Extends prevailing wage requirements to contracts for "maintenance-related projects" over \$50,000. It is the contractor's responsibility to obtain any additional copies of the certified payroll form to be submitted by contacting the New Jersey Department of Labor and Workforce Development, Division of Workplace Standards. Additional information is available at: http://lwd.dol.state.nj.us/labor/forms_pdfs/lsspe/payrollcert.pdf and as follows:

Public Contracts Section
Office of Wage and
Hour Compliance
CN 389
Trenton, New Jersey 08625-0389
Telephone number: (609) 292-2259

THE PUBLIC WORKS CONTRACTOR REGISTRATION ACT

N.J.S.A. 34:11-56.48 et seq. requires that a general or prime contractor and any listed subcontractors named in the contractor's bid proposal shall possess a certificate *at the time the bid proposal is submitted*. After bid proposals are received and prior to award of contract, the successful contractor shall submit a copy of the contractor's certification along with those of all listed subcontractors. All non-listed subcontractors and lower tier sub-subcontractors shall be registered prior to starting work on the project. It is the general contractor's responsibility that all non-listed sub-contractors at any tier have their certificate prior to starting work on the job.

PAY TO PLAY

Starting in January, 2007, business entities are advised of their responsibility to file an annual disclosure statement of political contributions with the New Jersey Election Law Enforcement Commission (ELEC) pursuant to N.J.S.A. 19:44A-20.27 if they receive contracts in excess of \$50,000 from public entities in a calendar year. Business entities are responsible for determining if filing is necessary. Additional information on this requirement is available from ELEC at 888-313-3532 or at www.elec.state.nj.us.

PROMPT PAYMENT OF CONSTRUCTION CONTRACTS P.L. 2006, C. 96

In compliance with N.J.S.A. 2A:30A-1 et seq., the County of Mercer shall impose the following payment process:

The County of Mercer shall pay the submitted bill not more than 30 calendar days after the receipt of the bill by the County if the vendor has performed in accordance with the contract and the work has been approved and certified by the County. The billing shall be deemed "approved" and "certified" 20 calendar days after the owner receives it, unless the County provides, before the end of the 20-day period, a written statement of the amount withheld and the reason for withholding payment.

PROCESS OF ALTERNATE DISPUTE RESOLUTION

Contract documents entered into in accordance with the provisions of P.L.1971, c.198 (C.40A:11-1 et seq.) after the effective date of P.L.1997, c.371 (C.40A:11-50) shall provide that disputes arising under the contract shall be submitted to a process of resolution pursuant to alternative dispute resolution practices, such as mediation, binding arbitration or non-binding arbitration pursuant to industry standards, prior to being submitted to a court for adjudication. It is understood that the County of Mercer shall have the right to request mediation if services being provided are deemed deficient in any way.

SOLID WASTE CONTRACT P.L. 2009, c. 88

The law requires the contractor (or any subcontractor) to keep records and file with the public agency a wage payment report for employees under the contract that are engaged in solid waste or recyclable "collection and transportation."

PRICE ADJUSTMENT FOR ASPHALT CEMENT AND FUEL P.L. 2009, c.187

APPLIES TO CONSTRUCTION BIDS

Effective with contracts executed after May 1, 2010, the law follows procedures used by the State Department of Transportation to allow for increases and decreases in asphalt and fuel prices over the course of large construction contracts. The calculation is based upon 2007 NJDOT Specifications – Division 150 Contract Requirements, Section 160.01 through 160.03.

The law requires that ANY CONSTRUCTION CONTRACT involving more than 1,000 tons of hot mix asphalt include a contract provision that allows for price adjustments in the cost of asphalt. Fuel price adjustments are based on DOT standards for the type of construction equipment and the work done by different equipment. For fuel price adjustments, at least 500 gallons of fuel based on the DOT equipment standards are required for a price adjustment, and then, only in those months when the price fluctuated more than five percent.

DOT maintains a web site of index rates for asphalt and fuel that are adjusted monthly. The law provides that when the quantity or equipment use thresholds are reached, fuel price adjustments are made,

using the change in index rate from the time of bidding to when the work was performed. The change is treated as a "pay item" in construction contracts.

RECORDS FOR THE NEW JERSEY STATE COMPTROLLER

Pursuant to N.J.S.A. 52:15C-14(d), relevant records of private vendors or other persons entering into contracts with the County are subject to audit or review by the New Jersey Office of the State Comptroller. Therefore, the Contractor shall maintain all documentation related to products, transactions or services under this contract for a period of five years from the date of final payment. Such records shall be made available to the New Jersey Office of the State Comptroller upon request.

DISCLOSURE OF INVESTMENT ACTIVITIES IN IRAN

P.L. 2021, c.4 prohibits State and local public contracts with persons or entities engaging in certain investment activities in energy or finance sectors of Iran.

BIDDING:

PRICING: Bidder shall insert unit price and extension against each item. Quoted price shall include all handling and delivery charges and will be firm, fixed prices for the term of the contract. Lead pencil must not be used. **Unit price shall govern.**

DISCOUNTS: Cash discounts will not be a factor in determining awards unless otherwise indicated by the County. Trade discounts will be a factor in determining the award. Time, in connection with discount offered, will be computed from the date of final inspection and acceptance of delivery of supplies to the using department or agency, or from the date the correct voucher, property certified, is received, or whichever is later.

F.O.B. DELIVERY POINT: All prices bid must be on the basis of F.O.B. delivery point, unloaded inside and assembled unless otherwise indicated in the proposal.

In conformance with the State of New Jersey Statute C. 40A:11-18, only goods and products manufactured or produced in the United States, where possible, and wherever available, are to be used for this proposal.

COUNTY OF MERCER

Disclosure of Investment Activities in Iran

Bidder Name: _____

Part 1: Certification

BIDDERS ARE TO COMPLETE PART 1 BY CHECKING EITHER BOX.

Pursuant to Public Law 2021, c. 4, any person or entity that submits a bid or proposal or otherwise proposes to enter into or renew a contract must complete the certification below to attest, under penalty of perjury, that neither the person or entity, nor any of its parents, subsidiaries, or affiliates, is identified on the Department of Treasury's Chapter 25 list as a person or entity engaging in investment activities in Iran. The Chapter 25 list is found on the Division's website at www.state.nj.us/treasury/purchase/pdf/Chapter25List.pdf. Bidders must review this list prior to completing the below certification. Failure to complete the certification may render a bidder's proposal non-responsive. If the Director finds a person or entity to be in violation of law, s/he shall take action as may be appropriate and provided by law, rule or contract, including but not limited to, imposing sanctions, seeking compliance, recovering damages, declaring the party in default and seeking debarment or suspension of the party.

CHECK THE APPROPRIATE BOX:

I certify, pursuant to Public Law 2021, c. 4, that neither the bidder listed above nor any of the bidder's parents, subsidiaries, or affiliates is listed on the N.J. Department of the Treasury's list of entities determined to be engaged in prohibited activities in Iran pursuant to P.L. 2021, c. 4 ("Chapter 25 List"). I further certify that I am the person listed above, or I am an officer or representative of the entity listed above and am authorized to make this certification on its behalf. I will skip Part 2 and sign and complete the Certification below

OR

I am unable to certify as above because the bidder and/or one or more of its parents, subsidiaries, or affiliates is listed on the Department's Chapter 25 list. I will provide a detailed, accurate and precise description of the activities in Part 2 below sign and complete the Certification below. **Failure to provide such will result in the proposal being rendered as nonresponsive and appropriate penalties, fines and/or sanctions will be assessed as provided by law.**

Part 2: Additional Information

PLEASE PROVIDE FURTHER INFORMATION RELATED TO INVESTMENT ACTIVITIES IN IRAN. You must provide a detailed, accurate and precise description of the activities of the bidding person/entity, or one of its parents, subsidiaries or affiliates, engaging in the investment activities in Iran on additional sheets provided by you.

Part 3: Certification

I, being duly sworn upon my oath, hereby represent and state that the foregoing information and any attachments there to the best of my knowledge are true and complete. I attest that I am authorized to execute this certification on behalf of the above-referenced person or entity. I acknowledge that the County of Mercer is relying on the information contained herein and thereby acknowledge that I am under a continuing obligation from the date of this certification through the completion of any contracts with the County of Mercer to notify the County of Mercer in writing of any changes to the answers of information contained herein. I acknowledge that I am aware that it is a criminal offense to make a false statement or misrepresentation in this certification, and if I do so, I recognize that I am subject to criminal prosecution under the law and that it will also constitute a material breach of my agreement(s) with the County of Mercer and that the County of Mercer at its option may declare any contract(s) resulting from this certification void and unenforceable.

Full Name (Print) _____ Signature: _____
Title _____ Date: _____

Immigration and Naturalization Laws and Criminal Background Check
(As Applicable)

Vendors must comply with all Immigration and Naturalization Laws as are currently in force on each potential employee to work under this contract on County of Mercer.

If the County requires a background check, the vendor must contact the New Jersey State Police to perform a Criminal Background Check **on each potential employee to work under this contract on County of Mercer property.** A copy of the results of the Criminal Background Check must be provided to the County of Mercer **[insert appropriate department, agency, commission, etc.]** at least ten (10) days prior to an employee being permitted access to County of Mercer property. The County of Mercer will notify the vendor if a proposed vendor employee will not be permitted to work under this contract within ten (10) work days following receipt of the results. If the County of Mercer does not notify the vendor of such exclusion within ten (10) days the vendor may assign said employee to work under the contract.

[For insertion into multi-year contracts] The vendor must provide the results of a Criminal Background Check on its employees working under the contract on County of Mercer property every twelve (12) months.

Please access the following website for Instructions For Obtaining a Criminal History Record:
<http://www.njsp.org/criminal-history-records/index.shtml>

Executive Order 98 - 1

WHEREAS it is in the interests of the county to purchase goods and services from responsible contractors that provide quality and services at a competitive price; and

WHEREAS the county does not desire to do business with companies that compete by exploiting their workforce rather than by running efficient, reliable and responsible operations; and

WHEREAS, the county purchases items of apparel and textiles, which is an industry in which many scandals have been uncovered in which producers maintain sweatshop conditions, such as paying poverty wages, violating workplace regulations, and suppressing worker rights; and

WHEREAS, such conditions in apparel and other industries threaten the jobs and working conditions of all workers; and

WHEREAS, it is the policy of the county that it should not purchase, rent or lease goods or services produced under such conditions; and

WHEREAS, sweatshop conditions flourish when the conditions of workers are hidden; and

WHEREAS, pressure from institutional purchasers such as governments is one of the most effective ways to combat sweatshop production,

THEREFORE IT IS HEREBY ORDERED, that it is the policy of the county that it should not purchase, lease, rent or take on consignment goods or services produced under sweatshop conditions, and that the following guidelines, criteria and procedures are adopted:

Section 1: The procedures and guidelines set forth herein shall apply to items of apparel and textiles, such as clothing, headwear, footwear, linens and fabric, as well as to any other industry designated by the county executive as vulnerable to sweatshop competition.

Section 2: In order to ensure that the county contracts with vendors that have responsible employment practices, the following criteria will be used in contracting for goods and services:

- A. Preference will be given whenever possible to goods or services produced in the U.S.A.
- B. The county will whenever possible only contract with vendors with responsible employment practices, as defined in Section 3.B below.

Section 3: The county shall require of every bidder for contracts covered under Section 1:

- A. Disclosure of all sub-contractors and sites. The bidder or vendor shall identify the name and address of each subcontractor to be used, as well as the address of all locations, including sub-contractor locations, substantially involved in providing goods or services covered by this act. Such information will be considered public information.
- B. Certification of Compliance. The bidder or vendor shall certify each location, including sub-contractor locations, substantially involved in producing or distributing goods or services covered by this act meets the following standards:
 - 1. Compensation. Wage and benefit levels must be sufficient to meet basic needs and provide some discretionary income for a family of 4 (a "living wage").

2. Rights. The company respects workers' rights to speak up about working conditions, without fear or retaliation, and to form unions of their own choosing without employer resistance. Due process and just cause procedures are used for discipline or discharge, with recourse to arbitration. The company complies with all laws, regulations and standards governing the workplace. The company does not use child labor, forced labor, corporal punishment. The company does not discriminate in hiring, promotion or compensation on the basis of race, national origin, religion, gender, sexual preference, union affiliation, or political affiliation.
3. Safety and Health. The factory provides a safe and healthy work environment.

Section 4: The county, at its discretion, may refuse to award a contract or terminate a contract or ban a vendor from holding contracts with the county for filing false information or for failing to file information required under this act. The county may, at its discretion, require correction and remediation of violations of the standards listed in section 3.B prior to renewing commerce with the contractor. The county may require further proof of compliance with the standards listed in Section 3.B. Upon request the contractor or subcontractor will make all relevant records available to the county or its designee.

I have read Executive Order 98-1 and agree to comply with its requirements.

DATE: _____

SIGNED _____

POSITION _____

COMPANY _____

EXCERPTS FROM THE EEOC SEXUAL HARASSMENT GUIDELINES

PART 1604 -- GUIDELINES ON DISCRIMINATION BECAUSE OF SEX

1604.11 Sexual Harassment

(a) Harassment on the basis of sex is a violation of Sec. 703 of Title VII (of the Civil Rights Act of 1964). Unwelcome sexual advances, requests for sexual favors, and other verbal or physical conduct of a sexual nature constitute sexual harassment when (1) submission to such conduct is made either explicitly or implicitly a term or condition of an individual's employment, (2) submission to or rejection of such conduct by an individual is used as the basis for employment decisions affecting such individual, or (3) such conduct has the purpose or effect of unreasonably interfering with an individual's work performance or creating an intimidating, hostile or offensive working environment.

(b) In determining whether alleged conduct constitutes sexual harassment, The Commission (EEOC) will look at the record as a whole and at the totality of the circumstances,

such as the nature of the sexual advances and the context in which the alleged incidents occurred. The determination of the legality of a particular action will be made from the facts, on a case by case basis.

(c) Applying general Title VII principles, an employer, employment agency, joint apprenticeship committee or labor organization (hereinafter collectively referred to as "employer") is responsible for its acts and those of its agents and supervisory employees with respect to sexual harassment regardless of whether the specific acts complained of were authorized or even forbidden by the employer and whether the employer knew or should have known of their occurrence. The Commission will examine the circumstances of the particular employment relationship and the job functions performed by the individual in determining whether an individual in determining whether an individual acts in either a supervisory or agency capacity.

(d) With respect to conduct between fellow employees, employer is responsible for acts of sexual harassment in the workplace where the employer (or its agents or supervisory employees) knows or should have known of the conduct, unless it can be show that it took immediate and appropriate corrective action.

(e) An employer may also be responsible for the acts of non-employees, with respect to sexual harassment of employees in the workplace, where the employer (or its agents or supervisory employees) knows or should have known of the conduct and fails to take immediate and appropriate corrective action. In reviewing these cases the Commission will consider the extent of the employer's control and any other legal responsibility, which the employer may have with respect to the conduct of such non-employees.

INSURANCE AND INDEMNIFICATION REQUIREMENTS

If it becomes necessary for the contractor, either as principal or by agent or employee, to enter upon the premises or property of the County in order to construct, erect, inspect, make delivery or remove property hereunder, the contractor hereby covenants and agrees to take use, provide and make all proper, necessary and sufficient precautions, safeguards, and protection against the occurrence of happenings of any accidents, injuries, damages, or hurt to person or property during the course of the work herein covered and be his/her sole responsibility.

The contractor further covenants and agrees to indemnify and save harmless the County from the payment of all sums of money or any other consideration(s) by reason of any, or all, such accidents, injuries, damages, or hurt that may happen or occur upon or about such work and all fines, penalties and loss incurred for or by reason of the violation of any County regulation, ordinance or the laws of the State, or the United States while said work is in progress.

The contractor shall maintain sufficient insurance to protect against all claims under Workers Compensation as statutorily required, General Liability in the amount of \$1,000,000.00 single occurrence and \$2,000,000.00 general aggregate and Automobile Insurance in the amount of \$1,000,000.00 combined single limit. Vendors are responsible to provide updated certificates as policies renew. Depending upon the scope of work and goods or services provided, specific types of insurance may not be required. The Mercer County Division of Insurance and Property Management will make this determination.

In all cases where a Certificate of Insurance is required, the County of Mercer and Mercer County Park Commission (if applicable) is to be named as an additional insured and named as the certificate holder as follows: "County of Mercer, 640 South Broad Street, PO Box 8068, Trenton, NJ 08650-0068". The Certificate shall contain a 30-day notice of cancellation. The language shall state the following:

"The County of Mercer and Mercer County Park Commission (if awarded through the Park Commission) named as additional insured."

INDEMNIFICATION AND HOLD HARMLESS CLAUSE

Contractor shall indemnify, defend and save harmless the County from and against any and all loss cost (including attorneys' fees), damages, expenses and liability (including statutory liability and liability under Workers' Compensation Laws) in connection with claims for damages as a result of injury or death of any person or property damage to any property sustained by Contractor or all other persons which arise from or in any manner grow out of any act or negligence on or about the said premises by the Contractor, their partners, agents, employees, customers, invitees, contractors, subcontractors, sub-subcontractors, vendors and the County. This indemnification clause includes any and all claims and costs of same against the County except for the sole negligence of the County pursuant to N.J.S.A. 2A:40A-1. Further, this indemnification clause includes any and all claims and costs of same against the County involving environmental impairment.

WAIVER OF SUBROGATION CLAUSE

Contractor, as a material part of the consideration to be rendered to the County, hereby waives all claims against the County for damages to the goods, wares and merchandise in, upon or about said premises, and contractor will hold the County exempt and harmless from any damage and injury to any such person or to the goods, wares or merchandise of any such person, arising from the use of the premises by the contractor or from failure of the contractor to keep the premises in good condition and repair as herein provided.

Dated and Signed

PLEASE TAKE NOTE OF THE FOLLOWING CHANGE

As you may be aware, there has been a recent change to the ACCORD insurance certificate which precludes placing the number of days for cancellation notification in the lower left hand box. You may fulfill the requirement for a 30-day notice of cancellation for a County of Mercer contract in any one of the following ways:

1. indicate a 30-day notice of cancellation in the Description of Operations box at the bottom of the certificate
2. indicate a 30-day notice of cancellation on a separate page
3. provide a copy of the cancellation clause from the policy (you do not need to provide a copy of the entire policy, only the page(s) referencing the cancellation clause)

If you need further clarification on this or other insurance certificate issues, please contact the Insurance and Property Management Office at 609-989-6655.

BACKGROUND INFORMATION FORM

The following information is used by Mercer County in the compilation of reports and research. The provision of this information will not affect the determination of this contract/agreement.

Name of Company _____

Address _____

Telephone _____

Nature of Business _____

The ownership of the above referenced business is considered:

- | | | | |
|--------------------|--------------------------|-------------------|--------------------------|
| 1. Black | <input type="checkbox"/> | 2. Caucasian | <input type="checkbox"/> |
| 3. Hispanic | <input type="checkbox"/> | 4. Asian American | <input type="checkbox"/> |
| 5. American Indian | <input type="checkbox"/> | 6. Indian | <input type="checkbox"/> |
| 7. Female | <input type="checkbox"/> | 8. Other | <input type="checkbox"/> |

51% of the business must be owned and controlled by the ethnic group claimed.

Signed _____ Title _____ Date _____

MERCER COUNTY IS AN EQUAL OPPORTUNITY EMPLOYER

EEO/AFFIRMATIVE ACTION COMPLIANCE NOTICE
N.J.S.A. 10:5-31 and N.J.A.C. 17:27

GOODS, PROFESSIONAL SERVICE AND GENERAL SERVICE CONTRACTS

All successful bidders are required to submit evidence of appropriate affirmative action compliance to the County and Division of Public Contracts Equal Employment Opportunity Compliance. During a review, Division representatives will review the County files to determine whether the affirmative action evidence has been submitted by the vendor/contractor. Specifically, each vendor/contractor shall submit to the County, prior to execution of the contract, one of the following documents:

Goods and General Service Vendors

1. Letter of Federal Approval indicating that the vendor is under an existing Federally approved or sanctioned affirmative action program. A copy of the approval letter is to be provided by the vendor to the County and the Division. This approval letter is valid for one year from the date of issuance.

Do you have a federally-approved or sanctioned EEO/AA program? Yes No
If yes, please submit a photostatic copy of such approval.

2. A Certificate of Employee Information Report (hereafter "Certificate"), issued in accordance with N.J.A.C. 17:27-1.1 et seq. The vendor must provide a copy of the Certificate to the County as evidence of its compliance with the regulations. The Certificate represents the review and approval of the vendor's Employee Information Report, Form AA-302 by the Division. The period of validity of the Certificate is indicated on its face. Certificates must be renewed prior to their expiration date in order to remain valid.

Do you have a State Certificate of Employee Information Report Approval? Yes No
If yes, please submit a photostatic copy of such approval.

3. The successful vendor shall complete an Initial Employee Report, Form AA-302 and submit it to the Division with \$150.00 Fee and forward a copy of the Form to the County. Upon submission and review by the Division, this report shall constitute evidence of compliance with the regulations. Prior to execution of the contract, the EEO/AA evidence must be submitted.

The successful vendor may obtain the Affirmative Action Employee Information Report (AA302) on the Division website www.state.nj.us/treasury/contract_compliance.

The successful vendor(s) must submit the AA302 Report to the Division of Public Contracts Equal Employment Opportunity Compliance, with a copy to Public Agency.

The undersigned vendor certifies that he/she is aware of the commitment to comply with the requirements of N.J.S.A. 10:5-31 and N.J.A.C. 17:27 and agrees to furnish the required forms of evidence.

The undersigned vendor further understands that his/her bid shall be rejected as non-responsive if said contractor fails to comply with the requirements of N.J.S.A. 10:5-31 and N.J.A.C. 17:27.

COMPANY: _____ SIGNATURE: _____

PRINT NAME: _____ TITLE: _____

DATE: _____

ATTACHMENT A – EXHIBIT A
MANDATORY EQUAL EMPLOYMENT OPPORTUNITY LANGUAGE
N.J.S.A. 10:5-31 et seq. (P.L.1975, c.127) and N.J.A.C. 17:27 et seq.
GOODS, GENERAL SERVICES, AND PROFESSIONAL SERVICES CONTRACTS

During the performance of this contract, the contractor agrees as follows:

The contractor or subcontractor, where applicable, will not discriminate against any employee or applicant for employment because of age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex. Except with respect to affectional or sexual orientation and gender identity or expression, the contractor will ensure that equal employment opportunity is afforded to such applicants in recruitment and employment, and that employees are treated during employment, without regard to their age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex. Such equal employment opportunity shall include, but not be limited to the following: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the Public Agency Compliance Officer setting forth provisions of this nondiscrimination clause.

The contractor or subcontractor, where applicable will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex.

The contractor or subcontractor will send to each labor union, with which it has a collective bargaining agreement, a notice, to be provided by the agency contracting officer, advising the labor union of the contractor's commitments under this chapter and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

The contractor or subcontractor, where applicable, agrees to comply with any regulations promulgated by the Treasurer pursuant to N.J.S.A.10:5-31 et seq., as amended and supplemented from time to time and the Americans with Disabilities Act.

The contractor or subcontractor agrees to make good faith efforts to meet targeted county employment goals established in accordance with N.J.A.C. 17:27-5.2. The contractor or subcontractor agrees to inform in writing its appropriate recruitment agencies including, but not limited to, employment agencies, placement bureaus, colleges, universities, and labor unions, that it does not discriminate on the basis of age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex, and that it will discontinue the use of any recruitment agency which engages in direct or indirect discriminatory practices. The contractor or subcontractor agrees to revise any of its testing procedures, if necessary, to assure that all personnel testing conforms with the principles of job related testing, as established by the statutes and court decisions of the State of New Jersey and as established by applicable Federal law and applicable Federal court decisions. In conforming with the targeted employment goals, the contractor or subcontractor agrees to review all procedures relating to transfer, upgrading, downgrading and layoff to ensure that all such actions are taken without regard to age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex, consistent with the statutes and court decisions of the State of New Jersey, and applicable Federal law and applicable Federal court decisions.

The contractor shall submit to the public agency, after notification of award but prior to execution of a goods and services contract, one of the following three documents:

Letter of Federal Affirmative Action Plan Approval;

Certificate of Employee Information Report; or

Employee Information Report Form AA-302 (electronically provided by the Division and distributed to the public agency through the Division's website at: http://www.state.nj.us/treasury/contract_compliance).

The contractor and its subcontractors shall furnish such reports or other documents to the Division of Purchase & Property, CCAU, EEO Monitoring Program as may be requested by the office from time to time in order to carry out the purposes of these regulations, and public agencies shall furnish such information as may be requested by the Division of Purchase & Property, CCAU, EEO Monitoring Program for conducting a compliance investigation pursuant to N.J.A.C. 17:27-1.1 et seq.

ATTACHMENT B – NEW JERSEY ANTI-DISCRIMINATION PROVISIONS
N.J.S.A. 10:2-1 ET SEQ.

Pursuant to N.J.S.A. 10:2-1, if awarded a contract, the contractor agrees that:

- a. In the hiring of persons for the performance of work under this contract or any subcontract hereunder, or for the procurement, manufacture, assembling or furnishing of any such materials, equipment, supplies or services to be acquired under this contract, no contractor, nor any person acting on behalf of such contractor or subcontractor, shall, by reason of race, creed, color, national origin, ancestry, marital status, gender identity or expression, affectional or sexual orientation or sex, discriminate against any person who is qualified and available to perform the work to which the employment relates;
- b. No contractor, subcontractor, nor any person on his behalf shall, in any manner, discriminate against or intimidate any employee engaged in the performance of work under this contract or any subcontract hereunder, or engaged in the procurement, manufacture, assembling or furnishing of any such materials, equipment, supplies or services to be acquired under such contract, on account of race, creed, color, national origin, ancestry, marital status, gender identity or expression, affectional or sexual orientation or sex;
- c. There may be deducted from the amount payable to the contractor by the contracting public agency, under this contract, a penalty of \$50.00 for each person for each calendar day during which such person is discriminated against or intimidated in violation of the provisions of the contract; and
- d. This contract may be canceled or terminated by the contracting public agency, and all money due or to become due hereunder may be forfeited, for any violation of this section of the contract occurring after notice to the contractor from the contracting public agency of any prior violation of this section of the contract. No provision in this section shall be construed to prevent a board of education from designating that a contract, subcontract or other means of procurement of goods, services, equipment or construction shall be awarded to a small business enterprise, minority business enterprise or a women's business enterprise pursuant to P.L.1985, c.490 (C.18A:18A-51 et seq.).

The contractor and the owner do hereby agree that the provisions of Title 11 of the Americans with Disabilities Act of 1990 (the "Act") (42 U.S.C. 5121 01 et seq.), which prohibits discrimination on the basis of disability by public entities in all services, programs, and activities provided or made available by public entities, and the rules and regulations promulgated pursuant there unto, are made a part of this contract. In providing any aid, benefit, or service on behalf of the owner pursuant to this contract, the contractor agrees that the performance shall be in strict compliance with the Act. In the event that the contractor, its agents, servants, employees, or subcontractors violate or are alleged to have violated the Act during the performance of this contract, the contractor shall defend the owner in any action or administrative proceeding commenced pursuant to this Act. The contractor shall indemnify, protect, and save harmless the owner, its agents, servants, and employees from and against any and all suits, claims, losses, demands, or damages, of whatever kind or nature arising out of or claimed to arise out of the alleged violation. The contractor shall, at its own expense, appear, defend, and pay any and all charges for legal services and any and all costs and other expenses arising from such action or administrative proceeding or incurred in connection therewith. In any and all complaints brought pursuant to the owner's grievance procedure, the contractor agrees to abide by any decision of the owner which is rendered pursuant to said grievance procedure. If any action or administrative proceeding results in an award of damages against the owner, or if the owner incurs any expense to cure a violation of the ADA which has been brought pursuant to its grievance procedure, the contractor shall satisfy and discharge the same at its own expense.

The owner shall, as soon as practicable after a claim has been made against it, give written notice thereof to the contractor along with full and complete particulars of the claim, if any action or administrative proceeding is brought against the owner or any of its agents, servants, and employees, the owner shall expeditiously forward or have forwarded to the contractor every demand, complaint, notice, summons, pleading, or other process received by the owner or its representatives.

It is expressly agreed and understood that any approval by the owner of the services provided by the contractor pursuant to this contract will not relieve the contractor of the obligation to comply with the Act and to defend, indemnify, protect, and save harmless the owner pursuant to this paragraph.

It is further agreed and understood that the owner assumes no obligation to indemnify or save harmless the contractor, its agents, servants, employees and subcontractors for any claim which may arise out of their performance of this Agreement. Furthermore, the contractor expressly understands and agrees that the provisions of this indemnification clause shall in no way limit the contractor's obligations assumed in this Agreement, nor shall they be construed to relieve the contractor from any liability, nor preclude the owner from taking any other actions available to it under any other provisions of the Agreement or otherwise at law.

PROOF OF BUSINESS REGISTRATION N.J.S.A. 52:32-44

Pursuant to N.J.S.A. 52:32-44, **The County of Mercer** ("Contracting Agency") is prohibited from entering into a contract with an entity unless the bidder/proposer/contractor, and each subcontractor that is required by law to be named in a bid/proposal/contract has a valid Business Registration Certificate on file with the Division of Revenue and Enterprise Services within the Department of the Treasury.

Prior to contract award or authorization, the contractor shall provide the Contracting Agency with its proof of business registration and that of any named subcontractor(s).

Subcontractors named in a bid or other proposal shall provide proof of business registration to the bidder, who in turn, shall provide it to the Contracting Agency prior to the time a contract, purchase order, or other contracting document is awarded or authorized.

During the course of contract performance:


- (1) the contractor shall not enter into a contract with a subcontractor unless the subcontractor first provides the contractor with a valid proof of business registration.
- (2) the contractor shall maintain and submit to the Contracting Agency a list of subcontractors and their addresses that may be updated from time to time.
- (3) the contractor and any subcontractor providing goods or performing services under the contract, and each of their affiliates, shall collect and remit to the Director of the Division of Taxation in the Department of the Treasury, the use tax due pursuant to the Sales and Use Tax Act, (N.J.S.A. 54:32B-1 et seq.) on all sales of tangible personal property delivered into the State. Any questions in this regard can be directed to the Division of Taxation at (609)292-6400. Form NJ-REG can be filed online at <http://www.state.nj.us/treasury/revenue/busregcert.shtml>.

Before final payment is made under the contract, the contractor shall submit to the Contracting Agency a complete and accurate list of all subcontractors used and their addresses.

Pursuant to N.J.S.A. 54:49-4.1, a business organization that fails to provide a copy of a business registration as required, or that provides false business registration information, shall be liable for a penalty of \$25 for each day of violation, not to exceed \$50,000, for each proof of business registration not properly provided under a contract with a contracting agency.

**FOLLOWING SAMPLE OF THE NEW JERSEY BUSINESS REGISTRATION CERTIFICATE ACCEPTABLE
BY THE COUNTY OF MERCER**

STATE OF NEW JERSEY BUSINESS REGISTRATION CERTIFICATE FOR STATE AGENCY AND CASINO SERVICE CONTRACTORS		DEPARTMENT OF TREASURY DIVISION OF REVENUE PO BOX 252 TRENTON, N.J. 08646-0252
TAXPAYER NAME: TAX REGISTRATION TEST ACCOUNT	TRADE NAME: CLIENT REGISTRATION	
TAXPAYER IDENTIFICATION#: 970-097-382/500	SEQUENCE NUMBER: 0107330	
ADDRESS: 847 ROEBLING AVE TRENTON NJ 08611	ISSUANCE DATE: 07/14/04	
EFFECTIVE DATE: 01/01/01	<i>John S. Tully</i> Acting Director	
FORM-BRC(08-01)	This Certificate is NOT assignable or transferable. It must be conspicuously displayed at above address.	

 STATE OF NEW JERSEY BUSINESS REGISTRATION CERTIFICATE	
Taxpayer Name:	TAX REG TEST ACCOUNT
Trade Name:	
Address:	847 ROEBLING AVE TRENTON, NJ 08611
Certificate Number:	1093907
Date of Issuance:	October 14, 2004
For Office Use Only:	
20041014112823533	

STATEMENT OF OWNERSHIP 52:25-24.2. (P.L. 1977, C.33)

In accordance with N.J.S.A. 52:25-24.2, no corporation, partnership, limited partnership, limited liability corporation, limited liability partnership, Subchapter S corporation or sole proprietorship, shall be awarded a contract, unless prior to the receipt of the bid or accompanying the bid of the corporation, partnership, limited partnership, there is submitted to the County a statement setting forth the names and addresses of all stockholders who own 10% or more of the stock, of any class or of all individual partners who own a 10% or greater interest in the corporation, partnership, limited partnership, limited liability corporation, limited liability partnership, Subchapter S corporation or sole proprietorship. If one or more such stockholder or partner is itself a corporation or partnership, the stockholders holding 10% or more of that corporation's stock, or the individual partners owning 10% or greater interest in that partnership, as the case may be, shall also be listed. The disclosure shall be continued until names and addresses of every noncorporate stockholder and individual partner, exceeding the 10% ownership criteria established in this act has been listed. This form shall be signed and submitted with the bid/proposal whether or not a stockholder or partner owns less than 10% of the business submitting the bid. Failure to comply requires mandatory rejection of the bid/proposal.

STATEMENT OF OWNERSHIP DISCLOSURE

N.J.S.A. 52:25-24.2 (P.L. 1977, c.33, as amended by P.L. 2016, c.43)

This statement shall be completed, certified to, and included with all bid and proposal submissions. Failure to submit the required information is cause for automatic rejection of the bid or proposal.

Name of Organization: _____

Organization Address: _____

Part I Check the box that represents the type of business organization:

- Sole Proprietorship (skip Parts II and III, execute certification in Part IV)
- Non-Profit Corporation (skip Parts II and III, execute certification in Part IV)
- For-Profit Corporation (any type) Limited Liability Company (LLC)
- Partnership Limited Partnership Limited Liability Partnership (LLP)
- Other (be specific): _____

Part II

- The list below contains the names and addresses of all stockholders in the corporation who own 10 percent or more of its stock, of any class, or of all individual partners in the partnership who own a 10 percent or greater interest therein, or of all members in the limited liability company who own a 10 percent or greater interest therein, as the case may be. **(COMPLETE THE LIST BELOW IN THIS SECTION)**

OR

- No one stockholder in the corporation owns 10 percent or more of its stock, of any class, or no individual partner in the partnership owns a 10 percent or greater interest therein, or no member in the limited liability company owns a 10 percent or greater interest therein, as the case may be. **(SKIP TO PART IV)**

(Please attach additional sheets if more space is needed):

Name of Individual or Business Entity	Home Address (for Individuals) or Business Address

Part III DISCLOSURE OF 10% OR GREATER OWNERSHIP IN THE STOCKHOLDERS, PARTNERS OR LLC MEMBERS LISTED IN PART II

If a bidder has a direct or indirect parent entity which is publicly traded, and any person holds a 10 percent or greater beneficial interest in the publicly traded parent entity as of the last annual federal Security and Exchange Commission (SEC) or foreign equivalent filing, ownership disclosure can be met by providing links to the website(s) containing the last annual filing(s) with the federal Securities and Exchange Commission (or foreign equivalent) that contain the name and address of each person holding a 10% or greater beneficial interest in the publicly traded parent entity, along with the relevant page numbers of the filing(s) that contain the information on each such person. **Attach additional sheets if more space is needed.**

Website (URL) containing the last annual SEC (or foreign equivalent) filing	Page #'s

--	--

Please list the names and addresses of each stockholder, partner or member owning a 10 percent or greater interest in any corresponding corporation, partnership and/or limited liability company (LLC) listed in Part II **other than for any publicly traded parent entities referenced above**. The disclosure shall be continued until names and addresses of every noncorporate stockholder, and individual partner, and member exceeding the 10 percent ownership criteria established pursuant to N.J.S.A. 52:25-24.2 has been listed. **Attach additional sheets if more space is needed.**

Stockholder/Partner/Member and Corresponding Entity Listed in Part II	Home Address (for Individuals) or Business Address

Part IV Certification

I, being duly sworn upon my oath, hereby represent that the foregoing information and any attachments thereto to the best of my knowledge are true and complete. I acknowledge: that I am authorized to execute this certification on behalf of the bidder/proposer; that the **COUNTY OF MERCER** is relying on the information contained herein and that I am under a continuing obligation from the date of this certification through the completion of any contracts with **COUNTY OF MERCER** to notify the **COUNTY OF MERCER** in writing of any changes to the information contained herein; that I am aware that it is a criminal offense to make a false statement or misrepresentation in this certification, and if I do so, I am subject to criminal prosecution under the law and that it will constitute a material breach of my agreement(s) with the, permitting the **COUNTY OF MERCER** to declare any contract(s) resulting from this certification void and unenforceable.

Full Name (Print):		Title:	
Signature:		Date:	

BID PROPOSAL FORM AND SIGNATURE PAGE

The undersigned bidder declares that he/she has read the Notice to Bidders, Instructions, Affidavits and Scope of Work and that he/she has determined the conditions affecting the bid agrees, if this proposal is accepted, to furnish and deliver the following:

CK09MERCER2024-15

UNIFORMS FOR THE MERCER COUNTY CORRECTION OFFICERS, PROSECUTOR'S OFFICERS AND SHERIFF'S OFFICERS AND THE MERCER COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM FOR A PERIOD OF ONE (1) YEAR WITH AN OPTION TO EXTEND ONE (1) YEAR

(SIGNATURE BY AUTHORIZED REPRESENTATIVE)

The undersigned is a Corporation, Partnership or Individual under the laws of the State of

_____ having its principal office at _____

COMPANY _____
ADDRESS _____
ADDRESS _____
NAME _____
TELEPHONE _____
FAX _____
E-MAIL _____
DATE _____

CONTRACT AWARD

Upon opening bids, pricing shall remain firm for a period of sixty (60) calendar days. In the event that the award is not made within sixty (60) calendar days, bidders may hold their bid consideration beyond sixty days or until the contract is awarded.

Check here if willing to hold the pricing consideration beyond sixty days or until the contract is awarded.

Check here if not willing to hold the pricing consideration beyond sixty days or until the contract is awarded.

AUTHORIZED SIGNATURE

CONTINUITY OF SERVICE DURING EMERGENCIES

In the event of an emergency, Vendor will provide priority service for Mercer County.

VENDOR EMERGENCY COMPLIANCE

YES

NO

Contractors shall have contingency plans to ensure that Services continue during emergency periods such as, but not limited to, major equipment breakdown, national or local strikes, severe weather conditions, power outages and traffic disruptions. In the event of a contract award, indicate a description of your contingency plan for ensuring services during emergencies.

EXCEPTIONS (IF NONE, PLEASE NOTE)

CERTIFICATION OF NON-INVOLVEMENT IN PROHIBITED ACTIVITIES IN RUSSIA OR BELARUS

Pursuant to N.J.S.A. 52:32-60.1, et seq. and N.J.S.A.40A:11-2.2 (L. 2022, c. 3) any person or entity (hereinafter "Vendor") that seeks to enter into or renew a contract with a local contracting unit subject to the Local Public Contracts Law for the provision of goods or services, or the purchase of bonds or other obligations, must complete the certification below indicating whether or not the Vendor is identified on the Office of Foreign Assets Control (OFAC) Specially Designated Nationals and Blocked Persons list, available here: <https://sanctionssearch.ofac.treas.gov/>. If the Department of the Treasury finds that a Vendor has made a certification in violation of the law, it shall take any action as may be appropriate and provided by law, rule or contract, including but not limited to, imposing sanctions, seeking compliance, recovering damages, declaring the party in default and seeking debarment or suspension of the party.

I, the undersigned, certify that I have read the definition of "Vendor" below, and have reviewed the Office of Foreign Assets Control (OFAC) Specially Designated Nationals and Blocked Persons list, and having done so certify

(Check the Appropriate Box)

A. That the Vendor is not identified on the [OFAC Specially Designated Nationals and Blocked Persons list on account of activity related to Russia and/or Belarus](#).

OR

B. That I am unable to certify as to "A" above, because the Vendor is identified on the [OFAC Specially Designated Nationals and Blocked Persons list on account of activity related to Russia and/or Belarus](#).

OR

C. That I am unable to certify as to "A" above, because the Vendor is identified on the [OFAC Specially Designated Nationals and Blocked Persons list](#). However, the Vendor is engaged in activity related to Russia and/or Belarus consistent with federal law, regulation, license or exemption. A detailed description of how the Vendor's activity related to Russia and/or Belarus is consistent with federal law is set forth below.

(Attach Additional Sheets If Necessary.)

Signature of Vendor's Authorized Representative	Date
Print Name and Title of Vendor's Authorized Representative	Vendor's FEIN
Vendor's Name	Vendor's Phone Number
Vendor's Address (Street Address)	Vendor's Fax Number
Vendor's Address (City/State/Zip Code)	Vendor's Email Address

ⁱ Vendor means: (1) A natural person, corporation, company, limited partnership, limited liability partnership, limited liability company, business association, sole proprietorship, joint venture, partnership, society, trust, or any other nongovernmental entity, organization, or group; (2) Any governmental entity or instrumentality of a government, including a multilateral development institution, as defined in Section 1701(c)(3) of the International Financial Institutions Act, 22 U.S.C. 262r(c)(3); or (3) Any parent, successor, subunit, direct or indirect subsidiary, or any entity under common ownership or control with, any entity described in paragraph (1) or (2).

MERCER COUNTY COOPERATIVE MEMBERS

1. TOWNSHIP OF LAWRENCE
240 BAKERS BASIN ROAD
LAWRENCE, NEW JERSEY 08648
TELEPHONE: (609) 844-7137
FAX: (609)-584-0220
CONTACT PERSON: GREGORY WHITEHEAD
gwhitehead@lawrencetwp.com

2. PRINCETON
400 WITHERSPOON STREET
PRINCETON, NJ 08540
TELEPHONE: (609) 497-7655
FAX: (609) 924-9714
CONTACT PERSON: SANDY WEBB
swebb@princetonnj.gov

4. CITY OF TRENTON PURCHASING
319 EAST STATE STREET
TRENTON, NEW JERSEY 08608
TELEPHONE: (609) 989-3137
FAX (609) 989-4260
CONTACT PERSON: VIVIAN ARRINGTON
varrington@trentonnj.org

5. MERCER COUNTY COMMUNITY COLLEGE
1200 OLD TRENTON ROAD
WEST WINDSOR, NEW JERSEY 08550
TELEPHONE: (609) 570-3253
FAX: (609) 570-3822
CONTACT PERSON: STEPHEN GREGOROWICZ
gregoros@mccc.edu
MADELINE EHELEBE
ehelebem@mccc.edu

6. TOWNSHIP OF HOPEWELL
201 WASHINGTON CROSSING - PENNINGTON RD.
TITUSVILLE, NEW JERSEY 08560
TELEPHONE: (609) 537-0244
FAX: (609) 737-2770
CONTACT PERSON: SEAN P. CANNING
scanning@thecanninggroup.org

MERCER COUNTY COOPERATIVE MEMBERS

7. BOROUGH OF HOPEWELL
4 COLUMBIA AVENUE – P.O. BOX 128
HOPEWELL, NEW JERSEY 08525
TELEPHONE: (609) 466-2636
FAX: (609) 466-8511
CONTACT PERSON: MICHELE HOVAN
michele.hovan@hopewellboro-nj.us

8. TOWNSHIP OF ROBBINSVILLE
56 ROBBINSVILLE-AlLENTOWN ROAD
ROBBINSVILLE, NEW JERSEY 08691
TELEPHONE: (609) 259-0422
FAX: (609) 259-0322
CONTACT PERSON: DINO J. COLAROCCO
dinoc@washington-twp.org

9. TOWNSHIP OF EWING
2 JAKE GARZIO DRIVE
EWING, NEW JERSEY 08628
TELEPHONE: (609) 883-2900 Ext. #7642
FAX: (609) 883-7392
CONTACT PERSON: ALEX DEANGELIS
adeangelis@ewingnj.org

10. WEST WINDSOR TOWNSHIP
271 CLARKSVILLE ROAD
WEST WINDSOR, NEW JERSEY 08550
TELEPHONE: (609) 799-2400 Ext. #218
FAX: (609) 799-1610
CONTACT PERSON: JANIS DINATALE
jdinatale@westwindsortwp.com

11. SPECIAL SERVICES
1020 OLD TRENTON ROAD
HAMILTON, NJ 08690
TELEPHONE: (609) 631-2123 OR
(609) 586-5144 EXT. #1210
FAX: (609) 586-8966
CONTACT PERSON: NANCY SWIRSKY
SEAN CAVALIER
nswirsky@mcts.edu
scavalier@mcts.edu

MERCER COUNTY COOPERATIVE MEMBERS

12. VOCATIONAL TECHNICAL SCHOOLS
1085 OLD TRENTON ROAD
HAMILTON, NJ 08690

TELEPHONE: (609) 586-2123
FAX: (609) 586-8966
CONTACT PERSON: NANCY SWIRSKY
nswirsky@mcts.edu

13. THE BOROUGH OF PENNINGTON
30 NORTH MAIN STREET
PENNINGTON, NEW JERSEY 08534
TELEPHONE: (609) 737-0276
FAX: (609) 737-9780
CONTACT PERSON: ELIZABETH STERLING
bsterling@penningtonboro.org

14. WEST WINDSOR-PLAINSBORO REGIONAL SCHOOL DISTRICT
505 VILLAGE ROAD WEST
PRINCETON JUNCTION, NJ 08550
TELEPHONE: (609) 716-5000
FAX: (609)-716-5012
CONTACT PERSON: TONI DUBANIEWICZ
LAWRENCE LOCASTRO
Toni.Dubaniewicz@ww-p.org
Lawrence.LoCastro@ww-p.org

15. TOWNSHIP OF EAST WINDSOR
16 LANNING BOULEVARD
EAST WINDSOR, NJ 08520
TELEPHONE: (609) 443-4000
FAX: (609) 443-6865
CONTACT PERSON: BILL ASKENSTEDT
public_works@east-windsor.nj.us

16. BOROUGH OF HIGHTSTOWN
148 NORTH MAIN STREET
HIGHTSTOWN, NJ 08520
TELEPHONE: (609) 490-5100 EXT. #772
FAX: (609) 371-0267
CONTACT PERSON: DEBRA SOPRONYI
clerk@hightstownborough.com

MERCER COUNTY COOPERATIVE MEMBERS

17. EAST WINDSOR REGIONAL SCHOOL DISTRICT
25A LESHIN LANE
HIGHTSTOWN, NJ 08520
TELEPHONE: (609) 443-8195
FAX: (609) 443-8195
CONTACT PERSON: KURT STUMBAUGH
kstumbaugh@ewrsd.k12.nj.us

18. LAWRENCE TOWNSHIP BOARD OF EDUCATION
2565 PRINCETON PIKE
LAWRENCE, NJ 08648
TELEPHONE: (609) 671-5420
FAX: (609) 883-4225
CONTACT PERSON: THOMAS ELDRIDGE
CYNTHIA KORKUCH
teldridge@ltps.org
ckorkuch@ltps.org

19. PRINCETON PUBLIC SCHOOLS
25 VALLEY ROAD
PRINCETON, NJ 08540
TELEPHONE: (609) 806-4210
FAX: (609) 806-4225
CONTACT PERSON: STEPHANIE KENNEDY
APRIL TAYLOR
stephanie_kennedy@princetonk12.org
april_taylor@princetonk12.org

20. ROBBINSVILLE BOARD OF EDUCATION
155 ROBBINSVILLE-EDINBURG ROAD
ROBBINSVILLE, NJ 08691
TELEPHONE: (609) 632-0910
FAX: (609) 371-7964
CONTACT PERSON: CHRISTINA MOSKAL
moskal@robbinsville.k12.nj.us

21. HOPEWELL REGIONAL SCHOOL DISTRICT
425 SOUTH MAIN STREET
PENNINGTON, NJ 08534
TELEPHONE: (609) 737-4000 Ext. #2705
FAX: (609) 737-7415
CONTACT PERSON: BOB COLAVITA
PAT JACZKO
robertcolavita@hvrsd.org
patriciajaczko@hvrsd.org

MERCER COUNTY COOPERATIVE MEMBERS

22. TRENTON BOARD OF EDUCATION
108 NORTH CLINTON AVENUE
TRENTON, NJ 08609
TELEPHONE: (609) 656-5446
FAX: (609) 278-3074

CONTACT PERSON: GEORGETTE BOWMAN
JAYNE HOWARD
gbowman@trenton.k12.nj.us
jhoward@trenton.k12.nj.us

23. EWING TOWNSHIP BOARD OF EDUCATION
1331 LOWER FERRY ROAD
EWING, NJ 08618
TELEPHONE: (609) 538-9800
FAX: (609) 538-0041

CONTACT PERSON: LISA RASAW
DENNIS NETTLETON
lrasaw@ewingboe.org
dnettleton@ewingboe.org

24. TOWNSHIP OF HAMILTON
2090 GREENWOOD AVENUE - P.O. BOX 0150
HAMILTON, NJ 08650
TELEPHONE: (609) 890-3528
FAX: (609) 890-3632

CONTACT PERSON: MICHELE BADO
mbado@hamiltonnj.com

25. HAMILTON TOWNSHIP SCHOOL DISTRICT
90 PARK AVENUE
HAMILTON, NJ 08690
TELEPHONE: (609) 631-4100 X
FAX: (609) 631-4104

CONTACT PERSON: TERRI VEGA
tvega@hamilton.k12.nj.us

26. MERCER COUNTY IMPROVEMENT AUTHORITY
80 HAMILTON AVENUE- 2ND FLOOR
TRENTON, NJ 08611
TELEPHONE: (609) 278-8080
FAX: (609) 695-1452

CONTACT PERSON: Carol Navarro
cnavarro@mercercounty.org

MERCER COUNTY COOPERATIVE MEMBERS

27. TRENTON HOUSING AUTHORITY
875 NEW WILLOW ST
TRENTON, NJ 08638
TELEPHONE: (609) 278-5024
CONTACT PERSON: KEN MARTIN
kmartin@tha-nj.org

28. HAMILTON TOWNSHIP FIRE DISTRICT NO. 3
13 RENNIE STREET
HAMILTON, NJ 08610
TELEPHONE: (609) 392-1710
FAX: (609) 392-2698
CONTACT PERSON: THOMAS T. GRIBBIN, FIRE CHIEF

29. HOPEWELL TOWNSHIP FIRE DISTRICT NO. 1
201 WASHINGTON CROSSING-PENNINGTON ROAD
TITUSVILLE, NJ 08560
TELEPHONE: (609) 730-8156
(609) 537-0287
FAX: (609) 730-1563
CONTACT PERSON: SARAH OCICKI OR CHIEF MATTHEW MARTIN
Sarah.ocicki@hopewelltwpfire.org
mmartin@hopewelltwpfire.org

30. THE COLLEGE OF NEW JERSEY
2000 PENNINGTON ROAD
EWING, NJ 08628
TELEPHONE: (609) 771-2859
FAX: (609) 637-5140
CONTACT PERSON: MARK MEHLER
Mehler@tcnj.edu

31. PRINCETON PUBLIC LIBRARY
65 WITHERSPOON STREET
PRINCETON, NJ 08542
TELEPHONE: (609) 924-9529 X1252
FAX: (609) 924-7937
CONTACT PERSON: SUSAN CHERNIK
SCHERNIK@PRINCETONLIBRARY.ORG

32. STONY BROOK REGIONAL SEWERAGE AUTHORITY
290 RIVER ROAD
PRINCETON, NJ 08540
TELEPHONE: (609) 924-8881 EXT 204
CONTACT PERSON: JOHNATHAN SEARS
JSEARS@SBRSA.ORG