

ATTENTION VENDORS

If you find that you are not interested in bidding/quoting this particular project, **please fill in this sheet and return it to:**

County of Dutchess
Office of Central and Information Services
Division of Central Services
378 Violet Avenue, Suite 2
Poughkeepsie, NY 12601

We are very interested in learning why you do not bid.

BID #: **RFB-DCP-30-26**
BID TITLE: **UNIFORMS AND ACCESSORIES FOR DUTCHESS COUNTY SHERIFF'S OFFICE PERSONNEL**

VENDOR NAME _____
CONTACT _____
ADDRESS _____
PHONE _____ FAX _____

For purposes of facilitating your firm's response to our bid the County of Dutchess is interested in hearing reasons for failure to respond. If your firm is not responding, please indicate the reason by checking all appropriate items below and returning this form to the address above.

WE ARE NOT RESPONDING BECAUSE:

- Items and/or materials requested are not manufactured by us or are not available to our company.
 - Our items and/or materials do not meet your specifications
 - Specifications are not clearly understood or applicable too vague too rigid
 - Quantities too small
 - Other _____
-

**UNIFORMS AND ACCESSORIES FOR
DUTCHESS COUNTY SHERIFF'S OFFICE PERSONNEL**

**BID #
RFB-DCP-30-26**



**Bid Due
April 2, 2026
2:00 pm**

SUBMIT BIDS TO:

**COUNTY OF DUTCHESS
OFFICE OF CENTRAL AND INFORMATION SERVICES
DIVISION OF CENTRAL SERVICES
378 VIOLET AVENUE, SUITE 2
POUGHKEEPSIE, NY 12601**

PHONE (845) 486-3670

FAX (845) 486-3659

INSTRUCTIONS AND INFORMATION

Read all documents contained in the bid specifications.

- Sealed bids for **UNIFORMS AND ACCESSORIES FOR DUTCHESS COUNTY SHERIFF'S OFFICE PERSONNEL** will be received in the Division of Central Services, 378 Violet Avenue, Suite 2, Poughkeepsie, New York 12601, on or before **2:00 p.m. on April 2, 2026**, and at that time and place bids will be opened and read aloud. In addition to an on-site bid opening, this solicitation will be conducted through Microsoft Teams Audio Conferencing, access information is as follows:

Microsoft Teams meeting

MEETING: [JOIN NOW](#) Meeting ID: 261 348 665 206 12 Passcode: DN3wF9js

Dial in by phone [+1 516-268-4602,,785467071#](#) Phone conference ID: 785 467 071#

- The County of Dutchess official bid documents are obtained from the Empire State Purchasing Group's Regional Bid Notification System at www.bidnetdirect.com/new-york/county-of-dutchess or, if applicable, the Department of Public Works. Copies of bidding documents obtained from any other source are not considered official copies. In addition to obtaining the official bid documents, any and all addendum pertaining to a particular bid or RFP are posted on the same website that the official bid documents are obtained: www.bidnetdirect.com/new-york/county-of-dutchess It is incumbent upon all potential bidders to view all posted addenda prior to the bid close date. If you have obtained this document from a source other than the County of Dutchess Purchasing Office, Department of Public Works or the Empire State Regional Bid Notification System, it is recommended that you obtain an official copy. You may obtain an official copy by registering on the Empire State Regional Bid Notification System at www.bidnetdirect.com/new-york/county-of-dutchess or by using the link provided at www.dutchessny.gov, selecting "Government", then selecting "Bidding and RFP Opportunities".
- Bidders are responsible for submitting their bids to the appropriate location at or prior to the time and date as stated in the bid documents. **No bids will be accepted after the designated time or date indicated.** It is recommended that proposals be submitted in advance, at least one day prior to the specified date and time to allow for a timely receipt. Delay in mail delivery is not an exception to the receipt of a bid.
- Bidders must indicate, on the **outside of their sealed bid and mailing envelope**, the following information:
 1. **UNIFORMS AND ACCESSORIES FOR DUTCHESS COUNTY SHERIFF'S OFFICE PERSONNEL**
 2. **RFB-DCP-30-26**
 3. **April 2, 2026, 2:00 PM**
 4. **<COMPANY NAME>**Failure to do so may result in rejection of the bid as being unresponsive.

- **The following forms are necessary to be submitted as a bid, as well as any additional forms requested in the detailed specifications:**

1. **CS-1 - Bid proposal form/price page(s)** Note: some bids may include a separate Bid Proposal Form. Such exceptions will be noted in the bid specification.
2. **CS-2 – Non-Collusion Affidavit**, completed, signed and dated.

It is not necessary to submit your copy of the technical specifications with the bid. They should be retained by the bidder for their records.

- **Bidders must submit one (1) original, plus one (1) digital copy (on a USB drive, as single pdf document) of their bids, unless otherwise stated in the specifications.** The original **must be clearly marked**. All bids must be filled out in ink or be typewritten. Bids submitted in pencil will be rejected as unresponsive. Bids which have been corrected by white out or cross out and have not been initialed and/or dated will be rejected as unresponsive.

INSTRUCTIONS AND INFORMATION (Cont'd)

- The original submitted bid is the official bid document and is retained by Central Services. It is incumbent upon the bidder to ensure that the bid copy/s match the original document in its entirety.
- No bidder may withdraw a bid within forty-five (45) days after the actual date of the bid opening.
- Should the bidder find discrepancies or omissions in the specifications, he/she will notify the Purchasing Agent, at once. The Purchasing Agent will not assume responsibility for any oral instructions, or interpretations of meaning of the specifications or other contract documents to any bidder by any person or persons.
- The Purchasing Agent, and/or his/her designee, will be the only one authorized to make changes or alterations to anything contained in these specifications. Such changes will be posted as an addendum on the following website: www.bidnetdirect.com/new-york/county-of-dutchess.
- Written questions and inquiries concerning this bid must be submitted to Michael Menton mmenton@dutchessny.gov with a copy to Renée Osterhoudt at rosterhoudt@dutchessny.gov **on or before the date and time stated in the bid documents.** **Verbal questions will not be entertained.**
- References in the specifications to a particular trade name, manufacturer's catalog or model number are made for descriptive purposes to guide the bidder in interpreting the type and quality of materials or supplies or nature of work desired. Such descriptions should not be construed as excluding bids on other types of materials and supplies or for performing the work in a manner other than specified, providing that the materials and supplies and manner of performing the work offered are of equal quality to that specified and equally acceptable to the County of Dutchess for its purposes. Exceptions must be clearly stated. The Purchasing Agent will determine equal products or services.
- Samples may be requested by the County for the purpose of product evaluation. It is understood that samples will be provided at **no charge** to the County and will be returned, when requested, within 30 days after the evaluation is completed, at the expense of the vendor. All samples left longer than 30 days after the evaluation period will be discarded.
- Any bidder, contractor, or manufacturer who, in the course of his work, uses or supplies products which may be toxic or harmful, must provide an SDS to the Division of Central Services and the Office of Risk Management prior to the use of those products by the County or the contractor.
- The County of Dutchess guarantees no minimum or maximum purchase.
- Bidders who are required to adhere to the prevailing wage schedule must obtain and maintain a current schedule from the New York State Department of Labor for the entire term of the contract. The County may audit adherence to this schedule at any time during or after the contract period.
- All contractors and subcontractors submitting bids or performing construction work on public work projects or private projects covered by Article 8 of the Labor Law are required to register with the New York State Department of Labor (NYSDOL) under Labor Law Section 220-i.
- The Purchasing Agent reserves the right to reject all bids, parts of all bids, or all bids for any one or more items or contractual services included in the proposed contract, when such rejection is in the best interest of the County.
- The County of Dutchess reserves the right to award to single or multiple vendors, in whole or in part, by item, by class, by category, or to establish primary/secondary contracts, whichever the County deems to be in the best interest of the County of Dutchess.

INSTRUCTIONS AND INFORMATION (Cont'd)

- The award of the contract will be made to the lowest priced responsible bidder which has complied with the specifications. A responsible bidder is a manufacturer, producer, dealer, vendor, or bona fide manufacturer's agent who has demonstrated judgment and integrity, is of good reputation, experienced in his work, whose record of past performance in the trade is established as satisfactory, and whose financial status is such to provide no risk to the County of Dutchess in its contractual relations.
- The County reserves the right to require supplementary financial or other information from all bidders to assist in determining the qualifications of bidders.
- Upon acceptance of any bid, the successful bidder will execute a contract, if applicable, in accordance with the specifications, with the County of Dutchess, State of New York.
- A contract will not be assignable by the contractor in whole or in part without the written consent of the County of Dutchess.
- All or any Dutchess County department may participate in the resulting contract(s). Each ordering agency will be invoiced directly for their orders and will receive shipments at their designated locations.
- The County of Dutchess reserves the right to allow other governmental entities authorized under the General Municipal Laws of the State of New York, to purchase any goods and/or services awarded as a result of this bid in accordance with the latest amendments to NYS GML 100 through 104. However, it is understood that the extension of such contracts is at the discretion of the vendor and the vendor is only bound to any contract between the County of Dutchess and the vendor. Dutchess County will have no responsibility in the dealings between the vendor and any other governmental entity other than Dutchess County.
- The County reserves the right to purchase items pursuant to General Municipal Law 103 from New York State Contracts, other County, political subdivision or district contracts, or New York State Preferred Sources within its discretion.
- Prior to any vendor receiving payment for goods and/or services rendered, the County of Dutchess requires that all vendors have a current completed IRS form W-9 on file with the County of Dutchess finance department.
- A contract will be deemed in force only to the extent of appropriations available to each department for the purchase of such articles or services. The County's extended obligations on those contracts that envision extended funding through successive fiscal periods will be contingent upon actual appropriations for the following years.
- By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief that each bidder is not on the list created pursuant to paragraph (b) of subdivision 3 of section 165-a of the state finance law and certifies as to its own organization, under penalty of perjury, that the bidder has and has implemented a written policy addressing gender-based violence and the workplace and has provided such policy to all of its employees, directors and board members. Such policy shall, at a minimum, meet the requirements of subdivision 11 of Executive Law § 575 (New York state office for the prevention of domestic violence).
- Dutchess County encourages submission of bids by certified Minority and/or Women-Owned Business Enterprises (MWBE) and/or Disadvantaged Business Enterprises (DBE).
- The County is encouraging the use of electronic payment (via ACH) to entities that it does business with. Any awarded vendor will be requested to receive payments through an ACH.

INSTRUCTIONS AND INFORMATION (Cont'd)

- **CONFIDENTIAL/TRADE SECRET INFORMATION**

The County of Dutchess is subject to New York State's Freedom of Information law (FOIL). Should your submission, to this RFB, contain "trade secrets", or other information that the disclosure of which could reasonably be expected to be harmful to business interests, you must ensure that such information is clearly identified and marked as such. Identification must be specific by item or paragraph.

Should marked information be the subject of a request under FOIL, you may be requested either to consent to the request, or make representation explaining why the information should not be disclosed.

- **GRIEVANCE AND PROTEST PROCEDURES:**

1. Any protest to the Division of Central Services' consideration of any bid must be submitted in writing and received by the Director of Central Services no later than five (5) calendar days after the bid award. A written reply to the protest will be sent to the protesting bidder by the Director of Central Services.
2. The protest must contain:
 - Identification of the statute or procedure that is alleged to have been violated;
 - A precise statement of the relevant facts;
 - Identification of the issues to be resolved;
 - Aggrieved party's argument and support documentation.

Any notice of protest received after the deadline will not be considered.

- **NOTE: VARIATIONS AS STATED IN THE BID SPECIFICATIONS TAKE PRECEDENCE OVER THIS INSTRUCTIONS AND INFORMATION SECTION.**

Date: March 12, 2026

BID SPECIFICATIONS

RFB-DCP-30-26

UNIFORMS AND ACCESSORIES FOR DUTCHESS COUNTY SHERIFF'S OFFICE (LAW ENFORCEMENT) PERSONNEL

1.0 Scope

The County of Dutchess has a requirement for furnishing uniform clothing and accessories for approximately 90 male and 20 female law enforcement staff.

2.0 Technical Specifications

- 2.1 It is the intent of the County to contract with a vendor and to establish unit prices for these items for the stated contract term. Notwithstanding the details presented in the specifications, it shall be the responsibility of the Bidder to verify the completeness of same to meet the intent of the specifications; it being understood that a complete reliable supply of uniforms and accessories satisfactory to the Sheriff's Office shall be required in all cases.
- 2.2 The successful responsible bidder(s) shall be prepared, if requested, to furnish evidence, including documentary evidence where deemed necessary, to establish proof of financial responsibility and ability to perform the contract if awarded. This may include an inventory statement. Bidders shall maintain shelf stock for immediate delivery. **Bidders must be an authorized retailer or wholesaler for the materials offered**
- 2.3 The successful vendor(s) must perform alterations for each individual employee. All measurements and/or fittings shall be taken by the vendor at the requesting department's location or, if acceptable to the County, in the vendor's local facility.
- 2.4 The use of a brand name is intended to describe the desired standard of quality, performance, and characteristics, and is not meant to limit or restrict competition. Any alternate item offered must meet or exceed the stated specifications, and the part number and description must be entered in the Schedule of Items column of Bid Proposal Form CS-1. Bidders must include evidence or documentation with their bid submission demonstrating that the alternate item meets or exceeds the minimum specification requirements. **SAMPLES of alternate offered items will be required.** The final decision to determine whether any item, service, or feature meets or exceeds minimum requirements rests with the County of Dutchess.
- 2.5 The County may terminate with or without cause at any time prior to the contractual end date.

Each employee will have a choice of different fabrications they may order. Please take note of the different options stated in the specifications.

3.0 Detailed Specifications

3.1– Shirts

3.1.1 Shirt, Long Sleeve, Male and Female General

REQUESTED MODEL: Blauer Flexers Long Sleeve Supershirt 8671 and Blauer Flexers Long Sleeve Supershirt 8671W

COLOR: Black



All garment details not specifically described herein; tailoring, styling, construction, materials, and components must match the standard reference sample on file with the agency. Written specifications attempt to describe key requirements of a 3D garment and cannot do so adequately and therefore silence of the specifications does not absolve bidders from matching with precision the standard reference sample.

Pre-bid samples will be required at the time of the bid opening. Samples may be subjected to laboratory testing at the discretion of the contracting officer. Bidders are responsible for all testing costs of their sample garments.

Bidders must enclose evidence (dated manufacturers catalogs or similar) that this item is currently a commercial in-stock style. The successful bidder will provide a full size run of try-on garments within 10 days for agency approval.

Garments must be manufactured to ISO 9001 quality assurance standard. A copy of the certificate registration will be required with the bid.

Specification based on Men Size 15.5, Regular length.



FABRIC:

SHELL: Content- 100% Polyester. Rip-stop weave with weft mechanical stretch. Shall be piece dyed with soil-release qualities and Teflon, durable water repellent finish. The fabric has excellent colorfastness properties, is machine washable and dry cleanable and provides the user comfort, uniform appearance, durability, and easy care. Weight – 150 grams per square meter +/- 5%

Physical Properties:

- Warp Yarn – 150D SD
- Filling Yarn – 150D SD
- Picks/inch – 111T
- Ends/inch – 77T
- Warp Stretch – 1%
- Fill Stretch- 15%
- Breaking/Tensile Strength- 80 lbs x 50 lbs
- Tear Strength- 4 lbs x 3 lbs
- Pilling resistance (random tumble test for 30 minutes)- 4 grade
- Dry Crocking- 3 grade
- Wet Crocking – 2.5 grade
- Colorfastness to washing and light- 4 grade

SATIN FABRIC: Content – 100% Polyester Satin. Piece dyed to match shell fabric.

Physical Properties:

- Weight – 160 grams per square meter +/-5%
- Dry crocking- 3 grade
- Wet crocking- 2.5 grade

MESH: Content- 92% Nylon, 8% Spandex . The knit mesh is piece dyed and has anti-odor and water repellent finishes.

Physical Properties:

- Weight- 212 grams per square meter +/-5%
- Dry crocking- 3-4 grade
- Wet crocking- 2-3 grade

TRIM:

- Interlining: polyester non- woven. The following small parts shall be top fused prior to sewing: plackets, collar, pocket flaps and epaulets.
- Center Front Zipper: nylon coil, separating, #4.5 with lock slider; Color: matching
- Buttons: melamine, 20 ligne, 4-hole; Color: matching
- Collar Stays
- Hook & Loop: 5/8" width; Color: matching
- Reflective: heat-applied, 1/2" wide 'crosswalk' pattern; Color: silver
- Thread: Tex 30, polyester wrapped on monofilament polyester; Color: matching

GENERAL DESIGN:

Long sleeve shirt with faux button front and hidden separating zipper closure. Scalloped pocket flaps, pleated and mitered chest pockets, banded collar, back yoke, adjustable button cuffs, and side stretch panels for comfort and breathability.

FRONT AND BACK:

The front shall have a center facing 1-1/2" wide, extending to the bottom of the shirt and finished with two rows of double needle top- stitching 7/8" apart. This center facing shall be top fused to give body. There shall be a 14" Nylon zipper with a compatible-colored tape sewn to the front of the shirt, replacing the second, third, fourth, and fifth buttons which are to be sewn on top of the faux buttonhole on the top center front facing. The buttonholes on the center front shall be placed 3/4" from the edge and spaced so that the distance from the center of the button to the center of the next button is 3-1/2". The neck button, first front button and bottom front button shall be functional. The back has a straight yoke and 3 stitched creases. Hem shall be clean finished using double bend back folder with 1/4" top stitching gauge.

COLLAR:

Banded collar measures 2" tall at the center back and the band/stand measures 1-1/4" and has a medium spread. Collar consists of 2-ply shell and 1-ply interlining on top collar only stand is 1-ply shell with 1 -ply interlining and satin on the inside. Stand shall fasten with (1) button at the center front. Permanent collar stays measure 2-1/2" in length and 3/8" wide are inserted into the points and stitched to the underside of the collar. Collar shall be finished with 1/4" double needle topstitching all around the opening edge and is clean finished at the neck and has a 1/16" edge-stitch. There is reflective trim heat sealed at the center back under collar, 3/4" from the collar edge.

SLEEVES:

The sleeves are 2 pieces with the majority of it shell with a small, triangular insert at the underarm. The cuffs are 2-1/4" tall and fasten with 2 four hole buttons. The cuff shall have a 1/16" edge stitch around the opening edges and is attached to the sleeve with a clean finish and 1/4" wide double needle top-stitch. There shall be a sleeve vent opening 4-1/2" long from the top of the cuff. The vent placket shall be a cathedral style and

measures 1" wide and 6" tall. It will close with 1 button and buttonhole which is placed approximately halfway up the opening. Cuffs are to be top fused and reflective crosswalk trim shall be heat-sealed on the inside edge of cuff centered over the arm.

MESH SIDE PANELS:

Mesh panels are sewn at both sides of the body and at the underarm with an overedge that is then clean finished with a 1/4" wide double needle top-stitch. Sleeve mesh panels measure 2" wide at the opening edge and 3" wide at the armhole. Side panels measures 3" wide at the armhole and 4 3/4" wide at the hem opening.

There is a 1" wire opening below the notebook pocket on both side seams towards the front.

POCKETS:

There are (2) hidden napoleon pockets and (2) chest pockets. Chest pockets have a 1/4" double needle top-stitch along the sides and bottom. They measure 5-3/4" tall and 5-1/2" wide and have a 1" bend-back at the top edge that is over-edged and stitched down with a single needle top-stitch. Both pockets shall have a pencil opening 1-1/4" wide and 1-1/2" box pleats stitched at top and bottom to prevent spreading. Reflective crosswalk trim is heat sealed 3/8" below top edge of pocket.

FLAPS:

A two piece scalloped design that measure 5-3/4" across by 2-3/4" in depth at center point, 2-1/2" at sides and is secured to the shirt front approximately 3/8" above pockets. Flaps are to have continuous double needle stitching all the way around except for at the pencil opening. Hidden pencil opening measures 1-1/4" to correspond precisely with inside pencil compartment. Flaps have woven interlining of stabilized fusible. The side points of the flaps are to be secured to the pocket by means of hook and loop fasteners sewn onto the flaps and pockets, the hook portion being stitched to the pocket and loop portion sewn to the underside of the flap. The loop piece sewn to the flap shall not be sewn through and through the flap but rather attached during the manufacturing process before the flap is assembled to prevent the stitching from showing. There are buttons on each center point of the right and left flaps and a faux buttonhole behind it.

BADGE SLING:

To be reinforced on the inside of the shirt by means of a strip of shirt material 1-1/2" wide, stitched and folded, so that there are no raw edges. This reinforcement strip is to be set approximately 2" down from the top of the pocket, to be caught in the double stitching of the flap setting stitches and extend and be caught in the joining seam at the front of yoke. There are two small, horizontal buttonholes 1-3/8" apart with the buttonhole 1-1/4" above the top of the left flap.

EPAULETS:

The shoulder strap shall have a 1/4" double needle top-stitch all around. It is inserted into the armhole at the natural shoulder so the point is towards the neck seam. The epaulet is 1-1/2" wide at the point and 1-3/4" wide at the armhole. The length is to be graded according to the size of the shirt. The strap shall be cross stitched to the shoulder approximately 1-3/4" from the sleeve head seam.

BACK YOKE:

One-piece back yoke is fully lined with matching satin. The yoke is to measure approximately 4-1/4" high at the center back. The yoke shall have a 1/4" wide, double needle top-stitch along the seam to prevent rolling of the yoke seam.

STITCHING:

All stitching conforms to Federal Standard 751 specifications (FED-STD-751). All stitch types are sewn at stitch per inch (S.P.I.) rates individually set by operation at no less than 10 S.P.I. and not more than 12 S.P.I. to insure extended sewn wear life. All thread tension is evenly maintained to eliminate tight or loose stitching. All seam allowances are to be maintained so that there are no raw edges, run offs, twist, pleats, puckers or open seams.

PERMANENT MILITARY CREASES:

There will be 5 permanent 1/16" military style stitched creases. One crease on each front extending from hem to shoulder joining seam. Front pockets and flaps to be centered over the crease. Crease is not to run through pocket of flap. Three vertical creases in back starting at the bottom of the yoke, middle crease on center back line, side creases spaced equally from center crease.

SIZES:

Size labels are to be located inside of collar.

CARE LABEL:

Care instructions are sewn 1" from bottom hem in wearer's left side seam.

PRESSING & FINISHING:

Shirt shall be carefully pressed by hand in a first class manner. All loose threads to be thoroughly trimmed.

STANDARD SIZE RANGE:

Men's: 14- 22.5 neck, 31, 33, 35, 37, 39, 41 sleeve lengths

Women's: 28, 30, 32, 34, 36~56, Regular and Tall lengths

MEASUREMENTS:

Men's: Size 15.5 neck, 35 sleeve length

1/2 Chest: 23 (plus or minus 0.75 inches)

Back length: 32.5 (plus or minus 0.75 inches)

Women's: Size 36, Regular

Neck Width: 6.38 (plus or minus 0.125 inches)

Chest: 41 (plus or minus 0.75 inches)

Back Length: 28 (plus or minus 0.5 inches)

Sleeve Length: 32.5 (plus or minus 0.5 inches)

3.1.2 Shirt, Short Sleeve, Male and Female General

REQUESTED MODEL: Blauer Flexrs Short Sleeve Supershirt 8676 and Blauer Flexrs Short Sleeve Supershirt 8676w

GENERAL:



All garment details not specifically described herein; tailoring, styling, construction, materials, and components must match the standard reference sample on file with the agency. Written specifications attempt to describe key requirements of a 3D garment and cannot do so adequately and therefore silence of the specifications does not absolve bidders from matching with precision the standard reference sample.

Pre-bid samples will be required at the time of the bid opening. Samples may be subjected to laboratory testing at the discretion of the contracting officer. Bidders are responsible for all testing costs of their sample garments.

Bidders must enclose evidence (dated manufacturers catalogs or similar) that this item is currently a commercial in-stock style. The successful bidder will provide a full size run of try-on garments within 10 days for agency approval.

Garments must be manufactured to ISO 9001 quality assurance standard. A copy of the certificate registration will be required with the bid.

Specification based on Men Size Medium, Regular length.



FABRIC:

SHELL: Content- 100% Polyester. Rip-stop weave with weft mechanical stretch. Shall be piece dyed with soil-release qualities and Teflon, durable water repellent finish. The fabric has excellent colorfastness properties, is machine washable and dry cleanable and provides the user comfort, uniform appearance, durability, and easy care.

Physical Properties:

- Weight – 150 grams per square meter +/- 5%
- Warp Yarn – 150D SD
- Filling Yarn – 150D SD
- Picks/inch – 111T
- Ends/inch – 77T
- Warp Stretch – 1%
- Fill Stretch- 15%
- Breaking/Tensile Strength- 80 lbs x 50 lbs

- Tear Strength- 4 lbs x 3 lbs
- Pilling resistance (random tumble test for 30 minutes)- 4 grade
- Dry Crocking- 3 grade
- Wet Crocking – 2.5 grade
- Colorfastness to washing and light- 4 grade

SATIN FABRIC: Content – 100% Polyester Satin. Piece dyed to match shell fabric..

Physical Properties:

- Weight – 160 grams per square meter +/-5%
- Dry crocking- 3 grade
- Wet crocking- 2.5 grade

MESH: Content- 92% Nylon/ 8% Spandex. The knit mesh is piece dyed and has anti-odor and water repellent finishes.

Physical Properties:

- Weight- 212 grams per square meter +/-5%
- Dry crocking- 3-4 grade
- Wet crocking- 2-3 grade

TRIM:

- Interlining: polyester non- woven. The following small parts shall be top fused prior to sewing: plackets, collar, pocket flaps and epaulets.
- Center Front Zipper: nylon coil, separating, #4.5 with lock slider; Color: matching
- Buttons: melamine, 20 ligne, 4-hole; Color: matching
- Collar Stays
- Hook & Loop: 5/8” width; Color: matching
- Reflective: heat-applied, 1/2” wide ‘crosswalk’ pattern; Color: silver
- Thread: Tex 30, polyester wrapped on monofilament polyester; Color: matching

GENERAL DESIGN:

Short sleeve shirt with faux button front and hidden separating zipper closure. Scalloped pocket flaps, pleated and mitered chest pockets, convertible sport collar, back yoke, and side stretch panels for comfort and breathability.

FRONT AND BACK:

The front shall have a center facing 1-1/2” wide, extending to the bottom of the shirt and finished with two rows of double needle top- stitching 7/8” apart. This center facing shall be top fused to give body. There shall be a 14” Nylon zipper with a compatible colored tape sewn to the front of the shirt, replacing the second, third, fourth, and fifth buttons which are to be sewn on top of the faux buttonhole on the top center front facing. The buttonholes on the center front shall be placed 3/4” from the edge and spaced so that the distance from the center of the button to the center of the next button is 3-1/2”. The neck button, first front button and bottom front button shall be functional. The back has a straight yoke and 3 stitched creases. Hem shall be clean finished using double bend back folder with 1/4" top stitching gauge.

COLLAR:

Convertible collar measures 3" at the center back, has a medium spread and points that measure 2 3/4" long. Collar consists of 2-ply shell and 1-ply interlining on top collar only, and 1-ply taffeta banana band. Permanent collar stays measure 2-1/2" in length and 3/8" wide and are caught along the point seams in between the plies of the collar. Collar shall be finished with 1/4" double needle topstitching all around the opening edge and is clean finished at the neck and has a 1/16" edge-stitch. There is reflective trim heat sealed at the center back under collar, 3/4" from the collar edge.

SLEEVES:

Sleeves are set-in and made of 2 pieces: the shell for the over-arm and mesh for an underarm insert. Hem is a 1", clean finished bend-back with top-stitching and 1/16" edge stitching along the opening to prevent rolling. Reflective crosswalk trim is heat-sealed in place, centered to the underside of the sleeve hem and at the overarm.

MESH SIDE PANELS:

Mesh panels are sewn at both sides of the body and at the underarm with an overedge that is then clean finished with a 1/4" wide double needle top-stitch. Sleeve mesh panels measure 2" wide at the opening edge and 3" wide at the armhole. Side panels measures 3" wide at the armhole and 4 3/4" wide at the hem opening. There is a 1" wire opening below the notebook pocket on both side seams towards the front.

POCKETS:

There are (2) hidden napoleon pockets and (2) chest pockets. Chest pockets have a 1/4" double needle top-stitch along the sides and bottom. They measure 5-3/4" tall and 5-1/2" wide and have a 1" bend-back at the top edge that is over-edged and stitched down with a single needle top-stitch. Both pockets shall have a pencil opening 1-1/4" wide and 1-1/2" box pleats stitched at top and bottom to prevent spreading. Reflective crosswalk trim is heat sealed 3/8" below top edge of pocket.

FLAPS:

A two piece scalloped design that measure 5-3/4" across by 2-3/4" in depth at center point, 2-1/2" at sides and is secured to the shirt front approximately 3/8" above pockets. Flaps are to have continuous double needle stitching all the way around except for at the pencil opening. Hidden pencil opening measures 1-1/4" to correspond precisely with inside pencil compartment. Flaps have woven interlining of stabilized fusible. The side points of the flaps are to be secured to the pocket by means of hook and loop fasteners sewn onto the flaps and pockets, the hook portion being stitched to the pocket and loop portion sewn to the underside of the flap. The loop piece sewn to the flap shall not be sewn through and through the flap but rather attached during the manufacturing process before the flap is assembled to prevent the stitching from showing. There are buttons on each center point of the right and left flaps and a faux buttonhole behind it.

BADGE SLING:

To be reinforced on the inside of the shirt by means of a strip of shirt material 1-1/2" wide, stitched and folded, so that there are no raw edges. This reinforcement strip is to be set approximately 2" down from the top of the pocket, to be caught in the double stitching of the flap setting stitches and extend and be caught in the joining

seam at the front of yoke. There are two small, horizontal buttonholes 1-3/8" apart with the buttonhole 1-1/4" above the top of the left flap.

EPAULETS:

The shoulder strap shall have a 1/4" double needle top-stitch all around. It is inserted into the armhole at the natural shoulder so the point is towards the neck seam. The epaulet is 1-1/2" wide at the point and 1-3/4" wide at the armhole. The length is to be graded according to the size of the shirt. The strap shall be cross stitched to the shoulder approximately 1-3/4" from the sleeve head seam.

BACK YOKE:

One-piece back yoke is fully lined with matching satin. The yoke is to measure approximately 4-1/4" high at the center back. The yoke shall have a 1/4" wide, double needle top-stitch along the seam to prevent rolling of the yoke seam.

STITCHING:

All stitching conforms to Federal Standard 751 specifications (FED-STD-751). All stitch types are sewn at stitch per inch (S.P.I.) rates individually set by operation at no less than 10 S.P.I. and not more than 12 S.P.I. to insure extended sewn wear life. All thread tension is evenly maintained to eliminate tight or loose stitching. All seam allowances are to be maintained so that there are no raw edges, run offs, twist, pleats, puckers or open seams.

PERMANENT MILITARY CREASES:

There will be 5 permanent 1/16" military style stitched creases. One crease on each front extending from hem to shoulder joining seam. Front pockets and flaps to be centered over the crease. Crease is not to run through pocket of flap. Three vertical creases in back starting at the bottom of the yoke, middle crease on center back line, side creases spaced equally from center crease.

SIZES:

Size labels are to be located inside of collar.

CARE LABEL:

Care instructions are sewn 1" from bottom hem in wearer's left side seam.

PRESSING & FINISHING:

Shirt shall be carefully pressed by hand in a first class manner. All loose threads to be thoroughly trimmed.

STANDARD SIZE RANGE:

Men's: XS-8XL, Regular and Tall lengths

Women's: 28, 30, 32, 34, 36~56, Regular and Tall lengths

MEASUREMENTS:

Men's: Size Medium, Regular

Neck width: 6.375 (plus or minus 0.375 inches)

1/2 Chest: 23 (plus or minus 0.75 inches)

Back Length: 32.5 (plus or minus 0.5 inches)

Sleeve length: 20 (plus or minus 0.75 inches)ches)

Women's: Size 36, Regular

Neck Width: 6 (plus or minus 0.5 inches)
Chest: 41 (plus or minus 0.75 inches)
Back Length: 28 (plus or minus 0.5 inches)
Sleeve Length: 18.5 (plus or minus 0.5 inches)

3.1.3 Shirt, Long Sleeve, Male and Female General

REQUESTED MODEL: **3.1.3.a** ELBECO CX360 # 3520N (Male);
REQUESTED MODEL: **3.1.3.b** ELBECO CX360 # 3560LC (Female)

COLOR: Black

Style: It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirt is cut on a form-fitting line, and the shape of pockets and general style conform to this sample.

Tailoring: It is imperative that this garment is constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size to avoid puckering after shirt has been laundered and give best durable press performance. All sewing is with Dacron core thread to match shirt fabric. Collar and cuffs are single stitched ¼" from edge. Pockets and flaps are single stitched on the edge.



Fabric: 100% Nanospun polyester with 16 % fiber stretch, left hand twill. Weight is 4.5 oz. per square yard. With fiber stretch, fabric maintains its stretch and recovery over time. Must be treated at the fiber level with Nano fluid repellency technology for permanent superior fluid resistance and UV 40+ protection while maintaining original fabric breathability. Fabric meets pilling test standards per ASTM 4970 of 5.0.

Colors: White, gray, black, tan, midnight navy, medium blue, spruce green, French blue, and OD green.

Collar: Shape and style of both leaf and stand conform to the TT89 banded collar. Points, medium spread, are approximately 3" long. Back of stand measures 1½". Stand fastens with one button and one horizontal buttonhole. Leaf is made of three pieces; two pieces of self-fabric and one whole lining, which is fused to the top collar.

Inner stand and inner yoke are made of poly/cotton. Collar stays are of good quality vinyl that measure 2½" long x ⅜" wide and are attached to the bottom collar

Sleeves: To be straight and whole. Cuffs are 2⅞" wide and fasten with two-button adjustable cuffs. There is

a single stitch 1/2" from top of cuff. Sleeve opening measures 5 1/4" from top of cuff. Top facing for this opening is 1" wide and bottom facing finishes about 1/2" wide.

Sleeves must be secured to the body of the shirt by a merrow stitch with a safety stitch to properly strengthen the stitch. The same stitch is used on the side closing seams.

Flex Vent: Flex Vent is made from 92% polyester/8% spandex mesh. Diamond shaped mesh measuring 3 1/2" wide x 10 1/4" long is set into the sleeve and body panels at the underarm to allow body heat ventilation, increased mobility, and comfort.

Front: Front has a facing 3" wide extending from neckline to the bottom of shirt provided by a turnunder of material. Left front has a lined false top center 1 1/2" wide, finished, running full length of the shirt with two rows of stitching 7/8" apart. Left front contains seven vertical buttonholes placed 3/4" from edge: first 2 1/2" down from neck and the balance 3 1/2" apart. The 2nd, 3rd, 4th, and 5th buttons are sewn on the top center and are not functional. Right front has a button piece, 7/8" wide, stitched the full length. First and 6th buttons are securely attached to the button piece and correspond to buttonholes in the center front.

Zipper: A 14" nylon zipper is sewn to the front, positioned below the first button to replace the 2nd, 3rd, 4th, and 5th buttons that are sewn on the top center. First and 6th buttons are functional.

Dual Comm Access Openings:

Access openings measuring 1 1/2" are set in each side seam 1" below the bottom tip of the Flex Vent. Pouch-style openings are clean finished, neatly concealed, and reinforced for durability. Openings are used to thread communication wires under the front of the shirt to keep them out of the way.





Pockets: Two double-entry chest pockets with mitered corners finish 5 5/8" wide x 6" long. Side entries form utility pockets closed with Velcro. Pockets have 1 1/4" box-pleats stitched from top to bottom to prevent spreading and 1 1/4" wide pencil compartments.

Flaps: Scalloped flaps that finish 5 3/4" wide are secured to front of shirt with two rows of stitching and have 1 1/4" wide pencil openings. Matching buttons and buttonholes are centered on flaps. Flaps are secured to pockets by Velcro fasteners sewn onto flaps and pockets.


Badge Tab: Reinforced on inside of the shirt by a strip of material, 1 1/2" wide, stitched and folded so that no raw edges show. Reinforcement strip extends from the flap setting stitch to the joining seam at the front of the yoke. There are two small horizontal buttonholes 1 1/4" apart with the bottom hole 1 1/2" above top of left flap.

Mic Tab: A 3/4" x 2" mic tab is set 3 1/2" below the center of the neckline.

Name Tape: An optional 7/8" x 8" loose name tape is set inside the right front pocket.



Buttons: All buttons, size 20 ligne, are made from high impact melamine and must match fabric.



Shoulder Straps:

Shoulder straps are pointed at the ends toward the neck. The other ends are sewn in the sleeve head seams. Pointed ends are fastened with one matching button. Straps measure 2" at sleeves and taper to 1 3/8" and are set about 2" from the collar. Straps are box-stitched to shoulders with a row of cross-stitching 2" from sleeve head seams. There are 1" concealed openings under the straps, set halfway between the neck seams and shoulder seams, to thread communication wires.

Back: Yoke, composed of an outer ply of self-fabric and inner ply of poplin, is joined at the sideseams with 5-thread safety stitches.

Permanent Creases:

Shirt has permanent military creases. Creases are stitched in shirt only, not through pockets and flaps. One crease in each front extends from hem to joining seam. Three vertical creases are in back; middle crease is on the center line and side creases are spaced equally from the center crease.

Creasing: Pockets and pocket flaps are die-creased to give uniform shape and size.

Interlining: Collar is CK331. Cuffs are M37 H-Press. Flaps are EZ Crease. Top center is interlined.

Labels: A heat-seal label in yoke contains brand, size, content, and country of origin. Care label with cut number is sewn inside the sideseam. Descriptive product hang tag is attached to front of shirt.

Pressing and Packing:

Shirts are carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts are bulk-packed and shipped in strong boxes so as not to be damaged in shipment.

UPC Identification:

A printed UPC bar code tag must be attached to every garment to be visible in the package. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions is made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, non-discrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions:

Size:	14	14½	15	15½	16	16½	17	17½	18	18½	19	20	22
Chest	39	41	43	45	47	49	51	53	55	57	59	61	73
Waist	35	37	39	41	43	45	47	50	53	55	58	62	73
Back Length	32¾	32¼	32¾	32¾	32¼	33	33½	34½	34¾	35½	36	36½	37¼
Combination Sleeve Length				32/33 is 33									
				34/35 is 35									
				36/37 is 37									

3.1.4 Shirt, Short Sleeve, Male and Female General

REQUESTED MODEL: 3.1.4.a ELBECO CX360 Short Sleeve Shirt # 3540N (male)

REQUESTED MODEL: 3.1.4.b ELBECO CX360 Short Sleeve Shirt # 3570LC (female)

COLOR: Black

Style: It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirt is cut on a form-fitting line, and the shape of pockets and general style conform to this sample.

Tailoring: It is imperative that this garment is constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size to avoid puckering after shirt has been laundered and give best durable press performance. All sewing is with Dacron core thread to match shirt fabric. Collar and cuffs are singlestitched ¼" from edge. Pockets and flaps are single stitched on the edge.

Fabric: 100% Nanospun polyester with 16 % fiber stretch, left hand twill. Weight is 4.5 oz. per square yard. With fiber stretch, fabric maintains its stretch and recovery over time.

Must be treated at the fiber level with Nano fluid repellency technology for permanent superior fluid resistance and UV 40+ protection while maintaining original fabric breathability. Fabric meets pilling test standards per ASTM 4970 of 5.0.

Colors: White, black, gray, tan, midnight navy, medium blue, spruce green, French blue, and OD green.

Collar: Convertible collar is one piece, measures 3" long at points and 1⅝" wide at back and is constructed of two plies of self-fabric and one ply of interlining. Collar lining is banana shaped. Collar stays are of good quality vinyl measuring 2½" long x ⅜" wide and are attached to the bottom collar.

Sleeves: To be straight and whole, have 1" hems and finish from shoulder seams as follows:


Size 14 and	Finished
14½ 15, 15½,	Length 9½" 10"
and 16 16½	10½"
and above	



Sleeves must be secured to the body of the shirt by a merrow stitch with a safety stitch to properly strengthen the stitch. The same stitch is used on the side closing seams.

Flex Vent: Flex Vent is made from 92% polyester/8% spandex mesh. Diamond-shaped mesh measuring 3½" wide x 10¼" long is set into the sleeve and body panels at the underarm to allow body heat ventilation, increased mobility, and comfort.


Front: Front has a facing 3" wide extending from neckline to the bottom of shirt provided by a turnunder of material. Left front has a lined false top center 1½" wide, finished, running full length of the shirt with two rows of stitching ⅞" apart. Center front contains seven vertical buttonholes placed ¾" from edge: first at neck, second 2½" down and the balance 3½" apart. The 3rd, 4th, 5th, and 6th buttons are sewn on the top center and are not functional. Right front has a button piece, ⅞" wide, stitched the full length. First, second, and 7th buttons are securely attached to the button piece and correspond to buttonholes in the center front.




Zipper: A 14" nylon zipper is sewn to the front, positioned below the second button to replace the 3rd through 6th buttons. First two and bottom buttons are functional.

Dual Comm Access Openings:


Access openings measuring 1½" are set in each side seam 1" below the bottom tip of the Flex Vent. Pouch-style openings are clean finished, neatly concealed, and reinforced for durability. Openings are used to thread communication wires under the front of the shirt to keep them out of the way.



Pockets: Two double-entry chest pockets with mitered corners finish 5⅝" wide x 6" long. Side entries form utility pockets closed with Velcro. Pockets have 1¼" boxpleats stitched from top to bottom to prevent spreading and 1¼" wide pencil compartments.



Flaps: Two scalloped flaps that finish 5¾" wide, 2¾" long at center, and 2½" long at sides are secured to front of shirt with two rows of stitching and have 1¼" wide pencil openings. Matching buttons and buttonholes are centered on flaps. Flaps are secured to pockets by Velcro fasteners sewn onto flaps and pockets.



Badge Tab: Reinforced on inside of the shirt by a strip of material, 1½" wide, stitched and folded so that no raw edges show. Reinforcement strip extends from the flap setting stitch to the joining seam at the front of the yoke. There are two small horizontal buttonholes 1¼" apart with the bottom hole 1½" above top of left flap.


Mic Tab: A ¾" x 2" mic tab is set 3½" below the center of the neckline.

Name Tape: An optional ⅞" x 8" loose name tape is set inside the right front pocket.

Buttons All buttons, size 20 ligne, are made from high impact melamine and must match fabric.
:

Shoulder Straps:

Shoulder straps are pointed at the ends toward the neck. The other ends are sewn in the sleeve head seams. Pointed ends are fastened with one matching button. Straps measure 2" at sleeves and taper to 1 3/8" and are set about 2" from the collar. Straps are box-stitched to shoulders with a row of cross-stitching 2" from sleeve head seams. There are 1" concealed openings under the straps, set halfway between the neck seams and shoulder seams, to thread communication wires.



Back: Yoke, composed of an outer ply of self-fabric and inner ply of poplin, is joined at the side seams with 5-thread safety stitches.

Permanent Creases:

Shirt has permanent military creases. Creases are stitched in shirt only, not through pockets and flaps. One crease in each front extends from hem to joining seam. Three vertical creases are in back; middle crease is on the center line and side creases are spaced equally from the center crease.

Creasing: Pockets and pocket flaps are die-creased to give uniform shape and size.

Interlining: Collar is CK331. Flaps are EZ Crease. Top center is interlined.

Labels: A heat-seal label in yoke contains brand, size, content, and country of origin. Care label with cut number is sewn inside the sideseam. Descriptive product hang tag is attached to front of shirt.

Pressing and Packing:

Shirts are carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts are bulk-packed and shipped in strong boxes so as not to be damaged in shipment.

Finished Dimensions:

Size:	14	14½	15	15½	16	16½	17	17½	18	18½	19	20	22
Chest	39	41	43	45	47	49	51	53	55	57	59	61	73
Waist	35	37	39	41	43	45	47	50	53	55	58	62	73
Back Length	32¼	32¼	32¾	32¾	32¾	33	33½	34½	34¾	35½	36	36½	37¼

3.1.5 Shirt, Long Sleeve Dress, Male and Female General

REQUESTED MODEL: **3.1.5.a** ELBECO Z313N TexTrop2 Long Sleeve Polyester Shirt (male)

REQUESTED MODEL: **3.1.5.b** ELBECO Z9313CLN TexTrop2 Long Sleeve Polyester Shirt (female)

COLOR: Blue

And

REQUESTED MODEL: **3.1.5.c** ELBECO Z310N TexTrop2 Long Sleeve Polyester Shirt (male)

REQUESTED MODEL: **3.1.5.d** ELBECO Z9310CLN TexTrop2 Long Sleeve Polyester Shirt (female)

COLOR: White

- A. **Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirt is cut on a form-fitting line, and the shape of pockets and general style conform to this sample.
- B. **Tailoring:** It is imperative that this garment is constructed according to the principles set forth in the

specifications. All stitches must be of the proper tension and size to avoid puckering after shirt has been laundered and give best durable press performance. All sewing is with Dacron core thread to match shirt fabric. Collar and cuffs are singlestitched ¼" from edge. Pockets and flaps are single-stitched on the edge.

C. **Fabric:** 100% texturized polyester plain-weave with mechanical stretch to ensure permanent moisture control, superior breathability, soil resistance, easy care, wrinkle resistance, color matching, and color retention. Weight is 5.5 oz. per square yard. Nano moisture wicking technology is applied at the fiber level to capture and pull fluids and perspiration away from skin and spread it over fabric surface for quick evaporation to keep the wearer dry and comfortable.



D. **Colors:** White, gray, tan, blue, midnight navy, brown, French blue, black, and spruce green
 E. **Collar:** Shape and style of both leaf and stand conform to the TT89 banded collar. Points, medium spread, are approximately 3" long. Back of stand measures 1½". Stand fastens with one button and one horizontal buttonhole. Leaf is made of three pieces; two pieces of self-fabric and one whole lining, which is fused to the top collar.

Inner stand and inner yoke are made of poly/cotton. Collar stays are of good quality vinyl that measure 2½" long x ⅜" wide and are attached to the bottom collar.

F. **Sleeves:** To be straight and whole. Two-button adjustable cuffs are 2⅞" wide. There is a single stitch 7/16" from top of cuff. Sleeve opening measures 4⅞" from top of cuff. Top facing for this opening is 1¼" wide and bottom facing finishes about ½" wide.

Sleeves must be secured to the body of the shirt by a merrow stitch with a safety stitch to properly strengthen the stitch. The same stitch is used on the side closing seams.

G. **Flex Vent:** Flex Vent is made from 92% polyester/8% spandex mesh. Diamondshaped mesh measuring 3¼" wide x 10¼" long is set into the sleeve and body panels at the underarm to allow body heat ventilation, increased mobility, and comfort.



H. **Front:** Front has a center facing 1½" wide extending from collar stand to bottom of shirt and is made of self-fabric with two rows of stitching, ⅞" apart. Left front contains six vertical buttonholes placed ¾" from edge, 3½" apart.

First and 6th buttons are securely attached to the right front and correspond to buttonholes on the left front. Remaining buttons are sewn to the left front on the buttonholes.



I. **Zipper:** A 14" nylon zipper is sewn to the front, positioned 1½" below the first button to replace the 2nd, 3rd, 4th, and 5th buttons that are sewn on the top center. Neck, first, and 6th buttons are functional.

J. **Dual Comm Access Openings:** Access openings measuring 1½" are set in each sideseam 1" below the bottom tip of the Flex Vent. Pouch-style openings are cleanfinished, neatly concealed, and reinforced for durability. Openings are used to thread communication wires under the front of the shirt to keep them out of the way.

K. **Pockets:** Two double-entry chest pockets with mitered corners finish 5⅝" wide x 6" long. Side entries form utility pockets closed with Velcro. Pockets have ¼" boxstitching top to bottom to prevent spreading. Left pocket has a ¼" wide pencil compartment.



- L. **Flaps:** Two scalloped flaps that finish 5¾" wide, 2¾" long at center, and 2½" long at sides are secured to front of shirt with two rows of stitching. Non-functional matching buttons and buttonholes are centered on flaps. Left flap has a 1¼" wide pencil opening. Flaps are secured to pockets by Velcro fasteners sewn onto flaps and pockets.
- M. **Badge Tab:** Reinforced on inside of the shirt by a strip of material, 1½" wide, stitched and folded so that no raw edges show. Reinforcement strip extends from the flap setting stitch to the joining seam at the front of the yoke. There are two small horizontal buttonholes 1¼" apart with the bottom hole 1½" above top of left flap.
- N. **Buttons:** All buttons, size 20 ligne, are made from high impact melamine and must match fabric.
- O. **Shoulder Straps:** Shoulder straps are pointed at the ends toward the neck. The other ends are sewn in the sleeve head seams. Pointed ends are fastened with one matching button. Straps measure 2" at sleeves and taper to 1⅜" and are set about 2" from the collar. Straps are box-stitched to shoulders with row of cross-stitching 2" from sleeve head seams.
- P. **Back:** Yoke, composed of an outer ply of self-fabric and inner ply of poplin, is joined to the back with a clean-finished lockstitch, finishing 4" at center
- Q. **Permanent Creases:**
- R. Shirt has permanent military creases. Creases are stitched in shirt only, not through pockets and flaps. One crease in each front extends from hem to joining seam. Three vertical creases are in back; middle crease is on the center line and side creases are spaced equally from the center crease.
- S. **Creasing:** Pockets and pocket flaps are die-creased to give uniform shape and size.
- T. **Interlining:** Collar is D332. Cuffs and bands are lined with M37 H-Press. Flaps are EZ Crease. Top center is lined with a non-woven polyester interlining.
- U. **Labels:** A heat-seal label in yoke contains brand, size, and country of origin. Care and content label is sewn inside bottom hem. Descriptive product hang tag is attached to front of shirt.
- V. **Pressing and Packing:**
- W. Shirts are carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts are bulk-packed and shipped in strong boxes so as not to be damaged in shipment.
- X. **UPC Identification:**
- Y. A printed UPC bar code tag must be attached to every garment to be visible in the package. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.



3.1.6 Shirt, Short Sleeve Dress, Male and Female General

REQUESTED MODEL: ELBECO Z3310N TexTrop2 Short Sleeve Polyester Shirt
 COLOR: White

A. **Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirt is cut on a form-fitting line, and the shape of pockets and general style conform to this sample.

B. **Tailoring:** It is imperative that this garment is constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size to avoid puckering after shirt has been laundered and give best durable press performance. All sewing is with Dacron core thread to match shirt fabric. Collar and cuffs are singlestitched ¼" from edge. Pockets and flaps are single-stitched on the edge.



C. **Fabric:** 100% texturized polyester plain-weave with mechanical stretch to ensure permanent moisture control, superior breathability, soil resistance, easy care, wrinkle resistance, color matching, and color retention. Weight is 5.5 oz. per square yard. Nano moisture wicking technology is applied at the fiber level to capture and pull fluids and perspiration away from skin and spread it over fabric surface for quick evaporation to keep the wearer dry and comfortable.

D. **Colors:** White, gray, tan, blue, midnight navy, brown, French blue, black, and spruce green

E. **Collar:** Convertible collar is one piece, measures ¾" long at points and 1⅝" wide at back and is constructed of two plies of self-fabric and one ply of top fuse lining. Collar and inner yoke are lined with poly/cotton. Collar lining is banana shaped. Collar stays are of good quality vinyl that measure 2¾" long x ⅜" wide and are attached to the bottom collar.

F. **Sleeves:** To be straight and whole, have 1" hems and finish from shoulder seams as follows:

<u>Size</u>	<u>Finished Length</u>
14 and 14 ½	9 ½"
15, 15 ½, and 16	10"
16 ½ and Above	10 ½"

Sleeves must be secured to the body of the shirt by a merrow stitch with a safety stitch to properly strengthen the stitch. The same is used on the side closing seams.


G. **Flex Vent:** Flex Vent is made from 92% polyester/8% spandex mesh. Diamond shaped mesh measuring ¾" wide x 1¼" long is set into the sleeve and body panels at the underarm to allow body heat ventilation, increased mobility, and comfort.




H. **Front:** Front has a reverse facing ¾" wide extending from neckline to the bottom of shirt provided by a turn under of material. Left front has a lined box pleat 1½" wide, finished, running full length of the shirt and is topstitched ¼" from both edges.

Left front contains seven vertical buttonholes placed ¾" from edge: first at neck, second 2½" down and the balance 3½" apart. First and 6th buttons are securely attached to the right front and correspond to functional buttonholes on the left front. Remaining buttons are sewn to the left front on the buttonholes.

I. **Zipper:** A 14" nylon zipper is sewn to the front, positioned 1½" below the first button to replace the 2nd, 3rd, 4th, and 5th buttons that are sewn on the top center. First and 6th buttons are functional.



- J. Dual Comm Access Openings:** Access openings measuring 1½” are set in each side seam 1” below the bottom tip of the Flex Vent. Pouch-style openings are clean finished, neatly concealed, and reinforced for durability. Openings are used to thread communication wires under the front of the shirt to keep them out of the way.
- K. Pockets:** Two double-entry chest pockets with mitered corners finish 5⅝" wide x 6" long. Side entries form utility pockets closed with Velcro. Pockets have 1¼" box-stitching top to bottom to prevent spreading. Left pocket has a 1¼" wide pencil compartment.
- L. Flaps:** Two scalloped flaps that finish 5¾" wide, 2¾" long at center, and 2½" long at sides are secured to front of shirt with two rows of stitching. Non-functional matching buttons and buttonholes are centered on flaps. Left flap has a 1¼" wide pencil opening. Flaps are secured to pockets by Velcro fasteners sewn onto flaps and pockets.
- M. Badge Tab:** Reinforced on inside of the shirt by a strip of material, 1½" wide, stitched and folded so that no raw edges show. Reinforcement strip extends from the flap setting stitch to the joining seam at the front of the yoke. There are two small horizontal buttonholes 1¼" apart with the bottom hole 1½" above top of left flap.
- N. Buttons:** All buttons, size 20 ligne, are made from high impact melamine and must match fabric.
- O. Shoulder Straps:**
- P.** Shoulder straps are pointed at the ends toward the neck. The other ends are sewn in the sleeve head seams. Pointed ends are fastened with one matching button. Straps measure 2" at sleeves and taper to 1⅜" and are set about 2" from the collar. Straps are box-stitched to shoulders with row of crossstitching 2" from sleeve head seams.
- Q. Back:** Yoke, composed of an outer ply of self-fabric and inner ply of poplin, is joined to the back with a clean-finished lockstitch, finishing 4” at center
- R. Permanent Creases:**
- S.** Shirt has permanent military creases. Creases are stitched in shirt only, not through pockets and flaps. One crease in each front extends from hem to joining seam. Three vertical creases are in back; middle crease is on the center line and side creases are spaced equally from the center crease.
- T. Creasing:** Pockets and pocket flaps are die-creased to give uniform shape and size.
- U. Interlining:** Collar, flaps, and top center are interlined.
- V. Labels:** A heat-seal label in yoke contains brand, size, and country of origin. Care and content label is sewn inside bottom hem. Descriptive product hang tag is attached to front of shirt.
- W. Pressing and Packing:**
- X.** Shirts are carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts are bulk-packed and shipped in strong boxes so as not to be damaged in shipment.
- Y. UPC Identification:** A printed UPC bar code tag must be attached to every garment to be visible in the package. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.
- Z. Code of Conduct:** All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions is made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, non-discrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.



Finished Dimensions:

Size:	14	14½	15	15½	16	16½	17	17½	18	18½	19	20
Chest	39	41	43	45	47	49	51	53	55	57	59	61
Waist	35	37	39	41	43	45	47	50	53	55	58	62
Back Length	32¼	32¼	32¾	32¾	32¾	33	33¾	34¾	34¾	35¾	36	36¾

4.0 Specification – Patches And Labels

4.1 Department patches - embroidered patch same as sample attached (Exhibit A)

- A. Triangular Sheriff Patch
 - B. Triangular Sheriff ESU Patch (full color)
 - C. Triangular Sheriff ESU Patch Subdued (green & grey)
 - D. Triangular Sheriff's K-9 Patch (full color)
 - E. Triangular Sheriff's K-9 Patch Subdued (green & grey)
- 4.1.1 Patch bearing the American flag and the words "For God and Country" same as sample attached. (subdued black & green and in color)
- 4.1.2 Chevrons
- 4.1.3 Pricing to include patches and flags to be sewn onto garment.
- 4.1.4 Name Tapes
- A. Name tapes in black with white or gold lettering. Pricing to include nametapes to be sewn onto garment.
 - B. ESU-style nameplate; 2.25" x 4", (3) lines of lettering to include rank, name, "Emergency Service Unit;" black with white stitching and/or green with black stitching.
- 4.1.5 Lapel Emblems
- A. Black with white stitching 1" x 1" **DC**
 - B. Black with gold stitching & black with white stitching 1" x 1" **Sergeant, Lieutenant, Captain** insignia
 - C. Pricing to include lapel emblems to be sewn onto garments.

5.0 Trousers/Pants, Male and Female General

5.1 Long Pants - General

REQUESTED MODEL: Blauer Flex RS Covert Tactical Pant with Tunnel Waistband model 8666 and model 8666W

COLOR BLACK

GENERAL:


All garment details not specifically described herein; tailoring, styling, construction, materials, and components must match the standard reference sample on file with the agency. Written specifications attempt to describe key requirements of a 3D garment and cannot do so adequately and therefore silence of the specifications does not absolve bidders from matching with precision the standard reference sample.

Pre-bid samples will be required at the time of the bid opening. Samples may be subjected to laboratory testing at the discretion of the contracting officer. Bidders are responsible for all testing costs of their sample garments.

Bidders must enclose evidence (dated manufacturers catalogs or similar) that this item is currently a commercial-in-stock style. The successful bidder will provide a full size run of try-on garments within 10 days for agency approval.

Garments must be manufactured to ISO 9001 quality assurance standard. A copy of the certificate registration will be required with the bid.

Specification based on Men's Size 36, Regular length.



FABRIC:

Content- 100% Poly with weft mechanical stretch rip-stop weave. It is piece dyed has soil-release qualities and a Teflon, durable water repellent finish. The fabric has excellent colorfastness properties, is machine washable and dry cleanable and provides the user comfort, uniform appearance, durability, and easy care.

Weight – 225grams per square meter +/-

5% Physical Properties:

- Warp Yarn – 225D SD
- Filling Yarn – 300D SD
- Picks/inch – 103T
- Ends/inch – 57T
- Warp Stretch – 1%
- Fill Stretch- 15%
- Breaking/Tensile Strength- 80 lbs x 50 lbs
- Tear Strength- 4 lbs x 3 lbs
- Pilling resistance (random tumble test for 30 minutes)- 4 grade
- Dry Crocking- 3 grade
- Wet Crocking – 2.5 grade
- Colorfastness to washing and light- 4 grade

POCKETING FABRIC:

Content – 65% Polyester, 35% Cotton piece dyed, woven

twill Weight – 165 gms/sq meter +/- 5%

Physical Properties:

- Dry Crocking- 4 grade
- Wet Crocking – 3 grade

TRIM:

- Interlining: non-woven, 100% Polyester fusible in center front, waistband, belt loops and hip pocket welts
- Binding: pocketing fabric, bias cut
- Tunnel Elastic: 1” wide, washable and dry cleanable
- Shirt Grip: 3/4” poly/cotton tape with single strip of silicone
- Fly & Pocket zipper: self-healing nylon coil #4.5 with auto lock slider

- Snap: Prym style brass, non-rusting metal with cap
- Buttons: melamine, 24 ligne; Color: matching shell fabric
- Thread: polyester wrapped on monofilament polyester: Color: matching except use black thread on darknavy goods.

GENERAL DESIGN:

B.DU style pant has (7) pockets, articulated knee, tunnel waistband, crotch gusset, and zipper fly with snap.

TUNNEL WAISTBAND:

The tunnel waistband has a finished height of 2" and is made of 2 plies of shell fabric, 1 ply of interlining, elastic, silicone shirt grip tape, and edge binding. Construction consists of front waistband tapering at the side inserted into the back tunnel waistband, with 1" elastic band. Vertical bar tacks are added at the front and toward back to control the elastic length. Top waistband seam is clean finished with 1/16" edge stitching. On the inside, the waistband edge is clean finished with binding and 3/4" twill silicone shirt grip tape stitched at center of under waistband. There shall be one snap closure with flat back and covered cap placed centered and 3/4" from center front edge to center of the snap.

WAIST CLOSURE:

Waist closure appearance is guaranteed by mounting a #24 ligne four-hole button on the bottom edge of the under waistband facing, on the wearer's left for the fly tab. (**Women 's version does not have a fly tab.*)

FLY CONSTRUCTION:

The right inside fly is reinforced with 2 plies of shell fabric and 1 ply of interlining with 1/8" gauge top stitched along the entire exposed edge to insure shape retention for extended wear life. The left fly, constructed of 2- plies of shell fabric is fully lined for shape retention. Right and left fly are joined together at the base of the fly with vertical bar tack and clean finished with binding.

SLIDE FASTENER (FLY ZIPPER):

Delrin coil, self-healing hardware mounted on colorfast blend of nylon and cotton 7/16" tape, Coil size #4.5. Metal zippers which may break will not be accepted.

BELT LOOPS:

There are (7) belt loops on trouser sizes up to and including waist 45, (9) on sizes 46 through 61, and (11) on sizes 62 and up. Each loop is 1" wide and shall have an opening of 2-1/4". The loops are interlined with fusible and have a double needle top-stitch down the center. Belt loops are inserted into the waistband and placement is specifically located to afford the cleanest of appearances along with proper functionality of the tunnel waistband. (**Quantity of belt loops changes per women sizing.*)

POCKETS:

There are seven (7) pockets assembled as follows:

- I. Front: L-shaped pocket measures 1-5/8" from the top waistband to 1-1/4" at the bottom at the side seam. Pocket bags are constructed of one piece of the specified pocketing material and finishes approximately 7-1/4" wide at the bottom of pocket opening and 12-1/2" long from where the pocket is sewn into the waistband. Pockets will be over-edge stitched, turned and top-stitched for security and clean-finishing. A facing on the palm side of pocket, made of shell fabric, measures 4-1/4" wide from the side seam along waistband and tapers to the bottom of pocket opening. Another shell fabric facing is placed on the inside of the pocket, away from the body, measures 2-1/4" wide at the waistband seam. There shall be a horizontal bar tack across the top of the pocket opening, on outer layer of waistband, and a vertical bar tack at the bottom of the pocket opening centered on the side seam for reinforcement. An additional 1- ply of shell fabric shall be applied with a single needle top-stitch at the bottom end of the pocket opening as reinforcement for knife position. Page 29 of 88

- II. Rear: Hip pockets have a 1/2" wide lapped welt with edge stitching and vertical straight bar tacks set at each end of the pocket opening. The finished pocket opening shall measure 5-1/2" and finished pocket depth shall be 6" and width 6-3/4".
- III. Side: Side cut-in pocket construction consists of a horizontal zipper closure with double 1/4" wide welts, and is centered over the side seams. The pocket bag is constructed of pocketing fabric and has a depth of 7-1/2" and width of 8". The horizontal zipper is 7 1/2" long, closes from front to back and has vertical bar tacks placed at each opening end.

Inside wearers' left side cut-in pocket shall have an interior magazine pocket cut out of 1-ply shell with top opening measuring 6" relax, extending to 6-1/2" wide, by 4" high, and tapering to 4-1/2" wide at the bottom. This pocket shall have an elasticized top hem with a single needle, vertical stitching thru' center dividing the pocket into two (2). There are vertical bar tacks placed at each top side edge and at top of center divider for reinforcement.

Inside wearers' right side cargo patch pocket shall have an interior phone pocket cut out of 1-ply shell with double bend-back top edge measuring 4" wide by 6" high. There are vertical bar tacks placed at each top side edge for reinforcement.

- IV. Rear: (1) One rear phone pocket on the wearer's left, placed below the waistband seam and 1" above top edge of side cut-in pocket. The 1/2" tall single welt pocket opening will measure 4-1/4" wide with vertical bar tacks at each end of opening. Pocket bag will be constructed out of pocketing material and shall measure 5-3/4" wide by 6-1/2" in depth. Clean finish edge with topstitching along all sides of pocket opening.

DARTS:

There are two darts to shape the trouser at the waist. They shall be placed at the left and right back extending down from the waistband to the center of each hip pocket.

CROTCH AND SEAT ASSEMBLY:

The crotch is formed below the fly at the intersection of the four body panels and the 4" wide, diamond-shaped gusset. To ensure absolute seat seam integrity, the seat seam, which joins the left and right sides of the trousers, is double sewn by means of two needles each; sewing stitch type 401, chain stitch. The two needles sew in tandem to form closely adjacent alternating stitches totaling not less than 16 per inch.

LEG CONSTRUCTION:

The front legs consist of 3 pieces and the back legs consist of 2 and are fully cut for ease of movement and assembled using over-edge stitching. The side seam has double needle top-stitching. Knee articulation construction consists of two-darts at front, two-darts at side seam, and one horizontal seam at back; all with single-needle topstitching for reinforcement.

Hems: Pants will be hemmed to length.

STITCHING:

All stitching conforms to Federal Standard 751 specifications (FED-STD-751). All stitch types are sewn at stitch per inch (S.P.I.) rates individually set by operation at no less than 10 S.P.I. and not more than 12 S.P.I. to insure extended sewn wear life. Stitch type 401 Tandem is used at a combined S.P.I. of 16. All thread tension is evenly maintained to eliminate tight or loose stitching, All seam allowances are to be maintained so that there are no raw edges, run offs, twist, pleats, puckers or open seams.

FINISHING:

Trousers are fully shaped on high temperature, high-pressure presses to eliminate wrinkles and form

creases. Trousers meet the standard of the American Association of Textile Chemists and Colorists as follows:

- I. **AATCC Test Method 124- 2018 “Appearance of Durable Press Fabric After Repeated HomeLaunderings”.**
- II. **AATCC Test Method 88B- 2018 “Appearance of Seams in Wash and Wear Items After HomeLaunderings”.**
- III. **AATCC Test method 88C- 2018 “Appearance of Crease in Wash and Wear Items After HomeLaunderings”.**

WORKMANSHIP:

All trousers are made in an ISO 9000 certified plant and are inspected during manufacturing, at final trimming and packing to ensure consistent quality and adherence to this specification.

WARRANTY:

All trousers shall be warranted against defects in materials and workmanship for one year.

LABELING:

All trousers will bear all labels mandated by the Federal Trade Commission at the date of manufacture.

SIZING:

Trousers are fully graded such that all vital dimensions change according to waist size. The grade applies not only to seat, front rise, back rise, and thigh measurements but also to the knee and bottom measurements.

STANDARD SIZE RANGE:

Men's: Regular Length: even waist sizes 28 - 56; odd sizes 29 – 45
Woman's: Even sizes 2-28, Short & Regular Length

MEASUREMENTS:

Men's: Waist Size 36, Regular Length:

- 1/2 Waist: 18.5 (plus or minus 0.25")
- 1/2 Seat: 23.5 (plus or minus 0.25")
- 1/2 Knee: 10.875 (plus or minus 0.25")
- 1/2 Bottom Leg: 8.875 (plus or minus 0.25")
- Inseam: 37 un-hemmed (plus or minus 0.50")
- Front Rise: 9.5 (plus or minus 0.25")
- Back Rise: 11.75 (plus or minus 0.25")

Woman's: Size 10, Regular Length:

- 1/2 Waist: 17 (plus or minus 0.25")
- 1/2 Seat: 21.5 (plus or minus 0.25")
- 1/2 Knee: 9.75 (plus or minus 0.25")
- 1/2 Bottom Leg: 8.75 (plus or minus 0.25")
- Inseam: 35 (plus or minus 0.50")
- Front Rise: 8 (plus or minus 0.25")
- Back Rise: 10.25 (plus or minus 0.25")

Gusset: 3.25 (plus or minus 0.125")

5.2 Pants Male and Female - Cargo


REQUESTED MODEL: **5.2.a** ELBECO E3440R CX360 Covert Cargo Pants (male);
REQUESTED MODEL: **5.2.b** E34450LC CX360 Covert Cargo Pants (female)
COLOR BLACK

Style: Pants are made with the Essential Fit uniform pattern with a plain front, gusset, notched front pockets, two back pockets, a cellphone pocket on the wearer's left side, and two covert cargo pockets with internal compartments.

Fabric: 100% Nanospun polyester with 16 % fiber stretch, left hand twill. Weight is 6.3 oz. per square yard. With fiber stretch, fabric maintains its stretch and recovery over time. Must be treated at the fiber level with Nano fluid repellency technology for permanent superior fluid resistance and UV 40+ protection while maintaining original fabric breathability. Fabric meets pilling test standards per ASTM 4970 of 5.0.

Colors: Midnight navy, black, brown, spruce green, and OD green.

Pockets Front: Notched front pocket openings are 6½" wide and are 6½" deep from the bottom of the openings. Inside facing is a separate piece of 4" wide self-fabric. Bottom of each opening is reinforced with a patch of self-fabric that extends to the top edge of the hidden cargo pocket seam to hold a clip knife. Left pocket has a security pocket set in the pocket bag, closed with a 7" invisible zipper. Pockets are top-stitched and clean finished.






Back: Back pockets measuring 6" wide x 6" deep are made with a ½" single besom piece set to the bottom of each opening.

Cellphone: A cellphone pocket on the wearer's left side that measures 4" wide x 6" deep is set 5¼" below the back pocket, 2" from the sideseam. Pocket is made with a ½" single besom piece set to the bottom of each opening.

Side: Two covert cargo pockets centered on the outseams, set 10" below the bottom of the waistband, are made with ½" single besom welts. Internal pockets, constructed of pocketing fabric, measure 7" wide x 9" deep and close with 7" zippers. Pocket bags are not anchored to legs. Inside each pocket is a 3¾" x 5½" patch pocket. All pockets have straight bar-tacks.

Pocketing: To be black 65% polyester/35% cotton with a minimum thread count of 70 x 48, weighing 4.3 oz. per square yard

Waistband: Lightweight covert waistband contains an elastic extension, providing up to 3" of additional stretch. Front of the outer waistband tapers through the covert opening at the top of the front pocket opening. The 1¼" wide elastic extends from the end of the taper through the waistband behind



the sideseam.

Waistband curtain is made of black, bias-cut, cotton-blended twill and ½” shirt retention strip. Waistband is constructed using the closed method and measures 2” wide when finished. Finished waistband is fused and all stress points are bar-tacked. Waistband is set on and stitched below the lower edge through the outer fabric and the waistband curtain.

Waistband is closed with a brass spring snap with a gun metal finish snap cap. Inside waistband has a button and buttonhole adjacent to the snap for reinforcement. Center front closure is interlined to support the fabric and snap.

Belt Loops: There are five lined belt loops on sizes 30 and below, seven on sizes 31 through 48, and nine on sizes 50 and above. Each loop is 1” wide of double thickness with


stitching on a face side ¼” from each edge. Loops are sewn into the bottom of the waistband and into the rocap. They accommodate a 1½” belt.

Inner Fly/Crotch:

Right fly lining is the same fabric and color as the pocketing fabric. A non-woven interlining is sewn to the fly for additional stability and strength. Right fly lining is sewn to the left fly below the zipper.

A fully gusseted crotch made from self-fabric provides comfort and mobility.

Gusset is set in a diamond shape, measuring 15” long, point-to-point, by 3½” wide at center. Gusset is set evenly, front to back, with a 5-thread safety stitch and then edge-stitched.



Zipper: Trousers are closed with a gun metal zipper and have a brass bottom stop at the base of the zipper chain. A straight bar-tack is sewn through the outside of the garment to the inside at the bottom of the fly. It is sewn through the zipper tape, the right and left fly, and the right fly lining. Right and left fly are joined by an additional bar-tack located below the bottom zipper stop on the inside of the trousers.

Creasing: Front and back creases in both legs must be applied via a pneumatically controlled application of Creaset silicone sealant to give permanency to the creases for the life of the garment.

Seams: Entire trousers are seamed with polyester core or 100% polyester spun thread. Seat seam is stitched with five-thread safety stitch.

Hems: Pants will be hemmed to length.

Labels: A heat seal label on the left back pocket bag contains brand, care, content, and size. An outside waistband label contains lot number, size, fiber content, cut number, and UPC Identification.

Finishing and Pressing:

All loose threads are removed. Trousers must be pressed completely and properly with the sideseam, inseam, and seat seam pressed open. There must be a jet clip attached to the top fly of the finished trousers.

UPC Identification:

A printed UPC bar code tag must be attached to every garment to be visible in the package. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions is made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, non-discrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions:

Size:	28	29	30
Waist relaxed	28½	29½	30½
Waist stretched	31½	32½	33½
Seat	38⅞	40¾	41⅞
Front Rise	9¼	9⅜	9½
Back Rise	14¾	14⅞	15
Inseam	37	37	37
Size:	38	40	42
Waist relaxed	38½	40½	42½
Waist stretched	41½	43½	45½
Seat	48¾	50¾	51⅞
Front Rise	10⅝	11	11⅜
Back Rise	16⅞	16½	16⅞
Inseam	37	37	37

5.3 Male and Female Pants – Dress

REQUESTED MODEL: Hope Uniform #T250R

- a. Mill: Raeford, No. 8199 U, Color: Cadet Blue; Content: 55% Dacron, 45% Wool; Weight 16 - 16 ½ oz.; Weave: Gabardine.
- b. Basic Design: Trousers will be manufactured from up to date patterns and designed so that there will be no “peg” at the hip or baggy seat.

The front will be plain (no pleats) with seam on seam side pockets and two (2) hip pockets with two buttons. Both hip pockets shall have a tab to button. The front pockets are to have a minimum opening of 6½” and be 6" deep from the bottom of the opening. They shall be stitched, turned and top stitched. The hip pockets are to have an opening of approximately 6" from bar tack to bar tack and be 6" deep. Hip pockets will be of the double welt method manufactured on Reece PW Machine and finished in such a manner that there is no top stitching. The welts are inter-lined with Pellon. All pockets must have a fire bar tack for reinforcing strength.

- c. Pocketing: The pocketing shall be 80% Polyester, 20% Rayon, minimum 2.70 weight with a minimum 78 x 60 count. The color of the pocketing shall harmonize or be tastefully contrasted with the outer fabric and contain a durable press finish.
- d. Waistband: The waistband curtain to be of the same fabric and color as the pocketing and shall close with a crush proof hook and eye. The eye is stitched for added strength. The waistband curtain must be attached to the trousers with a zig zag stitch. The waistband must contain BAN-ROLL TO PREVENT ROLL OVER. The open outlet method is to be used. Dacron wool trousers have 3 strand rubberized Snugtex.

- e. Fly Lining: The right fly shall be the same fabric and color as the waistband and pocketing. This fly lining must be sewn to the left fly below the zipper with strong closure and smart appearance. There shall be a French fly closure on the inside of the right fly and the fabric for the French fly must be the same as the outer material of the trousers.
- f. Belt Loops: There will be a minimum of 7 belt loops 3/4" wide, of double thickness, and each loop must be interlined with a non-woven fabric. All loops (except for the back center loop) must be sewn into the bottom of the waistband and the top of all loops shall be caught into the waistband curtain seam with a Rocap machine.
- g. The waistband shall measure approximately 2" wide when finished, wide enough to comfortably accommodate a belt 1^{5/8}" wide.
- h. Miscellaneous: Trousers are to have a metal memory lock zipper and be bar tacked at the bottom of the fly, going through the zipper seat stitch with tandem needle machine (2 threads). All exposed inside edges must be serged.
- i. Pressing and Finishing: Trousers must be properly pressed on hothead presses and properly shaped. The outseams and inseams are to be pressed open. Trousers that have been chemically treated at the mill for special pressing instructions shall be pressed in accordance with such mill instructions, including those that require water spraying prior to leg pressing to insure a longer lasting crease and proper wrinkle resistance.
- j. Labels: The trousers must have a care label permanently affixed, and must also have a size label showing the fiber content and WPL number.
- k. Braids: A row of black cloth 1½" wide is to be sewn on the outside of each leg, from the bottom of the waistband. Cloth stripe must be sewn over the top of the **seam on seam pocket**.
- l. Trousers must be available in male and female sizes.
- m. "Quarter" style front pockets **will not** be acceptable.

6.0 Dress Uniforms, Coats and Jackets

6.1 Dress Blouse, Male and Female General

REQUESTED MODEL: Hope Uniform #J425C

- a. Material: shall be Metcalf 470-19 P&F Elastique.
- b. Type: shall be four button, single breasted, form fitting, with a notched collar, and flared skirt. Length 2^{1/2}" below crotch. Lapel opening 15^{1/2}" based on size 42; other sizes graded accordingly. Two front darts and one under arm cut very form fitting. Four outside pockets, two breast pleated patch pockets with pointed flap, and two lower bellows patch pockets with flap.
- c. Back Vent: center seam shall have a vent starting 1^{1/2}" below the lower edge of Sam Browne belt and shall be approximately 12" long, depending upon the height of the wearer. Left side of vent shall overlap 2", be faced with the same material as the blouse and shall be piped at the edge. Right side of vent shall be lined with the same lining as the body.

- d. Button Stand: button side of coat on front shall have a strand or extension measuring not less than 1^{3/4}" wide from eye of button.
- e. Method of Making: Open system known as custom method must be used.
Closed system known as contract method will not be accepted. Turn up at bottom 1^{1/4} inches. Lining to be open at bottom, tacked and hand felled.
- f. Buttons: First quality, Gilt back, gun metal buttons (silver or gold tone depending on rank). Four NYS 36-Ligne on front; three 24-Ligne on sleeve slash; one 24-ligne on shoulder strap. Deputy Sheriff's will receive silver tone buttons while Detectives and supervisors will have gold tone buttons.
- g. Pockets: Two outside breast patch pockets, 5 1/2" wide at top x 6 1/4" wide at bottom x 6 3/4" deep, 2 1/4" wide box pleat in center. Three pointed flap at top of pocket shall measure 2 3/4" deep at each point and extend 1/4" over edge of pocket. Pockets shall be finished with 24-Ligne button and buttonhole. Pencil pocket in left breast pocket on right side of pleat on patch.
Opening shall be 1^{1/4}" from top of pocket opening and 1" below edge, depth shall be 4^{1/2}". Two lower bellows pockets with straight flap. Dimensions of pocket shall be finished with 24-Ligne button and buttonhole. Patch pockets shall be lined with first quality Silesia. Bellows pockets shall be unlined. All laps shall be lined with body lining same as body of coat.
- h. Shoulder Strap: Contrasting color, same material as uniform trousers, sewn into sleeve seams, 2^{7/8}" wide tapering to approximately 1^{3/4}". Shoulder straps shall extend under collar about 1" and sewed fast under collar, with button and buttonhole placed down at a distance so that it will appear within 1/2" of collar.
Cross stitched at shoulder seam box style to a height of 2^{1/2}" and interlined with canvas of same quality as in coat front.
- i. Cuff: Each sleeve shall be ornamented with a three pointed slash of same material as shoulder strap, measuring not less than 6^{1/4}" long x 2^{5/8}" wide. Shall be double stitched 1/4" and finished with three solid brass back buttons, NYS 24-Ligne buttons. Slash shall end at bottom of sleeve directly in center. Cuffs shall be interlined with soft wigam. Officers' bands to be available.
- j. Sleeve and Blouse Lining: Harmony lined with Lieberman Hercules #120 Rayon, or approved equal. Blouses shall be fully lined.
- k. Top Collar: Shall be cut in one piece to finish 1^{3/4}" wide at center of back. Shall be basted by hand to undercollar and seamed to undercollar on outside edge. Facing shall be basted and turned in a gorge, then felled underneath to canvas with silk and hand gelled with proper fullness to edge of collar back.
- l. Undercollar: First quality undercollar cloth to match color shade or coat cloth. Stand shall be 1^{3/8}", closely stitched and padded. Shall be stretched on both edges and then hand basted to forepart and back with raw edge. Inside edge shall be securely felled by hand to canvas in front and outlet at neck. Shall be underpressed to shape of gorge.
- m. Canvas: fine quality, Arma Textile #1260 Hymo or approved equal.
- n. Lapels: Basted and well-shaped, closely padded by machine and stayed on roll. Shall measure

not more than 4^{1/4}" and not less than 2^{1/4}" at opening of notch at outer end.

- o. Edges: sewn by machine, pressed open, basted by hand and then 1/4" double stitched. All edges shall be stayed and closely felled to entire length of canvas.
- p. Buttonholes: Reece buttonholes. Pure dye silk letter "B" on top and bottom and bar tacked at end.
- q. Seams: all seams and stitching of edges, etc. shall be sewn with a fast dye letter "A" silk. No mercerized cotton shall be used. All felling shall be done with a pure dye wax skein silk.
- r. Belt Hooks: four chrome belt hooks, two on each side. Shall be reinforced with coat grade linen canvas, and stitched through forepart. First hook shall be 6 1/2" from edge of coat, with second hook 5 1/2" from first hook.
- s. Sweat Shield: shall be the same material as blouse and piped on edges. Shields shall be full size and constructed throughout as standard sample.
- t. Cutting: blouse shall be well rounded and shaped over chest, tapering to form fitting at waist to permit wearing a Sam Browne belt. All blouses shall be cut single and made to individual measurements.
- u. Department patches, flag patch, chevrons, hash marks, etc. to be included as ordered. (see exhibit A)

6.2 Three Season Outdoor Uniform Jacket

6.2.1 Duty Jacket

REQUESTED MODEL: ELBECO SH3200 Shield Duty Jacket

COLOR: Black

Style: Shield Duty Jacket is a lightweight, breathable, wind and waterproof, poly RipStop shell that is fully lined and seam-sealed for ultimate protection. Jacket features multiple storage components with magnetic closure systems, taped seams, quick release side zippers, three-piece attached hood, adjustable cuffs, shoulder straps and hidden pull-down panels among other features. Jacket becomes a 3-in-1 jacket with the addition of one of the soft shells as a liner.

Fabric: Outer shell is 100% polyester mini-RipStop with windproof, waterproof, breathable HydroTech membrane weighing 4 oz. per square yard. Nylon taffeta liner has waterproof, breathable laminate weighing 2.15 oz. per square yard. Machine washable fabric offers lightweight protection against the elements while high vapor permeability promotes moisture management, allowing the moisture to pass through the garment, and keeping the wearer dry and comfortable in all weather conditions. Colors: black and midnight navy.



Collar: Permanent collar is made of two plies of shell fabric plus interlining. Collar finishes 2¾” at center back and 3¼” at collar points. Abrasion-resistant chin protectors are sewn on the inside of the collar points to protect against the liner’s zipper slider when attached. A snap-strap placed on the inside of the collar at the neck seam connects to a loop on the soft shell to hold the soft shell in place when worn as a liner to the Duty Jacket.




Sleeves: Sleeves are fully lined and have a slight articulation and curve towards the front of the body. A 9” concealed locking zipper is set into the underarm seam for internal access for sewing patches, etc. with a zipper hood at each end. A snap-strap placed on the inside of the wrist area connects to a loop on the soft shell sleeve to hold the soft shell in place when worn as a liner to the Duty Jacket.

Cuffs: To be 1” wide with elastic at the back and an adjustable tab with 1” FastLock at the front. A 1¼” x 3½” cuff tab with hook FastLock is set in the inside seam to attach to the 1” loop FastLock set on the cuff.

Front: Front has a Vislon #5 two-way, auto-lock, dual separating zipper, functional up to the collar points. Zipper is covered by a continuous front placket piece, which is lined for additional stability. There is an inner storm flap at the front behind the zipper all the way to the collar point for extra protection. Storm flap is folded over the top of the zipper on the right side to form an abrasion-resistant chin protector.


Additional zipper is sewn to the interior along the center front facing for insertion of an optional jacket liner. Six snaps are placed at the center front for placket closure. Placket also has a 1” x 5” pen pocket stitched to the underside.

Side Vents: Side vents open 11” from bottom of waistband. “Quick release” coil zippers are sewn into each side seam, extending through the waistband, to allow access to weapons and equipment. Zippers lock when the pull tab is locked in the upright position and are set to both the jacket and permanent lining.




Cloth tab made from lined shell fabric is set to the back of the hem. Tab contains a flat snap to align with the two adjustable stud snaps on the front of the jacket. Additional stud snap inside the back of the hem secures the tab when not in use.

Hood: Three-piece hood is constructed from shell fabric and is fully lined. It features a stretch drawcord closure and reinforced stabilized brim. A small elastic loop set in the neck seam secures the drawcord end when the hood is worn. Hood is permanently attached to the jacket and can be stowed through a zipper compartment in the back of the collar.



Yokes/Panels: There are two yokes across the upper front panels and one yoke across the upper back panel of shell fabric with a 1½” turn-up. Inside the turn-up are inner hanging flaps with FastLock where detachable front and back I.D. panels can be connected. Turn-ups have additional FastLock that attach to the front and back of the jacket when there are no I.D. panels connected, or to the edge of inner hanging flaps when they have I.D. panels connected and are displayed down.




Blank I.D. panels in shell fabric are included with the jacket. Optional panels are purchased separately.

Seams: All stitching is even and uniform. All seams on the shell and liner are securely sewn. Outer shell seams are fully taped. All seams are properly reinforced where needed via back-tack or bar-tack, 8 stitches per inch minimum to 12 stitches per inch maximum, and free from puckering, pleats, runoffs, and raw edges.



External Pockets:

Two large document/utility pockets on the upper front that extend across the chest have 6½” long vertical openings. Pockets have U-shaped bottoms with 3” x 5” patch pockets set inside the pocket bag bottoms. Pocket openings are secured with dual magnetic closures.

Two reverse-pleated, double-entry patch pockets with mitered corners on the lower front measure 7¾” wide x 7½” long. Mitered flaps measuring 8” wide x 3” long consist of two plies of basic material plus interlining.




Pockets have side openings that measure 6¼” and are securely tacked at tops and side bottoms. Side pockets are lined with tricot on the inside for warmth. Top pockets and flaps are secured with magnetic closures for easy access and stealth. A two-compartment internal utility pocket and tunnel are set in each top pocket. One compartment measures 3½” x 4½” with a finished bottom, and the other measures 2¾” x 6” and is open at the bottom to accommodate flashlights of different lengths.



Internal Pockets: Two patch pockets set inside the lower front measure 7½” wide x 9½” long and close with vertical zippers. There is a communications access opening in the top corner of each pocket.

At the wearer’s left chest is an inset pocket with a 6” vertical zippered opening along the interior frontfacing pieces.

Optional Items: Two 1” x 4¼” unfinished loose badge tabs are in the left lower external pocket. Eyelets are spaced 1½” apart on one and 1¾” apart on the other. A ½” x 4” loose mic tab and 1” x 8” name tape are also included.



Shoulder Straps: Permanent utility straps made of two plies of the basic shell fabric plus interlining are 1¼” wide and single-needle edge-stitched. Straps are tacked to shoulders at ends and center to form a 2” opening at each center of the strap for mic attachment.

Waistband: Waistband has 1” hem in the front of the jacket. Back of jacket has a stretch drawcord secured with an additional ply of fabric. Drawcord exits from metal eyelets at either side of the hemline and has a stopper at both ends. Ends of the drawcord are secured to each side by a cloth loop set 2” from the bottom of the jacket and 3” from the side vent.

Interlining: The following parts are interlined for stability: collar, pocket flaps, front placket, panels, and shoulder straps.

Labels: Jacket is permanently labeled with manufacturer, size, and laundry instructions. Jacket must be able to withstand repeated machine washing with no deterioration in stitching, color, water resistance, or windproofness.

Descriptive product hang tag is attached to wearer’s left cuff.

Limited Warranty: Manufacturer agrees to warrant the product to be free from defects in material and workmanship for a period of three years from date of purchase.

UPC Identification: A printed UPC bar code tag must be attached to every garment to be visible in the package. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Finished Dimensions:

Size:	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Center Back length	27¼	27¾	28	28¾	28¾	29¼	29½	29¾	30¼	30¾
Chest	44	48	52	56	60	64	68	72	76	80
Sleeve Length	35½	36¼	37	37¾	38½	39¼	40	40¾	41½	42¼
Bottom Hem Relaxed	38	42	46	50	54	58	62	66	70	74

Shorts – 2” shorter in Sleeve and Center Back Length than Regulars

Longs – 2” longer in Sleeve and Center Back Length than Regulars

6.2.2 Soft Shell Jacket

REQUESTED MODEL: Elbeco SH3500 Shield Performance Soft Shell Jacket

COLOR: Black


Style: Shield Performance Soft Shell is a lightweight, breathable soft shell treated to repel stains and light rain. Soft shell features easy-access magnetic closure utility pockets, lower front and internal communications pockets, quick-release side zippers, adjustable cuffs, and shoulder straps, and is designed to be worn as a stand-alone outer garment or as a mid-layer liner combined with the Shield Duty Jacket or HiVis Parka.

Fabric: 96% polyester/4% spandex outer with comfortable and warm fleece interior; 2-way stretch-bonded, three-layer fabric offers enhanced thermal protection, airflow, and performance during elevated aerobic activities. HydroTech membrane is waterproof, windproof, and breathable, promoting moisture management, allowing the moisture to pass through the garment, and keeping the wearer dry and comfortable in all weather conditions. Weight is 7.6 oz. per square yard. Sleeve lining is brushed tricot for easy removal. Colors: black, navy, and O.D. green.



Collar:


Permanent collar is made of two plies of shell fabric with the outer shell on the outside and fleece side facing inward. Collar points measure 3" high. Abrasion-resistant chin protectors are sewn on the inside of the collar points to protect against the liner's zipper slider when attached. A loop set into the outside of the collar at the neck seam connects to a snap-strap on the interior of the outer shell to hold the soft shell in place when worn as a liner to the Duty Jacket or HiVis Parka.



Sleeves: Sleeves are tricot-lined and have a slight articulation and curve towards the front of the body. There is a 2" gusset at the lower sleeve. A small elastic loop set on the gusset seam line just above the stitch line of the cuff connects to a snap-tab on the outer shell sleeve to hold the soft shell in place when worn as a liner to the Duty or HiVis Parka.

Cuffs: To be 1" wide with elastic at the back and an adjustable tab with 1" FastLock at the front. A 1" x 3" cuff tab with hook FastLock is set in the inside seam to attach to the 1" loop FastLock set on the cuff.

Front: Front has a Vislon #5 two-way, auto-lock, dual separating zipper, functional up to the collar points. There must be an inner storm flap at the front behind the zipper all the way to the collar point for extra protection. Storm flap is folded over the top of the zipper on the right side to form an abrasion-resistant chin protector and is lined with Pellon.




Side Vents: Side vents open 10" from bottom of waistband. "Quick release" coil zippers are sewn into each side seam, extending through the waistband, to allow access to weapons and equipment. Zippers lock when the pull tab is locked in the upright position.


A 3/4" x 3" elasticized tab is set to the inside back of the hem and contains a stud snap to align with the two adjustable flat snaps on the front of the soft shell. Additional flat snap inside the back of the hem secures the tab when not in use.

Seams: All stitching is even and uniform. All seams on the shell and liner are securely sewn. All seams are properly reinforced where needed via back-tack or bar-tack, 8 stitches per inch minimum to 12 stitches per inch maximum, and free from puckering, pleats, runoffs, and raw edges.

External Pockets: Two large document/utility pockets on the upper front that extend across the chest have 7 1/2" vertical openings. Pockets have U-shaped bottoms with 3" x 5" patch pockets set inside the pocket bag bottoms. Pocket openings are secured with magnet closures.



Two vertical slash pockets on the lower front are fleece-lined for warmth and have 6 1/2" openings with reverse coil zipper closures and zipper hoods at each end. Right pocket has a D-ring attached to a 3 1/2" long double-ply strap sewn into the pocket seam to secure keys.



Internal Pockets: Two patch-pockets set inside the lower front accommodate radios, tablets, etc. Pockets measure 7½” wide x 9½” long and close with vertical zippers. There is a communications access opening in the top corner of each pocket.

Optional Items: Two 1” x 4¼” unfinished loose badge tabs are in the left lower external pocket. Eyelets are spaced 1½” apart on one and 1¾” apart on the other. A ½” x 4” loose mic tab and 1” x 8” name tape are also included.

Shoulder Straps: Permanent utility straps made of two plies of the basic shell fabric are 1¼” wide and single-needle edge-stitched. Straps are tacked to shoulders at ends and center to form a 2” opening at the center of each strap for a mic attachment.



Waistband: Waistband has 1” hem in the front. Back has a shirred elastic hem with a soft gripper strip.

Labels: Soft shell is permanently labeled with manufacturer, size, and laundry instructions. Soft shell must be able to withstand repeated machine washing with no deterioration in stitching, color, water resistance, or windproofness. Descriptive product hang tag is attached to wearer’s left cuff. SH3509 has a CDCR approval label at the lower interior right pocket.

Limited Warranty: Manufacturer agrees to warrant the product to be free from defects in material and workmanship for a period of three years from date of purchase.

UPC Identification: A printed UPC bar code tag must be attached to every garment to be visible in the package. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Finished Dimensions:

Size:	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Center Back Length	24¾	24¾	25	25¾	25¾	26¾	26½	26¾	27¼	27¾
Chest	40	44	48	52	56	60	64	68	72	76
Sleeve Length	34½	35¼	36	36¾	37½	38¼	39	39¾	40½	41¼
Bottom Hem Relaxed	34	38	42	46	50	54	58	62	66	70

Short – 2” shorter in Sleeve and Center Back Length than Regulars
 Long – 2” longer in Sleeve and Center Back Length than Regulars

6.2.3 Lightweight Response Jacket

REQUESTED MODEL: 5.11 Jacket #48016
 COLOR: Black

- a. Color: Black
- b. Fabric: Outer fabric is made of 100% microfiber polyester. The fabric is wind and rain resistant.
- c. Design: The jacket shall incorporate seven (7) pockets as described below with a #5 side zipper at center front. Side pockets and ID pockets are secured with zippers.
- d. Pocket Design: The jacket is made with seven (7) pockets – two (2) document pockets located

at the chest. Three (3) ID pockets with pull out flaps. Two (2) side hand pockets.

- e. Labels: Jackets must have a care label, size label, country of origin and fiber content label permanently attached to the garment.
- f. Stock Sizes: Jacket must be available in the following stock sizes: EXTRA-SMALL, SMALL, MEDIUM, LARGE, EXTRA LARGE, 2 XL, 3 XL, 4XL
- g. Reflective Package:
 - 1. On two front ID pull out flaps – 2” reflective stripe horizontal on flap
 - 2. On back ID pullout flap – 2” reflective stripe horizontal on flap
 - 3. Members may be authorized to have a ranking badge sewn onto the left breast pullout tab, Name and Rank on right breast pullout tab and “SHERIFF” sewn into the rear tab.
- h. Patches: Department patch to be attached to left sleeve per specifications
God and Country American flag patch to be attached to right sleeve per specifications.
Chevron, appropriate badge patch to be attached. Unless otherwise authorized to not have outer marking visible.
- i. Name Embroidery on Right Chest (see exhibits)

6.2.4 Plain Clothes Jacket

REQUESTED MODEL: 5.11 Tactical SABRE JACKET 2.0 #48112

COLOR: Black

- a. Polyester bonded softshell
- b. waterproof and breathable seam sealed membrane
- c. Wind and water repellent
- d. Handwarmer pockets
- e. Three hook and loop pockets
- f. Utility pockets at each shoulder
- g. Detachable hood
- h. Drop tail design.
- i. Integrated storm cuffs
- j. YKK zipper hardware
- k. 5.11 Quixip System for accelerated sidearm access

6.2.5 Zip Front Safety Vest

REQUESTED MODEL: Blauer 343S


COLOR: Hi-Vis Yellow

- a. Color: Hi-Vis Yellow
- b. ANSI 107-2004 Class II CERTIFIED
- c. ANSI 107-2004 Class I CERTIFIED when bottom panels snapped up
- d. Hi-vis breathable mesh background fabric is fade resistant
- e. Hi-contrast SCOTCHLITE™ stripes for day/night visibility
- f. Patented breakaway design with hook-and-loop fasteners comes apart at shoulders and waist to prevent entanglement with car mirrors and attackers
- g. Front and rear accommodate two rows of custom lettering

- h. Double slotted pen pocket on delrin zipper front
- i. Microphone tab on both shoulders
- j. Fully adjustable at waist
- k. 28" long (22" long with panels snapped up)
- l. "SHERIFF" lettering down front left side and on back in black
- m. Sizing: Available in sizes S-XXXL

6.2.6 Zip Job Shirt

REQUESTED MODEL: 5.11 ¼ Zip Job Shirt 2.0 #72534



Fabric Type:

Body, Collar, Facing behind zipper, handwarmer pocket bags: 82% Cotton 18% Polyester French Terry, piece-dyed, back side 11.6 oz. Collar (top & bottom), Inside Half Moon, Elbow Patches: 100% Cotton canvas, PocketBags (Mic, Pen Pockets, Inside Chest Pockets): 100% Cotton Twill, solid-piece dyed Cuffs and Waistband: 98% Cotton 2% Spandex, 2x2 rib.

100% Cotton canvas, Pocket Bags (Mic, Pen Pockets, Inside Chest Pockets): 100% Cotton Twill, solid-piece dyed Cuffs and Waistband: 98% Cotton 2% Spandex, 2x2 rib.

Features & Benefits:

A contemporary design with ¼ zip front. Fade-resistant cotton/poly fleece with stain resistant treatment. Canvastrims also fade-resistant.

Design:

Deep chest pocket with Velcro breakthrough allows you to carry a full-sized radio or a smaller object without it dropping to the bottom of the pocket. Mic pockets at both shoulder plus pen pockets on the left sleeve.

Stitching & Finishing:

Stitches per inch on seams, on cover and on single needle top stitch: 12

Shoulder Seam, Armhole, Front Yoke Seam, Front Side Seam: Overlocked inside, ¼" needle edge stitch

Collar, Cuff & Hem: Overlocked inside, ¼" needle edge stitch

Front Chest Pocket: With strip of interlining reinforcement inside top edge.

Pencil Pockets: Welts are body fabric (cut with the grain), single needle top stitched, bartacked at ends of welt; woven twill pockets (inside), overlocked on edges woven twill fabric for inside bag; top edge is serged

Shoulder Seam Support: Taped with clear PU tape.

Stain repellent finish

Labels:

Main logo woven label at inside back neck. Fabric content label, size label and care instruction label are attached permanently to the garment at the inside side seam.

Closures:

YKK Zipper, Velcro Hook & Loop inside chest pocket.

Stock Sizes:

XS-5XL, Reg and Tall

Colors:

Black, Fire Navy, Heather in Reg and Tall

Name Embroidery on Right Chest


Badge Embroidery on Left Chest

Heat Press Lettering "SHERIFF" on Back (see exhibits)

6.2.7 Zip Job Shirt

REQUESTED MODEL: Elbeco 3770 Shield FlexTech ¼ Zip Job Shirt

Style: Quarter-zip fleece pullover has a self-collar, on-seam hand warmer pockets with D-ring, chest pocket, pencil pocket on sleeve, mic pockets on shoulders, and a mic loop on placket. All measurements are taken without stretching the material.



Tailoring: It is imperative that this garment is constructed according to the principles set forth in the specifications. All stitches must be of proper tension and size to avoid puckering after pullover has been laundered and give the best durable press performance.

Fabric: 100% polyester microfleece, weighing 8 oz. per square yard. Fabric offers excellent color and shape retention, has four-way stretch, is fluid-repellant and fade-resistant. Outside of fabric is anti-pill for durability and has Nano Fluid Repellency technology. Inside is brushed fleece for warmth. Colors: black and midnight navy.

Collar/Zipper Closure:


To be two-ply knit with interlining, clean finished to neck with grosgrain tape. Collar closes with a zipper and finishes with a self-fabric chin guard. The #5 YKK Vislon zipper is set from the top of the collar to the chest. Bottom zipper stop is covered with a small fabric patch.

Mic Tab: A 1 ½" wide x 3/8" long fabric loop is set at the bottom of the zipper above the yoke seam to accommodate mic clip or glasses.


Sleeves: To be set in and finished with ¼" single-needle top-stitch. Cuffs are 93% polyester/ 3% spandex 1x1 ribbed knit measuring 1½". A set-in pencil pocket on left sleeve has a dual opening and twill pocket bag that measures 2⅞" x 6½".

Pockets

Chest: Pocket with twill pocket bag, set in the yoke on wearer’s right side, measures 5¼” wide x 7½” deep, is fused for stability, and has a Velcro closure. A 1½” x 4½” pencil pocket is set in the pocket bag. Two small pieces of Velcro are set 2” from the bottom of the pocket to shorten the pocket depth as required.



Side: Each side has an on-seam hand warmer pocket with a 7” opening. Pockets are fleece-lined and have internal storage pockets for cellphones. Right pocket has a D-ring attached to a 3½” long double-ply strap sewn into the pocket seam to secure keys.



Shoulders: Shoulder seams are finished with ¼ “ top-stitching and have 1 ½ “ wide fused mc pockets set in the seam lines.

Optional Items: A 1” x 4¼” unfinished loose badge tab with eyelets spaced 1½” apart, and 1” x 8” loose name tape measuring are included in the left pocket.

Back: A semi-circular twill patch is centered inside the back yoke sewn at the neckline. A ¼ “ wide locker loop is set at the neckline.

Bottom Hem: Hem is formed with 97% polyester/3% spandex 1 x 1 ribbed knit finishing 2½” deep.

Labels: Pullover has a brand label and labels in yoke containing size, country of origin, care, and content. Descriptive product hang tag is attached to front.

Pressing and Packing:

Pullovers are carefully completed in a first-class manner and individually packed in polyethylene bags. Pullovers are bulk packed.

UPC Identification:

A printed UPC bar code tag must be attached to every garment. The UPC bar code must identify style, color, and size information to be incorporated into an inventory management system. Appropriate support documentation must be available to assist the Agency in encoding UPC information.

- Name Embroidery on Right Chest
- Badge Embroidery on Left Chest
- Heat Press Lettering “SHERIFF” on Back (see exhibits)

Finished Dimensions – Regular:

Size:	XS	S	M	L	XL	2XL	3XL	4XL	5XL
Chest:	38	42	46	50	54	58	62	66	70
Sweep/bottom (relaxed)	26	30	34	38	42	46	50	54	58
Length	25½	26½	27½	28½	29½	30½	31½	32½	33½
Sleeve Length (from center back)	33¾	34¾	35¾	36¾	37¾	38¾	39¾	40¾	41¾

Finished Dimensions – Tall:

Size:	M	L	XL	2XL	3XL	4XL
Chest:	46	50	54	58	62	66
Sweep/bottom (relaxed)	34	38	42	46	50	54
Length	29½	30½	31½	32½	33½	34½
Sleeve Length (from center back)	37¾	38¾	39¾	40¾	41¾	42¾

7.0 Boots

7.1 8" Non-Insulated Duty Boot

REQUESTED MODEL: 7.1.a Danner 26634 Striker Bolt Side Zip; Danner 26633 Non-Zip

REQUESTED MODEL: 7.1.b Danner 26634 Striker Bolt Side Zip; Danner 26633 Non-Zip

COLOR: Black

- PU Coated, Polishable Leather & Nylon Upper
- Waterproof GORE-TEX
- 100% waterproof and breathable, GORE-TEX liners ensure that no water gets in, while allowing sweat and moisture to get out.
- Lace Garage
- Prevents loose laces from snagging or dragging. At the top of the boot's tongue is a stretch fabric pocket designed to tuck your lace ends into.
- Side Zip
- Get in and out of your boots faster with this semi-locking side zipper. It locks itself closed when its zipped up, yet easily releases when you pull the zipper down.
- Bi Fit Board
- By combining the shank, lasting board, and midsole into a single unified piece that is molded to match the shape and contours of our boots, we were able to reduce a significant amount of weight from the boot without sacrificing support.
- Vibram® Striker® Bolt Outsole
- The Striker® Bolt outsole is slip-resistant and offers maximum surface contact while gripping on and off pavement.
- TERRA FORCE NEXT Platform
- The TERRA FORCE NEXT platform combines an internal and external shank system which helps to provide arch support and torsion control. The Vibram SPE midsole brings comfort and durability without added weight.

7.2 8" Insulated Boot

REQUESTED MODEL: Danner 25332 Instinct Tactical Side Zip

COLOR: Black

- Polishable Full-Grain Leather and Ripstop Nylon Upper
- Waterproof Danner® Dry
 - 100% waterproof barrier allows moisture to escape without letting water in, keeping your feet dry and comfortable all day long.
- Body Fluid-Borne Pathogen Resistant
 - Meets or exceeds ASTM F1671 requirements for resistance to penetration by bloodborne pathogens, providing protection for personnel in emergency medical services (EMS) operations.
- Side Zip
- 400G Thinsulate Ultra Insulation
- PerfX™ Footbed offers lightweight cushioning, lasting durability and breathability.
- Boundlite Midsole
 - Our low-density polyurethane technology offers fatigue reduction and superior rebound.

7.3 6" Non-Insulated Duty Boot

REQUESTED MODEL: Danner 26635 Striker Bolt Side Zip
COLOR: Black

- PU Coated, Polishable Leather & Nylon Upper
- Waterproof GORE-TEX
 - 100% waterproof and breathable, GORE-TEX liners ensure that no water gets in, while allowing sweat and moisture to get out.
- Lace Garage
 - Prevents loose laces from snagging or dragging. At the top of the boot's tongue is a stretch fabric pocket designed to tuck your lace ends into.
- Side Zip
- Bi Fit Board
 - By combining the shank, lasting board, and midsole into a single unified piece that is molded to match the shape and contours of our boots, we were able to reduce a significant amount of weight from the boot without sacrificing support.
- Vibram® Striker® Bolt Outsole
 - The Striker® Bolt outsole is slip-resistant and offers maximum surface contact while gripping on and off pavement.
- TERRA FORCE NEXT Platform
 - The TERRA FORCE NEXT platform combines an internal and external shank system which helps to provide arch support and torsion control. The Vibram SPE midsole brings comfort and durability without added weight.

7.4 8" Non-Insulated Duty Boot, Women's

REQUESTED MODEL: 5.11 Women's ATAC 2.0 Storm 8"
COLOR: Black

- SlipStream™ waterproof/breathable and bloodborne pathogen resistant membrane
- A full-length dual durometer Ortholite® footbed work to keep your feet cool, dry and comfortable all day, every day. Achilles heel flex zone, gives a critical part of your foot more range of motion without compromising support.
- Roughed out suede toe, 840D nylon upper and Shock Mitigation System® Ortholite® Achilles cuff for comfort
- YKK® side zipper
- ASTM slip-and oil-resistant outsole

7.5 8" Non-Insulated Coyote Tactical Boot

REQUESTED MODEL: Danner 24323 Desert TFX G3
COLOR: Black

- Rough Out Leather & 1000 Denier Nylon Upper
- Our rough-out, full-grain leather upper is legendary for its durability. We pair it with 1000 Denier nylon for superior protection.
- Waterproof GORE-TEX

- 100% waterproof and breathable, GORE-TEX liners ensure that no water gets in, while allowing sweat and moisture to get out.
- Variable Lacing System
- Lace Garage
 - Prevents loose laces from snagging or dragging. At the top of the boot's tongue is a stretch fabric pocket designed to tuck your lace ends into.
- Vibram® Striker® Torrent Outsole
- 360° pentagonal low lug pattern grips in all directions, a flex notch design adds flexibility in key pivot areas and a more rugged outer lug pattern sheds water and provides maximum surface contact.
- Danner TFX-8 Platform

7.6 Black Leather Chukka Duty Shoe

REQUESTED MODEL: 501-8 Rocky Dress Leather Chukka

- a. Black leather shoe capable of holding a high luster shine
- b. Ankle high lace front
- c. Moisture wicking leather lining
- d. Goodyear welt construction allowing for resoling
- e. Leather covered perforated foam footbed cushions
- f. Blown rubber RainGripper outsoles
- g. Unisex sizes, medium wide and extra wide 7-15

8.0 Garrison Pant Belt

REQUESTED MODEL: Boston Leather 6505

COLOR: Black

- A. Garrison Belt OR Equivalent– 1-3/4” wide made from 10-12 ounce, top grain, drum dried black, englishbridle leather.
- B. Belts have a decorative edge crease, both sides.
- C. The buckle is non-rust, center bar, with either nickel, or brass protective plating.
- D. Belts have one matching loop made with the same leather as the belt.
- E. The buckle and the loop are removable, they are held in place by two solid brass snaps. The snaps have a black baked enamel finish. The snaps are large with a minimum surface area of the cap of ½”.
- F. The belt has seven holes for maximum adjustment.
- G. All cut edges are filled and coated with matching black edge filler.
- H. All belts are made in the U.S.A.


9.0 Specialty Duty Uniforms

9.1 Tactical Unit Combat Shirt - Long Sleeves

REQUESTED MODEL: 5.11 72508 V.XI XTU Rapid MultiCam Long Sleeve Shirt

- A. Upper shoulders and sleeves:
 1. 58% Cotton / 39% Cordura / 3% elastane ripstop
 2. MultiCam print

- 4. Teflon finish
- B. Lower Body
 - 1. 60% Cotton / 40% Nylon66 Cordura single jersey
 - 2. 5.0 oz
 - 3. Wicking and odor-odor finish
- C. No-melt No-drip fabrics
- D. ¼ Zip front closure
- E. Dual Upper sleeve pockets with pen slots and loop patch platform
- F. Adjustable Cuffs
- G. Gussted construction with knot fabric for breathability
- H. Reinforced elbows
- I. Flat lock seams
- J. Bar tacking at key stress points
- K. Double and Triple Needle Topstitching throughout for added reinforcement
- L. Double needle Bottom Coverstitch at Bottom Opening, ¾” hem
- M. Bar tacks at CF Zipper Top and Bottom, Sleeve Zipper Pocket, and Pen Pockets
- N. Single Needle Topstitch at Elbow Darts
- O. Hook & Loop attached with edgestitch and X box stitch for extra strength



9.2 Tactical Unit Combat Shirt, Long Sleeves, Cold Weather

REQUESTED MODEL: TRU-SPEC #2524 TRU ¼ Zip MultiCam Winter Combat Shirt
 COLOR: Multi-Cam

FABRIC:

65/35 polyester/cotton rip-stop

COLOR:

Multi-Cam

STYLE:

- P. Body constructed from 6.6oz. TRU-SPEC® Performance Plus 93% polyester/7% Spandex® grid fleece for increased breathability and improved moisture wicking
- Q. Sleeves are lined with grid fleece for added warmth
- R. 1/4 zip front mandarin collar; zipper has a cover hood
- S. Seamless shoulders to minimize rubbing and chafing
- T. Storage pockets on sleeves
- U. The loop on sleeve pockets is for attaching name, rank and flag patches
- V. Glint tape holder for IR tape
- W. Anti-abrasion padded elbow patch
- X. Gusseted sleeves
- Y. Pen/pencil stalls
- Z. Hook & loop cuff closures

SIZES:

Small – Xlarge Short
 Small – Xlarge Regular
 Small – Xlarge Long

9.3 Tactical Unit Blouse

REQUESTED MODEL: TRU-SPEC #1244 TRU XTREME BDU-STYLE SHIRT

COLOR: Multi-Cam

FABRIC:

50/50 nylon/cotton rip-stop

COLOR:

Multi-Cam

STYLE:

- A. Mandarin collar can be worn up or down to keep out debris and contains a locker loop to hang
- B. Back cape with hook & loop closure with the option for attachment flap and mesh inner lining
- C. Loop faced upper sleeve pockets for patches, with hook & loop closure and hidden zipper front pocket
- D. Zippered with hook & loop closure on front placket
- E. Bellowed chest pockets with inverted pleat, hook & loop closure and hidden front zipper pocket
- F. Reinforced inset on elbows for added durability with an internal opening for elbow pads secured with hook & loop closure
- G. Articulated elbows
- H. Tri-pocket on the lower arm with document window flap and hook & loop closure with three exterior pen/pencil slots with a special tunnel system for alternating the tri-pocket from left to right for personal comfort
- I. Adjustable hook & loop cuff

SIZES:

Small – XLarge Short

Small – XLarge Regular

Small – XLarge Long

Name Embroidery on Right Chest

Badge Embroidery on Left Chest


Heat Press Lettering “SHERIFF” on Back (see exhibits)

9.4 Tactical Unit Pants

REQUESTED MODEL: 5.11 74554MC V.XI XTU Cargo Pant

COLOR: MultiCam


- A. 58% cotton/ 39% nylon Cordura/ 3% elastane ripstop, MultiCam™ print, 5.7-oz, Teflon™ finish
- B. No melt No drip stretch fabric
- C. Comfort waistband with Logo button
- D. Hook and loop closure at center front waistband
- E. Ortholite foam support at back waistband
- F. Two-way zipper at front fly
- G. Large cargo pockets with volume folds and zipper closure
- H. N6 nylon Mag Pocket inside cargo pocket
- I. Back pockets with zipper closure
- J. Gusseted construction
- K. Ventilation opening at inside leg
- L. Soft kneepad inserted in the inside of the pant
- M. 5.11 patented kneepad system at outside of the knee
- N. Shoelace hook attached at leg opening
- O. Blousing straps
- P. Single Needle Lockstitch, 1/16" margin: Top edge of CF waistband, front rise, beltloops, front gusset, back knee tab, edge of cargo bellows, zippers
- Q. Single Needle Lockstitch, 1/8" margin: Back waistband.
- R. Single Needle Lockstitch, 1/4" margin: back yoke
- S. Single Needle Lockstitch, 1 1/4" margin: Hem.
- T. Double Needle, 1/4" gauge: Bottom edge of waistband, fly J stitch, front hand pocket opening, cargo pocket, back rise, side seam, back gusset, back knee seam, knee pad, Kick plate
- U. Multi-needle Lockstitch, 7/8 gauge: Center of knee pad
- V. Bar tacks: All stress areas
- W. Hook and Loop: Single Needle Lockstitch attached with edgestitch



10.0 Polo Shirt

10.1 Long Sleeve Performance Polo Shirt, Long Sleeve

REQUESTED MODEL: 5.11 #72049 and #72049T Men's Performance Polo



Fabric Type:

100% Polyester, Snag-resistant Jersey Knit 230 g/m with odor control

Features & Benefits:

Made with fabric that doesn't snag with hook & loop or other abrasive surfaces

3 button placket

mic-clip pockets on shoulder

flat knit collar features an anti-rolling technology that keeps the collar from rolling or turning

upEmbroidery friendly pen pocket construction on wearer's left sleeve
Body features saddle-shoulder construction
Gusseted underarm sleeve for greater range of motion
Bottom hem features split side vent
UPF rating 35

Stitching & Finishing:

Stitches per inch are 10-12 on all operations
Double needle coverstitch at armhole and side gusset seams
Neckline has 1/4" single needle topstitching
Front Placket is 1 1/4" wide with edge stitching on both sides
Sleeve hem has 1" turned up with 1/4" double needle coverstitch
Individually packaged in poly bag like a dress shirt with plastic clips, cardboard collar band and tissue centered between folder layers

Closures:

Buttons – 4 hole Melamine buttons that won't met, burn or crack
20 Ligne Buttons: 3 on center front placket

Stock size:

XS-3XL, L-5XL Tall

Colors:

Black, Heather Grey, Range Red, Academy Blue, White, and LE Green


Name Embroidery on Right Chest

Badge Embroidery on Left Chest

Heat Press Lettering "SHERIFF" on Back (see exhibits)

10.2 Long Sleeve Polo Shirt

REQUESTED MODEL: 5.11 #42056 and #42056T Long Sleeve Polo



Description: Men's L/S Performance

PoloStyle Number:

Fabric Type:

6.8 oz. 100% Cotton pique knit fabric

Features & Benefits:

3 button placket

mic-clip pockets on shoulder

RFB-DCP-30-26

flat knit collar features an anti-rolling technology that keeps the collar from rolling or turning up
Embroidery friendly pen pocket construction on wearer's left sleeve
Body features saddle-shoulder construction
Gusseted underarm sleeve for greater range of motion
Bottom hem features split side vent

Stitching & Finishing:

Stitches per inch are 10-12 on all operations
Double needle coverstitch at armhole and side gusset seams
Neckline has ¼" single needle topstitching
Front Placket is 1 ¼" wide with edge stitching on both sides
Sleeve hem has 1" turned up with ¼" double needle coverstitch
Individually packaged in poly bag like a dress shirt with plastic clips, cardboard collar band and tissue centered between folder layers

Closures:

Buttons – 3 hole Melamine buttons that won't met, burn or crack
20 Ligne Buttons: 3 on center front placket

Stock size:

XS-3XL, L-5XL Tall

Colors:

Black, Heather Grey, Range Red, Academy Blue, White, and LE Green

Name Embroidery on Right Chest

Badge Embroidery on Left Chest

Heat Press Lettering "SHERIFF" on Back (see exhibits)

10.3 Men's & Women's Short Sleeve Polo Shirt

REQUESTED MODEL: 5.11 #71049/#71049T/61165 Short Sleeve Polo

#

Fabric Type:

100% Polyester, Snag-resistant Jersey Knit 230 g/m with odor control

Features & Benefits:

Made with fabric that doesn't snag with hook & loop or other abrasive surfaces
3 button placket
mic-clip pockets on shoulder
flat knit collar features an anti-rolling technology that keeps the collar from rolling or turning up
Embroidery friendly pen pocket construction on wearer's left sleeve
Body features saddle-shoulder construction
Gusseted underarm sleeve for greater range of motion
Bottom hem features split side vent
UPF rating 35

Stitching & Finishing:

Stitches per inch are 10-12 on all operations
Double needle cover stitch at armhole and side gusset seams
Neckline has ¼" single needle topstitching
Front Placket is 1 ¼" wide with edge stitching on both sides
Sleeve hem has 1" turned up with ¼" double needle cover stitch
Individually packaged in poly bag like a dress shirt with plastic clips, cardboard collar band and tissue centered between folder layers

Closures FB-DCP-30-26

Buttons – 4 hole Melamine buttons that won't met, burn or crack
20 Ligne Buttons: 3 on center front placket

Stock size:

Men's XS-3XL, L-5XL Tall

Women's S-XL

Colors:

Men;s:

Black, Heather Grey, Range Red, Academy Blue, White, and LE Green

Women's:

Dark Navy, Black, Silver Tan, White

Name Embroidery on Right Chest

Badge Embroidery on Left Chest

Heat Press Lettering "SHERIFF" on Back (see exhibits)

10.4 Short Sleeve Polo Shirt

REQUESTED MODEL: 5.11 Short Sleeve Polo #41060,#41060T

Fabric Type:

6.8 oz. 100% Cotton pique knit fabric

Features & Benefits:

3 button placket

mic-clip pockets on shoulder

flat knit collar features an anti-rolling technology that keeps the collar from rolling or turning

upEmbroidery friendly pen pocket construction on wearer's left sleeve

Body features saddle-shoulder construction

Gusseted underarm sleeve for greater range of

motionBottom hem features split side vent

Stitching & Finishing:

Stitches per inch are 10-12 on all operations

Double needle coverstitch at armhole and side gusset

seamsNeckline has 1/4" single needle topstitching

Front Placket is 1 1/4" wide with edge stitching on both sides

Sleeve hem has 1" turned up with 1/4" double needle

coverstitch

Individually packaged in poly bag like a dress shirt with plastic clips, cardboard collar band and tissue centeredbetween folder layers

Closures:

Buttons – 3 hole Melamine buttons that won't met, burn or

crack20 Ligne Buttons: 3 on center front placket

Stock size:

XS-3XL, L-5XL Tall

Colors:

Black, Heather Grey, Range Red, Academy Blue, White, and LE Green

Name Embroidery on Right Chest

Badge Embroidery on Left Chest

Heat Press Lettering "SHERIFF" on Back (see exhibits)

11.0 T-Shirts

REQUESTED MODEL: Gildan Active Wear or Equivalent

FABRIC:

100% Pre-Shrunk Cotton

COLOR:

Black or Navy

SIZES:

Small - 4XL

SILKSCREEN: (see exhibits)

3 ½ x 3 Sheriff star

or

SILKSCREEN:

5" bold Grey capital letters silk-screened on Back or

SILKSCREEN:

Screen print Sheriff Star on Left Chest

12.0 Turtlenecks

12.1 Long-sleeved

REQUESTED MODEL: Blauer #8100X

- a. Color: Black and White
- b. Shell Fabric: 6.5 oz 4-way stretch 28-cut jersey knit fabric 92% cotton / 8% spandex with 3XDRY® comfort finish made from 30/1 Combed Ring Spun Cotton and plaited inside with 40 denier spandex. Dyed with reactive dyes for maximum color retention.
- c. Trim: Interlining: 100% polyester stretch fusible (Color: white)
Tape reinforcement: Quick stretch elastic, 0.25 inches wide (Color: clear)
- d. Design and Construction:
 1. Close-fitting pullover style turtleneck
 2. Shoulder seams reinforced with specified tape
 3. Self fabric color and cuffs reinforced with one ply of stretch fusible interlining
 4. Extra-long tail
- e. Standard Size Range: Unisex Regular Length: S – 3XL
Measurements: Unisex Regular Length: Size Large
 1. ½ Chest: 22.5 (plus or minus 0-.5 inches)
 2. Sleeve Length: 36 (plus or minus 0.5 inches)
 3. Back Length: 31.5 (plus or minus 0.5 inches)
 4. Neck Height: 5 (plus or minus 0.25 inches)
- f. Embroidery: (see exhibits)
 1. Embroidered on neck: D C S O
 2. Size: ¾" Block Letters

3. Color: Gold or White

12.2 Turtleneck Dickey

REQUESTED MODEL: Blauer #8109

- a. Color: Black and White
- b. Shell Fabric: 6.5 oz 4-way stretch 28-cut jersey knit fabric 92% cotton / 8% spandex with 3XDRY® comfort finish made from 30/1 Combed Ring Spun Cotton and plaited inside with 40 denier spandex. Dyed with reactive dyes for maximum color retention.
- c. Trim: Interlining: 100% polyester stretch fusible
- d. Design and Construction:
 1. Turtleneck collar: Self fabric collar reinforced with one ply of stretch fusible interlining
- e. Standard Size Range: Unisex Regular Length: XS, S-M, L-XL
- f. Embroidery: (see exhibits)
 1. Embroidered on neck: D C S O
 2. Size: ¾" Block Letters
 3. Color: Gold or White

12.3 Mock Turtleneck

REQUESTED MODEL: Blauer #8810X

- a. Color: Black and White
- b. Performance Blend 90% cotton and 10% lycra fabric Jersey knit
- c. Collar and cuffs are reinforced with stretch fusible
- d. Mock Neck Styling
- e. Standard Size Range: Unisex Regular Length: XS - 6XL
- f. Embroidery: (see exhibits)
 1. Embroidered on neck: D C S O
 2. Size: ¾" Block Letters
 3. Color: Gold or White

12.4 Mockneck Dickey

REQUESTED MODEL: Blauer #8119

- a. Color: Black and White
- b. Performance Blend 90% cotton and 10% lycra fabric Jersey knit
- c. Collars are reinforced with stretch fusible
- d. Mock Neck Styling

- f. Embroidery: (see exhibits)
 - 1. Embroidered on neck: D C S O
 - 2. Size: 3/4" Block Letters
 - 3. Color: Gold or White

13.0 Rain Gear

13.1 Patrol Raincoat

REQUESTED MODEL: 5.11 #5-48125 style Long Reversible Hi-Vis Raincoat

- a. Color: Fluorescent Yellow
- b. Shell Fabric: 100% Polyester Oxford 300Dx300D PU visible coating 2000mm waterproofness 3000gm MVP; shall resist oil, discoloration and be odor free.
- c. Lining: 100% Nylon ripstop with a total count of 210. (Color: black)
- d. Trim:
 - 1. Eyelets: 3L matt. (Color: black)
 - 2. Hook and loop: woven nylon base. (Color: black)
 - 3. Plastic fastener: 100mm translucent plastic pin.
 - 4. Reflective trim: 2 inch wide, 3M Scotchlite™ silver reflective fabric on 2.5 inch black ribbon.
 - 5. Snaps: non-rusting, 24 ligne, gunmetal finish on brass, heavy-duty closure.
 - 6. Seam tape: waterproof seam sealing tape, 1.0 inch in width compatible with the coating compound.
 - 7. Front zipper: vision, two-way, size #5, 29 inches. (Size L/Reg, black)
- e. Design and Construction:
 - 1. B.Dry waterproof, windproof, breathable raincoat.
 - 2. ANSI/ISEA 107 Class II certified.
 - 3. Double storm flaps cover delrin zipper.
 - 4. Fully lined with ripstop nylon taffeta.
 - 5. Hi-contrast Scotchlite™ reflective trim around chest, sleeves and cuffs.
 - 6. Raglan drop shoulder for unrestricted movement.
 - 7. Side opening for access to equipment through pockets.
 - 8. One-piece sleeve with sleeve tab adjustment.
- f. Customization (Optional):
 - 1. Name tab
 - 2. Optional upgrade to ANSI Class III with 2 3/4" reflective stripe above hem
 - 3. Black 2 line logo on back, Sheriff in 3" letters and Dutchess Co. underneath in black also a 1 1/2" letters Snap-off hood, Badge tabs
- g. Size Range: Unisex, Regular: S – 3XL

<u>MEASUREMENTS</u>		Regular Length: Size: L
1. Chest:	53	(plus or minus 0.75 inches)
2. Sweep:	58	(plus or minus 0.75 inches)
3. Back Length:	48	(plus or minus 0.75 inches)
4. Sleeve Inseam:	21	(plus or minus 0.5 inches).
- h. PATCHES affixed and SCREENPRINTING included in cost of garment.

13.2 Tactical Rain Gear Parka

REQUESTED MODEL: TRU-SPEC #2027003 H2O PROOF Gen2 ECWCS PARKA

FABRIC:

2.5 oz 100 % Tactical Nylon

COLOR:

Multi-Cam, Black, Green

STYLE:

- A. Stand up zip-through collar with stowable hood and drawcords
- B. Sleeve pockets that allow for sewn-on patches
- C. Adjustable sleeve cuffs
- D. Hidden map pocket
- E. Non-freezing two-way zipper with double storm flap
- F. Insignia/badge loop on front placket
- G. Nylon reinforced elbows
- H. Zippered openings in the underarm for ventilation
- I. Drawstring waist with cord lock
- J. Bemis taped seams
- K. Advanta™ inner lining

SIZES:

Small - 3XLarge Regular

Medium - 2XLarge Long

Small - XLarge Short

13.3 Tactical Rain Gear Pants

REQUESTED MODEL: TRU-SPEC #2045005 H2O PROOF ECWCS

FABRIC:

3-Layer Breathable Nylon

COLOR:

Multi-Cam; Black; Green

STYLE:

- A. Drawstring waist with cord lock
- B. Advanta™ inner lining
- C. Bemis taped seams
- D. Zipper fly with snap button
- E. Two pass-through pockets
- F. Reinforced knees

G. Zipper leg openings with hook & loop ankle adjustments

14.0 Caps

14.1 Baseball Cap

REQUESTED MODEL: Yupoong Flexfit

FABRIC:

98% Cotton / 2% Spandex

COLOR:

Black or Red

SIZES:

S/M (6 3/4" – 7 1/4")

L/XL (7 1/8" – 7

5/8")

EMBROIDERY:

Sheriff Star or 1/2 "FIREARMS INSTRUCTOR in black lettering

14.2 Knit Winter Hat

REQUESTED MODEL: Yupoong

FABRIC:

100% Turbo Acrylic

COLOR:

Black, Grey or Red

SIZES:

One size fits all

EMBROIDERY:

"SHERIFF" or "FIREARMS INSTRUCTOR"

14.3 Stratton Felt Hat

REQUESTED MODEL: F-38

COLOR:

Light Grey Felt; Royal Blue ribbon band, lay down style

Black Leather neck strap with chrome buckle

STYLE:

Pre-blocked with center crease and side dents

3" brim with slight side-curl

Two vent eyelets on each side of crown

SIZES:

All sizes. No badge holes

SHAPE:

Regular oval, long oval, extra-long oval or wide oval

14.4 Stratton Hat Accessories

- A. 3-piece Hat Strap, Stratton Model # ST-3P-BK
- B. 1-piece Hat Strap, Stratton Model # ST-1P-BK
- C. Hat Cord, Stratton Model # CD-GB-GD
- D. Hat Cord, Stratton Model # CD-GD

15.0 Gloves

15.1 Insulated Gloves

REQUESTED MODEL: Damascus Gear Thinsulate Lined Leather Dress Gloves DM-DLD40

FABRIC:

Smooth aniline finished
cowhide 40 gram Thinsulate
insulation and cotton/acrylic
lining

Extended wrist

SIZE SCALE:

XS - 2XL

16.0 Shorts

16.1 Uniform Shorts

REQUESTED MODEL: 5.11 #73308 TACLITE Shorts

- A. 6.14 oz. poly/cotton ripstop fabric
- B. 9 – 9½ inseam
- C. Cargo pockets and rear pockets
- D. Double reinforced seat
- E. YKK Zippers
- F. Unisex sizes S – 3XL in Black or Khaki

17.0 Duty Gear

17.1 Duty Belt, Leather

REQUESTED MODEL: Gould & Goodrich B59FL4R

17.2 Handcuff Case, Leather

REQUESTED MODEL: Gould & Goodrich B70

- 17.3 Magazine Holders, Leather
REQUESTED MODEL: Gould & Goodrich B627-7
- 17.4 Belt Keepers, Leather
REQUESTED MODEL: Gould & Goodrich B76-4
- 17.5 Duty Belt Flashlight Double Ring, Leather
REQUESTED MODEL: Gould & Goodrich B615
- 17.6 Duty Belt OC Pouch, Leather
REQUESTED MODEL: Gould & Goodrich B681-3
- 17.7 Sliding Dee Snaps, Leather
REQUESTED MODEL: Gould & Goodrich B99D
- 17.8 Sam Browne Shoulder Strap, Leather
REQUESTED MODEL: Gould & Goodrich B99
- 17.9 Duty Belt, Nylon
REQUESTED MODEL: Bianchi 7220 2 ¼" Duty Belt
- 17.10 Handcuff Case, Nylon
REQUESTED MODEL: Bianchi 7300 Closed Top Case
- 17.11 Handcuff Case, Nylon
REQUESTED MODEL: Bianchi 7334 Open Top Case
- 17.12 Magazine Carriers, Nylon
REQUESTED MODEL: Bianchi 7302 Hidden Snap
- 17.13 OC Spray Case, Nylon
REQUESTED MODEL: Bianchi 7307
- 17.14 Belt Keepers, Nylon
REQUESTED MODEL: Bianchi 7406 Nylon keepers
- 17.15 Handcuffs
REQUESTED MODEL: Peerless 700C Nickle Handcuffs
- 17.16 Expandable Baton
REQUESTED MODEL: ASP 52411 21" Expandable Baton

17.17 Baton Scabbard

REQUESTED MODEL: ASP 52432 Expandable Baton Scabbard

18.0 Uniform Accessories

18.1 Collar Devices

1. Smith & Warren C501M – “DC” Collar Device, Nickle
2. Smith & Warren E514 – Sergeant Chevrons, Gold
3. Smith & Warren C534 – Small Lieutenant Bar, Gold
4. Smith & Warren C538 – Large Lieutenant Bar, Gold
5. Smith & Warren C536 – Small Captain Bars, Gold
6. Smith & Warren C540 - Large Captain Bars, Gold
7. Smith & Warren C532 – Small Colonel Eagle, Gold
8. Smith & Warren C530 – Large Colonel Eagle, Gold
9. Smith & Warren C517S – Large Star, Gold
10. Smith & Warren C519S – Small Star, Gold

18.2 Badges

1. Smith & Warren M385 Badge; Nickle (Deputy), Gol-Ray (Sergeant), Two Tone Gol-Ray w/ Sil-Ray Panels (Lieutenant & Captain)
2. Smith & Warren S262AP Badge; Gol-Ray (Detective, Det/Sgt, Det/Lt)
3. Smith & Warren P127 Eagle w/ 1, 3, or 5 Stars
4. Smith & Warren BC110 Bi-Fold Wallet w/ badge cut-out
5. Smith & Warren SAB3 NYS Accredited Agency Pin

19.0 Estimated Quantities

19.1 Following are the estimated quantities, based on prior usage, which will be ordered under the above-referenced bid for Uniform Clothing. Dutchess County is in no way responsible for ordering these quantities, as they are only approximations. The actual amounts ordered may be greater or less than the estimates:

<u>Item</u>	<u>1st Year</u>	<u>2nd Year</u>	<u>3rd Year</u>
Trousers, Blauer	300	300	300
Trousers, Elbeco	200	200	200
Trousers, with Braiding	10	10	10
Long Sleeve Shirts, Blauer	200	200	200
Long Sleeve Shirts, Elbeco	100	100	100
Short Sleeve Shirts, Blauer	200	200	200
Short Sleeve Shirts, Elbeco	100	100	100
Long Sleeve Dress Shirt, Elbeco	20	20	20
Short Sleeve Dress Shirt, Elbeco	20	20	20
Dress Blouses	10	10	10
3 Season Outerwear Jacket	25	25	25
Soft Shell Jacket	25	25	25
Lightweight Response Jacket	25	25	25

Plain Clothes Jacket	15	15	15
Sweater, Job Shirt, 5.11	20	15	15
Sweater, job Shirt, Elbeco	20	15	15
Patches	1000	750	750
Polo shirts, Long Sleeve, Poly	10	20	20
Polo Shirts, Short Sleeve, Poly	20	20	20
Polo shirts, Long Sleeve, Knit	10	10	10
Polo Shirts, Short Sleeve, Knit	20	20	20
Gloves, winter	30	30	30
Boots, 8" Non-insulated	25	25	25
Boots, 8" Insulated	25	25	25
Boots, 6" Non-insulated	20	20	20
Boots, 8" Woman's	5	5	5
Boots, 8" Coyote	10	10	10
Duty Shoe, Chukka	5	5	5
Shorts, Uniform	15	15	15
Hat, Standard Duty, Stratton	10	15	15
Hat Accessories, Hat Straps	10	15	15
Hat, winter	30	30	30
Patrol Raincoat	10	10	10
Turtleneck	50	50	50
Turtleneck Dickey	25	25	25
Mock Turtleneck	50	50	50
Mockneck Dickey	25	25	25
Tactical Rain Parka	15	10	10
Tactical Rain Pants	15	10	10
Zip Front Safety Vest	10	30	20
Keepers, Leather	45	25	25
Handcuff Case, Leather	15	15	15
OC Spray Case, Leather	15	15	15
Magazine Case, Leather	15	15	15
Flashlight Ring, Leather	15	15	15
Sliding Dee Snaps, Leather	15	15	15
Sam Browne Strap, Leather	15	15	15
Handcuff Case, Nylon	5	5	5
OC Spray Case, Nylon	5	5	5
Magazine Case, Nylon	5	5	5
Keepers, Nylon	15	15	15
Garrison Pants Belt	5	5	5
Gun Belt Leather	15	15	15
Gun Belt, Nylon	5	5	5
Handcuffs	15	15	15
Expandable Baton	15	15	15
Baton Scabbard	15	15	15
Tactical Combat Shirt	10	10	10
Tactical Combat Winter Shirt	10	10	10
Tactical Unit Long Sleeve Shirt	10	10	10
Tactical Unit Pants	15	15	15
T-Shirts	40	20	20
Ball Caps	20	20	20
Badges	10	10	10
Metal Collar Devices	20	20	20

- 19.2 Additional County departments / agencies / municipalities may also participate in this award. Each department/ agency / municipality is responsible for its contract and must be invoiced directly for its requested service.

20.0 Measuring

All garments and footwear shall be made and fitted to the individual's measurements. Vendor must be able to fit and furnish uniform and footwear items to both male and female personnel who require special sizes, at the bid price. All measurements and/or fittings must be taken by the vendor at the requesting department's location or, if acceptable to the County, in the vendor's local facility. Vendor is to maintain a record of all measurements for all County personnel serviced under this contract. Said record shall be kept current and updated as necessary. Vendor must supply quartermaster with these measurements upon request.

20.1 Tailoring/Repairs

Due to County personnel changes, the vendor must have the necessary personnel available for fitting new or additional individuals. Garments shall be tailored to fit each individual as designated by the department.

Said garments shall be fabricated, delivered and custom fitted to each individual by the vendor or his representative. If corrections to the garments are then necessary, the vendor shall correct the fittings as required. Items returned for tailoring or altering shall be completed within ten business days at no charge.

21.0 Approval of Equal Rated or Alternative Product

Bidders **MUST** submit samples at no charge if items being proposed that are different than recommended manufacturer and model number. Samples shall show exact style, quality, workmanship construction, color, and finish for the item proposed. A bidder may be deemed non-responsive if samples are not submitted with bid. Samples shall be returned upon request at the expense of the bidder, once an award has been made.

The final decision by which it is determined that any particular feature or item is, or is not, an approved equal product shall rest with the County of Dutchess.

22.0 Vendor Experience and Expertise

- The vendor shall be a nationally recognized distributor specializing in uniforms and equipment for First Responders, with a minimum of 5 years of industry experience.
- The vendor must demonstrate a management team with extensive combined experience in all facets of business operations relevant to first responder uniform and equipment supply.

23.0 Financial Stability

- The vendor must provide evidence of financial stability and security, ensuring the capacity to maintain adequate inventory levels and personnel to meet all contractual obligations without reliance on third-party wholesale distributors.

- The vendor shall purchase products directly from manufacturers to guarantee product authenticity and supply chain integrity. Letters from the manufacturers are required to ensure the bidder is an authorized distributor and that all warranties are in place.

24.0 Physical Infrastructure

- The vendor shall maintain physical locations strategically located to ensure efficient service and delivery.
- This location must include full-service sewing operations capable of performing alterations, embroidery, and heat transfers.
- The vendor shall demonstrate the ability to distribute order processing across multiple locations to optimize efficiency and turnaround times.

25.0 Product Quality and Vendor Partnerships

- The vendor shall represent and distribute only top-tier brands recognized within the First Responder uniform and equipment industry.
- Vendor partnerships must be subject to continuous review to ensure adherence to strict quality, delivery, and warranty standards.
- These specifications ensure that the vendor has the requisite experience, financial health, infrastructure, technology, and product quality to meet the demands of First Responder uniform and equipment supply contracts effectively.

26.0 Award

- 26.1** The award of the contract will be made to the lowest responsive/responsible bidder, who has complied with the specifications, by item, by lot, or by the aggregate, whichever is in the best interest of the County. Dutchess County reserves the right to award single or multiple vendors. Dutchess County reserves the right to reject any and all bids not considered to be in the best interest of Dutchess County.
- 26.2** The County reserves the right to require the Bidder to supply any additional information it deems necessary to determine the successful responsive/responsible vendor and further to waive any minor informalities it deems to be in the County's best interest.
- 26.3** Quantities stated are approximate quantities needed for the contract period and after an initial order, orders will be placed throughout the contract period in various quantities. There is no guarantee of number of items or quantities to be purchased.

27.0 Delivery

- 27.1** Price includes FOB Destination Freight Prepaid and inside delivery to the:

Dutchess County Sheriff's Office
 108 Parker Avenue
 Poughkeepsie, NY 12601

- 27.2** Delivery shall be within thirty days after receipt of order (ARO). If the delivery is not made by that time the bidder will pay the difference between what Dutchess County must pay

another vendor and the bid price. All delivered items shall be packed in suitable containers standard to trade. An itemized delivery ticket shall be presented to the order department with each delivery. Freight on items returned due to vendor error to be paid by vendor

28.0 Contract And Insurance Requirements

The successful vendor will be required to enter into a formal contract agreement with the County of Dutchess. See the Standard Contract Agreement (Attachment C) for all contractually required insurance coverage. Firms must acknowledge the insurance requirements by signing the “Statement of Understanding of Indemnification and Insurance Requirements” see Attachment A. Insurance certificates must be submitted and approved by Dutchess County before the contract can be fully executed. Any inquiry regarding the contract and insurance requirements must be submitted in accordance with the section titled QUESTIONS.

29.0 Invoices And Payment

- 29.1** When items are delivered, the Contractor must provide a detailed invoice to the ordering Department supervisor/maintenance personnel.
 - 29.1.1** Invoices must include employee information, a brief description of the service(s) performed, date(s) of service, quantity, the County’s unit price, extended costs, and invoice total.
 - 29.1.2** When alterations are performed, a printout of the readings after the adjustment must be provided with the invoice.
 - 29.1.3** No transportation charges should be included with the delivery of ordered items..
- 29.2** DCSO enters the invoice for payment upon submission of a written invoice in a form satisfactory to the County. The Contractor may expect payment for work completed within 30 days of receipt of a properly executed invoice.
- 29.3** Payments must not be subject to any late charges. The Contractor must not collect sales tax from Dutchess County, which is tax exempt, for any product or service provided hereunder. Dutchess County will provide a tax-exempt certificate as required.
- 29.4** All billing will come through the primary contractor. Subcontractors must not bill Dutchess County, political subdivisions, or individuals directly.
- 29.5** The County encourages entities for which the County does business to use electronic payment (via ACH). Awarded vendors will be requested to receive payments through ACH.

30.0 Contract Term

The contract shall commence on the date of award and end March 31, 2027, with four (4) one (1) year renewal options, at the sole option of Dutchess County.

31.0 Price Adjustment

31.1 PRICE GUARANTEE PERIOD

The proposed price shall remain firm throughout the first contract period with no adjustments allowed. If the County exercises any of the option years of the contract, the offeror (awarded vendor(s)) may submit a request for adjustment on the yearly anniversary date of the contract. Any requests for reasonable price adjustments must be submitted in accordance with this section.

31.2 A Price Adjustment request must be made in writing and include the reason for the request, documentation supporting the request (i.e., commodity increases), the current pricing, and the requested revised pricing.

31.3 There is no guarantee the County will accept a Price Adjustment; therefore, Contractor/Supplier should be prepared for the pricing to be firm over the Term of the Agreement. The County is only willing to entertain Price Adjustments based on an increase to Contractor's/Supplier's actual expenses or other reasonable adjustment in providing the services/materials under the Agreement.

31.4 The Director of Purchasing may use available indexes (i.e., CPI, PPI) to determine if the requested Price Adjustment is reasonable. Typically, a Price Adjustment that exceeds 5% will not be approved unless very unusual and significant changes have occurred in the industry.

31.5 If the County agrees to the Price Adjustment, the County shall issue written approval of the change. If the request is not accepted, the County may entirely reject the request or may counter with revised pricing.

31.6 In the event industry costs decline, the County shall have the right to receive, from the Contractor, a reasonable reduction in prices/pricing that reflect such cost changes in the industry. The County will make a written request to the Contractor for a Price Adjustment in writing with supporting documentation.

32.0 Questions

Submit questions pertaining to this RFB, to Michael Menton at mmenton@dutchessny.gov with a copy to Renée Osterhoudt at rosterhoudt@dutchessny.gov no later than close of business March 20, 2026. All answers to the submitted questions will be posted as an addendum on the following website: <https://www.bidnetdirect.com/new-york/county-of-dutchess>.

BIDDERS MUST CHECK THIS WEBSITE REGULARLY FOR ADDENDUM, WHICH MAY INCLUDE SIGNIFICANT CHANGES TO THE RFB SPECIFICATIONS.

33.0 Submission

33.1 See **BID SUBMISSION CHECKLIST** for additional bid submission requirements.

33.2 Bidders must submit one (1) original plus one (1) digital copy (on a USB drive, as a single pdf document) of their bid and send to:

**Sarah Andrews, Director
County of Dutchess
Office of Central and Information
Services Division of Central Services
378 Violet Avenue, Suite 2
Poughkeepsie, NY 12601**

Bids must be received no later than April 2, 2026.

Label outside sealed mailing envelope with company name and RFB-DCP-30-26

BID SUBMISSION CHECKLIST
RFB-DCP-30-26
Uniforms and Accessories for Dutchess County Sheriff's Office Personnel

Company Name: _____

This bid submission checklist MUST be completed and submitted with bid response, to assure compliance with all required documentation.

**Bidders who fail to provide all of the following items,
may be deemed as non-responsive:**

Check if included	Bidder's Submission Includes the following:
<input type="checkbox"/>	Completed Bid Submission Checklist (this document).
<input type="checkbox"/>	Completed and signed Bid Proposal Forms (CS-1, all pages).
<input type="checkbox"/>	Completed and signed Non-Collusion Affidavit Form (CS-2).
<input type="checkbox"/>	Completed and signed Statement of Understanding of Indemnification and Insurance Requirements (Attachment A).
<input type="checkbox"/>	Samples as described in Section 2.4 and 21.0 of these specifications – if applicable
<input type="checkbox"/>	Any proposed deviation from and/or exception to these Specifications – if applicable, submitted on company letterhead.
<input type="checkbox"/>	Addenda Acknowledgment (Attachment B) – if applicable.
<input type="checkbox"/>	One (1) original and one (1) digital copy (on a USB drive, as singlepdf document) of the entire bid submittal must be sent in a sealed envelope clearly marked with Bidder name and Bid # RFB-DCP-30-26 as instructed in these specifications.

**THIS FORM MUST BE INCLUDED IN BID SUBMITTAL. IF NOT INCLUDED,
BIDDER MAY BE DEEMED NON-RESPONSIVE.**

BID PROPOSAL FORM
Uniforms and Accessories for Dutchess County Sheriff's Office Personnel

The undersigned, having carefully examined the appropriate specifications, #RFB-DCP-30-26 dated March 10, 2026 does hereby agree to furnish and deliver to the County of Dutchess, Poughkeepsie, New York, the items listed at the price(s) submitted. When there is a discrepancy between the unit price and extended price offered, unit price shall prevail. The use of a brand name is intended to describe the desired standard of quality, performance, and characteristics, and is not meant to limit or restrict competition. Any alternate item offered must meet or exceed the stated specifications, and the part number and description must be entered in the Schedule of Items column.

Full Legal Name of
Company Submitting Bid: _____

Street Address: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

Contact Name: _____

Phone Number: () _____ Fax Number: () _____

E-Mail Address: _____ Web Address: _____

Federal ID Number: _____ Unique Entity Identifier (UEI): _____

Name of Authorized Official Submitting Proposal:

(Please Print or Type)

Signature of Authorized Official Submitting Proposal:

Date: _____

NOTE: By signing and submitting this proposal for consideration by the Dutchess County Division of Central Services, the vendor acknowledges that they have read, understand and agree to all aspects of the specifications as presented without reservation or alteration.

BID PROPOSAL FORM (Cont'd)
Uniforms and Accessories for Dutchess County Jail Personnel

Company Submitting Bid: _____

Tailoring Facility Address: _____

line item #	Section Reference	Schedule of Items	Estimated Annual Quantity	Unit Price	Extended Price
1	3.1.1	Shirts, Long Sleeve (Blauer Brand)	200		
2	3.1.2	Shirts, Short Sleeve (Blauer Brand)	200		
	3.1.3	Shirts, Long Sleeve (Elbeco Brand)			
3	3.1.3. a	Shirts, Long Sleeve (Elbeco #3520N) male	50		
4	3.1.3. b	Shirts, Long Sleeve (Elbeco #3560LC) female	50		
	3.1.4	Shirts, Short Sleeve (Elbeco Brand)			
5	3.1.4. a	Shirts, Short Sleeve (Elbeco #3540N) male	50		
6	3.1.4. b	Shirts, Short Sleeve (Elbeco #3570LC) female)	50		
	3.1.5	Shirts, Dress Long Sleeve (Elbeco Brand)			
7	3.1.5. a	(Elbeco #Z313N) male -blue	5		
8	3.1.5. b	(Elbeco #Z9313LCN) female -blue	5		
9	3.1.5. c	(Elbeco #Z31N) male -white	5		
10	3.1.5. d	(Elbeco #Z9310LCN) female -white	5		
11	3.1.6	Shirts, Dress Short Sleeve (Flying Cross Brand)	20		
12	4.1	Department Patches (A - E)	750		
13	4.1.4	Name Tapes	300		
14	4.1.5	Lapel Emblems (A - C)	300		
15	5.1	Trouser Poly/Rayon/Lycra, Male/Female (Blauer)	300		
	5.2	Trousers, Male/Female (Elbeco Brand)			
16	5.2. a	Trousers, Male/Female (Elbeco #E3440R) male	100		
17	5.2. b	Trousers, Male/Female (Elbeco #E3450C) female	100		
18	5.3	Trouser Poly/Wool with Braiding (Hope #T250R)	10		
19	6.1	Dress Blouse (Hope #J425C)	10		
20	6.2.1	Duty Jacket, (Elbeco Brand)	25		
21	6.2.2	Soft Shell Jacket	25		
22	6.2.3	Response Jacket	15		
23	6.2.4	Plain Clothes Jacket	10		
24	6.2.5	Zip Front Safety Vest	30		
25	6.2.6	Sweater (5.11 Jobshirt)	25		
26	6.2.7	Sweater (Elbeco Jobshirt)	25		
	7.1	Boots – 8” Non-Insulated (Danner Brand)			
27	7.1. a	Boots – 8” (Danner #26634) side zip	35		
28	7.1. b	Boots – 8” (Danner #26633) non-zip	15		
29	7.2	Boots – 8” Insulated (Danner Brand)	5		
30	7.3	Boots- 6” Non-Insulated (Danner Brand)	30		

BID PROPOSAL FORM (cont'd)

Uniforms and Accessories for Dutchess County Sheriff's Office Personnel

line item #	Section Reference	Schedule of Items	Estimated Annual Quantity	Unit Price	Extended Price
31	7.4	Boots – 8” Non-Insulated, Woman’s (5.11 Brand)	5		
32	7.5	Boots – 8” Non-Insulated Coyote (Danner Brand)	10		
33	7.6	Boots – Black Leather Chukka (Rocky Brand)	10		
34	8.0	Pant Belt	10		
35	9.1	Combat Shirt (5.11 Brand)	15		
36	9.2	Winter Combat Shirt (TRU-Spec Brand)	10		
37	9.3	BDU Long Sleeve Shirt (TRU-Spec Brand)	10		
38	9.4	BDU Style Pants (5.11 Brand)	20		
39	10.1	Long Sleeve Polo Shirt, Poly	20		
40	10.2	Long Sleeve Polo Shirt, Knit	40		
41	10.3	Short Sleeve Polo Shirt, Poly	50		
42	10.4	Short Sleeve Polo Shirt, Knit	25		
43	11.0	T-Shirts w/silkscreen	50		
44	12.1	Turtlenecks Long Sleeve (Blauer brand)	25		
45	12.2	Turtleneck Dickey (Blauer brand)	10		
46	12.3	Mock Turtleneck (Blauer brand)	15		
47	12.4	Mockneck Dickey (Blauer brand)	15		
48	13.1	Rain Coat, Hi-Vis Patrol (5.11 brand)	20		
49	13.2	Rain Parka, ECWCS (TRU-Spec Brand)	30		
50	13.3	Rain Pants, ECWCS (TRU-Spec Brand)	5		
51	14.1	Baseball Cap embroidered	20		
52	14.2	Knit Winter Hat embroidered	15		
53	14.3	Stratton Felt Hat	5		
	14.4	Stratton Hat Accessories			
54	14.4. a	3-piece strap #ST-3P-BK	5		
55	14.4. b	1-piece hat strap #ST-1P-BK	5		
56	14.4. c	Hat Cord #CD-GB-GD	5		
57	14.4. d	Hat Cord #CD-GD	5		
58	15.1	Gloves	5		
59	16.1	Uniform Shorts (5.11 brand)	25		
60	17.1	Duty Belt, Leather (Gould & Goodrich Brand)	5		

BID PROPOSAL FORM (cont'd)

Uniforms and Accessories for Dutchess County Sheriff's Office Personnel

line item #	Section Reference	Schedule of Items	Estimated Annual Quantity	Unit Price	Extended Price
61	17.2	Handcuff Case, Leather (Gould & Goodrich Brand)	5		
62	17.3	Magazine Carrier, Leather (Gould & Goodrich Brand)	5		
63	17.4	Belt Keepers, Leather (Gould & Goodrich Brand)	45		
64	17.5	Flashlight Double Ring, Leather (Gould & Goodrich Brand)	15		
65	17.6	OC Pouch, Leather (Gould & Goodrich Brand)	15		
66	17.7	Sliding Dee Snaps, Leather (Gould & Goodrich Brand)	15		
67	17.8	Sam Browne Shoulder Strap, Leather (Gould & Goodrich Brand)	15		
68	17.9	Duty Belt, Nylon (Biachi Brand)	5		
69	17.10	Handcuff Case, Nylon (Biachi #7300 Brand)	5		
70	17.11	Handcuff Case, Nylon (Biachi #7334 Brand)	5		
71	17.12	Magazine Carrier, Nylon (Biachi Brand)	5		
72	17.13	OC Pouch, Nylon (Biachi Brand)	5		
73	17.14	Belt Keepers, Nylon (Biachi Brand)	15		
74	17.15	Handcuffs (Peerless Brand)	15		
75	17.16	Expandable Baton (ASP Brand)	15		
76	17.17	Baton Scabbard (ASP Brand)	15		
77	18.1	Collar Devices	10		
78	18.2	Badges	20		
79	TOTAL:				\$

Non-Collusion Affidavit
Bid #RFB-DCP-30-26
Uniforms and Accessories for the Dutchess County Jail Personnel

As required by Section 103-d of the New York State General Municipal Law, the bidder certifies under the penalties of perjury that:

(a) “By submission of this, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of knowledge and belief:

- (1) The prices in this bid have been arrived at independently without collusion, consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor;
- (2) Unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly, to any other bidder or to any competitor; and
- (3) No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.”

Signed _____

By _____
(President or Authorized Representative)

Dated _____

Bid submitted by: Name: _____

Address: _____

Phone: _____

Fax #: _____

Email: _____

ATTACHMENT A

**STATEMENT OF UNDERSTANDING OF
INDEMNIFICATION AND INSURANCE REQUIREMENTS
FOR
Bid #RFB-DCP-30-26**

UNIFORMS AND ACCESSORIES FOR DUTCHESS COUNTY SHERIFF'S OFFICE PERSONNEL

I (We) have read the Indemnification and Insurance Requirements cited in the subject Request for Bids and understand the obligations thereof. These requirements have been reviewed with our insurance agent and/or legal counsel and it was determined that the Indemnification and Insurance requirements are acceptable. Upon receipt of a designation from the County of Dutchess to perform the services described in the subject RFB, I (we) intend to enter into an agreement with the County of Dutchess that will include the Indemnification and Insurance requirements as stated within the RFB.

Full Legal Name of Company: _____

Street Address: _____

City: _____ State: _____ Zip: _____

Name of Authorized Official Submitting Proposal:

(Please Print or Type)

Signature of Authorized Official Submitting Proposal:

Date: _____

THIS COMPLETED FORM MUST BE INCLUDED WITH YOUR SUBMITTAL

ATTACHMENT B
ADDENDA ACKNOWLEDGMENT FORM

Bidder acknowledges receipt of the following addenda to RFB-DCP-30-26:

Addendum No.		Dated:	
Addendum No.		Dated:	
Addendum No.		Dated:	
Addendum No.		Dated:	
Addendum No.		Dated:	
Addendum No.		Dated:	

Failure to acknowledge receipt of all addenda may deem the bidder as non-responsive.

Full Legal Name of
Company Submitting Bid: _____

Authorized Signature: _____

Title: _____

Date: _____

ATTACHMENT C

AGREEMENT

THIS AGREEMENT, bearing the date set forth on the signature page, by and between the COUNTY OF DUTCHESS, a municipal corporation with offices at 22 Market Street, Poughkeepsie, New York 12601 (hereinafter referred to as the "COUNTY") and <<Company_Name>>, an independent contractor (xxxx a xxxx corporation), whose address is <<Address>>, <<City>>, <<State>> <<Zip>> (hereinafter referred to as the "CONTRACTOR").

WITNESSETH:

WHEREAS, the County *{Justice and Transition Center, a/k/a Dutchess County Jail, or Dutchess County Sheriff's Office}* desires the services of Contractor to provide {uniform services for its deputies and officers}, and

WHEREAS, the Contractor is qualified and is willing and able to perform such services in a timely manner, and

WHEREAS, the funds necessary to pay for such services are appropriated in the 202x Adopted County Budget, now, therefore, it is mutually agreed by and between the parties hereto as follows:

1. SCOPE OF SERVICES. The Contractor shall perform, using standards of care acceptable to the County and in strict compliance with all applicable Federal, State, and local laws, regulations and procedures, the services set forth in Exhibit "A" annexed hereto and made a part of this Agreement.

If any term of the Scope of Services contradicts or creates an ambiguity with any term of this Agreement, this Agreement shall govern.

2. PROJECT AND DOCUMENTS FORMING THIS AGREEMENT. This Agreement shall be deemed to include (if applicable): the advertisement for proposals; the Instructions to Bidders; the Information for Bidders; the Contractor's proposal; the technical and contract specifications dated xx, 202x; the plans or drawings; any addenda to specifications if the same are issued prior to the date of receipt of proposal; insurance contacts and certificates of insurance; and all provisions required by law to be inserted in the contract, whether actually inserted or not. The project is described as follows:

[Request For Proposal] #xx-xx for xx.

3. TERM OF AGREEMENT. This Agreement shall be effective xx xx, 20xx and shall terminate on xx xx, 20xx, unless otherwise terminated as set forth herein.

4. EXTENSION. This Agreement may be extended for additional periods of one (1) year each, not exceeding in total five (5) years from the original Agreement date, upon such terms

and conditions as may be agreed between the parties in writing by fully executing a contract extension/amendment.

5. PAYMENT. As full and complete consideration for the services so rendered, the County shall pay a total sum not to exceed xxx THOUSAND and 00/100 (\$xx,000.00) DOLLARS, {payable in the sum of \$xxx/per month/per quarter}. The Contractor shall be required to receive payments electronically by submitting an authorization form to the Dutchess County Comptroller.

Payment of the above consideration shall be made to the Contractor upon submission of {monthly, quarterly} statements in a form satisfactory to the County. No payment shall be made prior to audit and approval by the County.

6. INDEPENDENT CONTRACTOR STATUS. The Contractor agrees that it is an independent contractor and that it shall not hold itself out to be an employee or officer of the County, and that therefore, neither Federal, State nor local income tax nor payroll tax of any kind shall be withheld or paid by the County on behalf of the Contractor or its employees; that the Contractor shall not be eligible for, and shall not be entitled to participate in, any employee pension, health, retirement or other fringe benefit plan of the County; that the Contractor shall have no Workers' Compensation or disability coverage through the County for the Contractor or its employees, and that the Contractor shall not be entitled to make any claim against the County for these or any other rights or privileges of an officer or employee of the County.

7. INDEMNIFICATION. The Contractor agrees to the fullest extent permitted by law to defend, indemnify and hold the County and its employees harmless from any and all such losses, claims, liens, demands and causes for action, including but not limited to, judgments, penalties, interest, court costs, and legal fees incurred by the County on behalf of any party, in connection with or arising from the Contractor's work. The Contractor shall investigate, handle, respond to and defend any such claims, demands or suits at its sole expense, and shall bear all other related costs and expenses even if such claims, demands, or suits are groundless, false or fraudulent. This indemnification section shall survive the expiration or termination of this Agreement.

In any matter in which indemnification hereunder would violate Section 5-322.1 of the New York General Obligations Law or any other applicable legal prohibition, the foregoing provision shall not be construed to indemnify the County for damage arising out of bodily injury to persons or to property caused by or resulting from the sole negligence of Dutchess County employees. The term "employee" shall include all officers, advisory board members and/or volunteers serving the County.

8. INSURANCE REQUIREMENTS. At all times during the term of this Agreement, the Contractor and its sub-contractors, if any, shall maintain at its own cost the following insurance and shall provide proof thereof to the County, in the form of a Certificate of Insurance, prior to commencing work under this Agreement:

Workers' Compensation Employer's Liability (statutory limits). In compliance with the Workers' Compensation Law of the State of New York, each contractor shall provide:

- a. a certificate of insurance on an Acord form indicating proof of coverage for Workers' Compensation Employer's Liability, **OR**
- b. a New York State Workers' Compensation Notice of Compliance (Form C-105, Form U-26.3, Form SI-12 or Form SI-105.2P).
- c. In the event that the Contractor is exempt from providing coverage, it must provide a properly executed copy of the Certificate of Attestation of Exemption from the NYS Workers' Compensation Board, Form CE-200.
- d. A certificate of participation in a self-insurance program. The department responsible for the implementation of the Agreement will obtain verification from the Director of Risk Management for those municipalities participating in the Dutchess County Self-Insured Plan.

Commercial General Liability Insurance coverage including blanket contractual coverage for the operation of the program under this Agreement with limits not less than \$1,000,000 per occurrence and \$2,000,000 in the aggregate. This insurance shall be written on an occurrence coverage form and include bodily injury, property damage liability, and sexual abuse and molestation and medical coverage for the participants in the program. The County must be listed as additional insured. The additional insured endorsement for the Commercial General Liability insurance required above shall not contain any exclusion for bodily injury or property damage arising from completed operations.

Automobile Liability Insurance coverage for all owned, scheduled, hired, and non-owned vehicles with a combined single limit of liability of not less than \$1,000,000. This insurance shall include coverage for bodily injury and property damage. The County must be listed as additional insured.

The Acord form certificate of insurance must contain the following provisions:

- (A) The County of Dutchess must be listed as certificate holder and additional insured on the commercial general, umbrella/excess, and automobile liability policies. In addition, the commercial general liability policy must include the additional insured endorsement forms cg 2037 July 2004 edition and the cg 2010 April 2013 edition or their equivalent.
- (B) Commercial general and automobile liability policies are primary and noncontributory.
- (C) The commercial general liability, automobile liability and Workers' Compensation policies must contain a waiver of subrogation in favor of the County of Dutchess.
- (D) The umbrella/excess policy is primary and noncontributory and must contain a waiver of subrogation in favor of the County of Dutchess.
- (E) If the Workers' Compensation Notice of Compliance is used instead of the Acord certificate of insurance, the Notice of Compliance must indicate that a waiver of subrogation in favor of the County of Dutchess is provided.

All policies of insurance referred to above shall be underwritten by companies authorized to do business in the State of New York with an A.M. Best financial strength rating of A- or better. In the alternative, the policies of insurance referred to above may be underwritten by non-Admitted companies with an A.M. Best financial strength rating of A+ or higher. In addition, every policy required above shall be primary and noncontributory. Any insurance carried by the County, its officers, or its employees shall be excess and noncontributory insurance to that provided by the Contractor. The Contractor and its sub-contractor(s), if any, shall be solely responsible for any deductible losses under each of the policies required above.

Payment(s) to the Contractor may be suspended in the event the Contractor and its sub-contractor(s), if any, fails to provide the required insurance documentation in a timely manner.

Prior to cancellation or material change in any policy, a thirty (30) day notice shall be given to the County Attorney at the address listed below:

County of Dutchess
Attn: Dutchess County Attorney
22 Market Street
Poughkeepsie, New York 12601

On receipt of such notice, the County shall have the option to cancel this Agreement without further expense or liability to the County, or to require the Contractor to replace the cancelled insurance policy, or rectify any material change in the policy, so that the insurance coverage required by this paragraph is maintained continuously throughout the term of this Agreement in form and substance acceptable to the County. Failure of the Contractor to take out or to maintain, or the taking out or the maintenance of any required insurance, shall not relieve the Contractor from any liability under this Agreement nor shall the insurance requirements be construed to conflict with or to limit the obligations of the Contractor concerning indemnification.

All losses of County property shall be adjusted with and made payable directly to the County.

All Certificates of Insurance shall be approved by the County's Director of Risk Management or designee prior to commencement of any work under this Agreement.

In the event that claims in excess of these amounts are filed in connection with this Agreement, the excess amount or any portion thereof may be withheld from payment due or to become due the Contractor until the Contractor furnishes such additional security as is determined necessary by the County.

9. QUALIFICATIONS OF CONTRACTOR. The Contractor specifically represents that it and its members, officers, employees, agents, servants, consultants and sub-contractors have the experience, knowledge and character necessary to perform their particular duties under this Agreement.

10. DECLARATION BY CONTRACTOR. The Contractor declares that it has complied with all Federal, State, and local laws regarding business permits, certificates and licenses that may be required to carry out the work to be performed under this Agreement.

11. PERMITS AND COMPLIANCE. The Contractor shall obtain, maintain and pay for any and all permits and licenses legally required. Contractor shall give all notices, pay all fees, and arrange for all inspections and approvals required by any governmental agencies. Contractor shall comply with all laws, rules and regulations applicable to the work to be performed hereunder. All of the above shall be done at no additional cost to the County. Questions relating to any applicable permits, rules or regulations shall be referred to our appropriate representative. If Contractor performs any work which is contrary to any laws, ordinances, rules, regulations, permit conditions, building codes, orders or directive, Contractor shall assume full responsibility therefore and shall bear all costs and expenses thereto. The Contractor shall comply with the Federal Occupational Safety and Health Act and the American with Disabilities Act.

12. NON-DISCRIMINATION. No services to be rendered pursuant to, or in connection with, this Agreement may be refused to any person because of age, race, color, creed, sex, sexual orientation, national origin, disability or marital status.

The Contractor shall take all affirmative steps necessary to ensure equal employment opportunities without discrimination because of age, race, creed, color, sex, sexual orientation, national origin, disability or marital status and to comply with all Federal, State, and local civil rights laws including, but not limited to, the Americans with Disabilities Act.

13. RETENTION OF RECORDS. The Contractor agrees to maintain and have available for audit such records as may be required by the County, New York State or United States governmental agencies. These records shall be available for inspection by properly identified personnel of the above governmental agencies upon reasonable notice and shall be maintained for a minimum of ten (10) years after termination of this Agreement.

14. NON-ASSIGNMENT. This Agreement may not be assigned by the Contractor without prior written consent of the County, and the County shall be relieved of all liability and obligations consistent with the New York State General Municipal Law Section 109 in the event of such unauthorized assignment.

15. TERMINATION. (a) *Without cause.* The County may terminate this Agreement upon ten (10) days' prior written notice to the Contractor of its intent to terminate without cause.

(b) *With cause.* The County may terminate this Agreement effective immediately, with subsequent written notice to be given to the Contractor of termination with cause.

In the event of termination with or without cause, the Contractor shall deliver to the County any or all drawings, specifications, reports and other data, records, materials and equipment in its custody or control pertaining to the Agreement and the County shall pay to the Contractor all amounts due to the time of termination in accordance with the terms of this Agreement. Such termination shall not give rise to any cause of action against the County for damages, loss of profits, expenses or other remuneration of any kind. Notwithstanding any other provision of this Agreement, if, in the judgment of the County, termination is made necessary or desirable because of the Contractor's failure to fulfill its obligations under this Agreement, or any other fault of the

Contractor, the County may withhold payment of all or any part of moneys which otherwise may be payable to the Contractor under this Agreement and apply such moneys toward any damages or expenses sustained by the County as a result of such failure including, without limitation, any excess costs incurred by the County in completing the services under this Agreement by the use or employment of other contractors or otherwise. Notwithstanding the foregoing, the Contractor shall be liable to the County for all such damages and expenses without limitation to any such moneys being withheld by the County, and the failure of the County to withhold moneys from the Contractor shall not be construed as an acknowledgement by the County that no such damages or expenses exist and shall not prevent the County from thereafter making any claim against the Contractor therefore.

16. EXECUTORY. The Dutchess County fiscal year begins on January 1st and ends on December 31st of any given year. Notwithstanding anything to the contrary contained herein, it is understood and agreed that this Agreement shall be deemed executory only to the extent of the moneys available to the County for the performance of the terms hereof and that, in the event that the Dutchess County Legislature fails to appropriate the necessary funds to affect payment in any calendar year, this Agreement shall automatically cease and terminate on the last day of the year in which funds have been appropriated for said Agreement and no liability on account thereof shall be incurred by the County beyond the funds available for the performance of this Agreement. It is further understood and agreed that neither this Agreement nor any representation by any public employee or officer creates any legal or moral obligation to request, appropriate or make available moneys for the purpose of this Agreement.

17. NOTICE. Except as otherwise provided in this Agreement, notice required to be given pursuant to this Agreement shall be made in writing and addressed to the following or such other person as the parties may designate:

For the County:

Dutchess County Sheriff (OR Dutchess County Justice and Transition Center)
c/o Law Enforcement Center
108 Parker Avenue
Poughkeepsie, NY 12601

With a copy to:

Dutchess County Department of Law
22 Market Street, 5th Floor
Poughkeepsie, NY 12601

For the Contractor:

<<Company_Name>>
<<Address>>
<<City>>, <<State>> <<Zip>>

18. NON-WAIVER. Failure of either party to exercise any rights under this Agreement for a breach thereof shall not be deemed a waiver thereof or a waiver of any subsequent breach.

19. SEVERABILITY. If any provision of this Agreement shall be held unenforceable, the rest of the Agreement shall nevertheless remain in full force and effect.

20. CHOICE OF LAW, VENUE. Any dispute arising directly or indirectly out of this Agreement shall be determined pursuant to the laws of the State of New York. The parties hereby choose the New York State Supreme Court, Dutchess County as the forum for any such dispute.

21. NO ARBITRATION. Disputes involving this Agreement, including the breach or alleged breach thereof, may not be submitted to binding arbitration but must instead be heard in accordance with the Paragraph above entitled "Choice of Law, Venue."

22. SERVICE OF PROCESS. In addition to the methods of service allowed by the New York State Civil Practice Law & Rules ("CPLR"), the Contractor hereby consents to service of process on it by Registered or Certified mail, return receipt requested. Service hereunder shall be complete when deposited in the United States mail, duly addressed and with proper postage. The Contractor must promptly notify the County, in writing, of each and every change of address to which service of process can be made. Service by the County to the last known address shall be sufficient. Contractor will have thirty (30) calendar days after service is complete in which to respond.

23. NOTICE OF INTENT TO SUE. (a) The Contractor agrees that at least ninety (90) days prior to commencing suit against the County for any matter arising directly or indirectly out of this Agreement, Contractor shall provide to the County a sworn document listing the time, place, and manner of any breach of this Agreement, together with an itemized list of any damages to which Contractor believes itself entitled. (b) The County shall have the right to conduct a deposition upon oral questions of an officer, employee or agent of the Contractor, of the County's choice, as to any matter arising under this Agreement within the 90-day period described above. (c) Strict compliance with this paragraph shall be a condition precedent to maintenance or institution of any action or proceeding, whether legal or administrative. This paragraph shall not be construed to toll any applicable statute of limitation. (d) Any action against the County must be commenced within one year of the event which gives rise to liability.

24. CAPTIONS. The captions are inserted only as a matter of convenience and reference, and in no way define, limit or describe the scope or intent of this Agreement nor in any way affect the terms hereof.

25. GENDER. Words of the masculine or feminine gender in this Agreement, unless the meaning of the sentence indicates otherwise, shall be deemed to refer to either male or female persons.

26. LABOR LAW. The Contractor shall, at your own cost and expense, comply with all applicable provisions of the Labor Law, including, without limitation, Articles 8, 8-A and 9.

27. AUDIT. The Contractor shall maintain an accounting system that enables the County to readily identify assets, liabilities, revenues, expenses and disposition of County funds.

Records should include, but not be limited to, those kept by the Contractor, its employees, agents, assigns, and sub-contractors.

All vouchers or invoices presented for payment to be made hereunder, and the books, records and accounts upon which the vouchers or invoices are based are subject to review by the responsible department and audit by the County Comptroller. The Contractor shall submit any and all documentation and justification in support of expenditures or fees under this Agreement as may be required by the County.

The audits may include examination and review of the source and application of all funds from the County, State, or Federal governments. The Contractor shall not be entitled to any interim or final payment under this Agreement, and any overpayment may be recouped, if any audit requirements and/or requests have not been satisfactorily met or if any expenditures or fees by the Contractor are determined to be irregular by the auditor. This paragraph shall survive the termination of the Agreement.

28. SEVERANCE PAY. The County Shall Not Be Charged for Severance Pay Incentives. The County is aware that from time-to-time contract agencies engage in programs such as early retirement plans which reward employees with a severance payment as an incentive toward voluntary resignation. The County of Dutchess is prohibited by the New York State Constitution from making a gift of public funds and such severance pay incentives amount to such a gift. Therefore, notice is hereby given that County funds shall not be used for the purpose of severance pay or any such incentive. If an audit of payments made under this contract reveals that such payments have been made, the Contractor shall immediately reimburse the County for the full amount with interest upon receipt of a written demand from the County. In addition, the County may declare this Agreement null and void.

29. CONTRACTOR'S OBLIGATIONS POST TERMINATION WITH OR WITHOUT CAUSE. Upon termination of this Agreement, the Contractor shall: (1) cooperate with the County to develop a transition plan and assist in affecting an orderly transfer of services and obligations to any successor Contractor(s) so as to prevent any disruption in services; (2) provide County with access to and a copy of, all books, records and other non-proprietary documents including, but not limited to digital records, relating to the performance of services under this Agreement that are required or requested, at no charge and if so directed by the County; (3) continue to perform such services prior to actual termination at the agreed upon contractual rate for up to an additional one hundred twenty (120) days following the notice of termination. The obligations of this paragraph shall survive the termination of this Agreement whether the agreement is terminated for cause or terminated for convenience.

30. REQUIRED PROVISIONS OF LAW. Each and every provision of Federal, State, or local law, rule or regulation required by law to be inserted in this Agreement shall be deemed to have been inserted herein. If any such provision is not inserted, through mistake or otherwise, then upon the application of either party, this Agreement shall be physically amended to make such insertion.

31. BINDING. This Agreement shall be valid and binding once it has been approved by the Dutchess County Attorney's Office, executed by the County Executive and delivered to the Contractor at the address indicated in the introductory paragraph of this Agreement.

32. ENFORCEMENT EXPENSES. The Contractor shall pay all costs and expenses, including reasonable attorney's fees (in-house or retained counsel), that the County incurs in enforcing any of the terms of this Agreement including all costs and expenses and reasonable attorney's fees incurred in connection with any appeals, whether the County is an appellant or a respondent.

33. SET-OFF RIGHTS. The County shall have all of its common law, equitable and statutory rights of set-off. These rights shall include, but not be limited to, the County's option to withhold for the purpose of set-off any moneys due to Contractor under this Agreement up to any amounts due and owing to the County with regard to this Agreement, any other agreement with the County or any of its departments or agencies. This right of set-off includes any agreement for a term commencing prior to or subsequent to the term of this Agreement. The right of set-off shall include any amounts due to the County for any reason including, without limitation, tax delinquencies, fee delinquencies or monetary penalties relative thereto.

34. RULES OF CONSTRUCTION. This Agreement shall be deemed to have been mutually prepared by the parties hereto and shall not be construed against any of them solely by reason of authorship.

35. CONFIDENTIALITY. The Contractor shall comply with applicable Federal and State requirements for confidentiality of records and information and agrees not to allow examination of records nor disclosures of information, except as required by the County under the terms of this Agreement.

36. COUNTERPARTS; SIGNATURES TRANSMITTED BY ELECTRONIC MEANS. This Agreement may be executed in any number of counterparts, all of which taken together shall constitute one agreement, and any of the parties hereto may execute this Agreement by signing any such counterpart. A facsimile or signature transmitted by electronic means applied hereto or to any other document shall have the same force and effect as a manually signed original. This provision contemplates giving legal force and effect to copies of signatures. This provision does not contemplate the use of "electronic signatures" as regulated by New York State Technology Law Article 3, "Electronic Signatures and Records Act."

37. POLICIES AND PROCEDURES. All work completed under this Agreement is subject to the Manual of Policies and Procedures for Contracted Services. This Manual is subject to change by the County. A current version of the Manual is available at this link: <http://dutchessny.gov/ContractedServices>.

38. ENTIRE AGREEMENT. The terms of this Agreement, including its attachments and exhibits, represent the final intent of the parties. Any modification, rescission or waiver of the

terms of this Agreement must be in writing and executed and acknowledged by the parties with the same formalities accorded this basic Agreement.

OPTIONAL PARAGRAPH:

xx. BUDGET. The Contractor agrees to provide services under this Agreement in strict compliance with the budget which is annexed to and made a part of this Agreement as Exhibit "B", which details all personnel or other costs of services to be rendered by the Contractor under this Agreement. Any change or modification of the budget must be in writing and must be approved in advance by the County. Notwithstanding any other provision of this Agreement, the Contractor agrees that, in the event that its expenditures are less than its total budget and at the termination of this Agreement County funds remain unexpended, it shall return said funds to the County.

IN WITNESS WHEREOF, the parties hereto have executed this Agreement made this _____ day of _____, 202__.

APPROVED AS TO FORM:

ACCEPTED: COUNTY OF DUTCHESS

County Attorney's Office

BY: _____
Susan J. Serino, County Executive

APPROVED AS TO CONTENT:

<<Company_Name>>

Kirk Imperati, Dutchess County Sheriff

BY: _____
Print Name _____
Title _____

ATTACHMENT C

AGREEMENT

THIS AGREEMENT, bearing the date set forth on the signature page, by and between the COUNTY OF DUTCHESS, a municipal corporation with offices at 22 Market Street, Poughkeepsie, New York 12601 (hereinafter referred to as the "COUNTY") and <<Company_Name>>, an independent contractor (xxxx a xxxx corporation), whose address is <<Address>>, <<City>>, <<State>> <<Zip>> (hereinafter referred to as the "CONTRACTOR").

WITNESSETH:

WHEREAS, the County {*Justice and Transition Center, a/k/a Dutchess County Jail, or Dutchess County Sheriff's Office*} desires the services of Contractor to provide {uniform services for its deputies and officers}, and

WHEREAS, the Contractor is qualified and is willing and able to perform such services in a timely manner, and

WHEREAS, the funds necessary to pay for such services are appropriated in the 202x Adopted County Budget, now, therefore, it is mutually agreed by and between the parties hereto as follows:

1. SCOPE OF SERVICES. The Contractor shall perform, using standards of care acceptable to the County and in strict compliance with all applicable Federal, State, and local laws, regulations and procedures, the services set forth in Exhibit "A" annexed hereto and made a part of this Agreement.

If any term of the Scope of Services contradicts or creates an ambiguity with any term of this Agreement, this Agreement shall govern.

2. PROJECT AND DOCUMENTS FORMING THIS AGREEMENT. This Agreement shall be deemed to include (if applicable): the advertisement for proposals; the Instructions to Bidders; the Information for Bidders; the Contractor's proposal; the technical and contract specifications dated xx, 202x; the plans or drawings; any addenda to specifications if the same are issued prior to the date of receipt of proposal; insurance contacts and certificates of insurance; and all provisions required by law to be inserted in the contract, whether actually inserted or not. The project is described as follows:

[Request For Proposal] #xx-xx for xx.

3. TERM OF AGREEMENT. This Agreement shall be effective xx xx, 20xx and shall terminate on xx xx, 20xx, unless otherwise terminated as set forth herein.

4. EXTENSION. This Agreement may be extended for additional periods of one (1) year each, not exceeding in total five (5) years from the original Agreement date, upon such terms