



Town of South Kingstown, Rhode Island

180 High Street
Wakefield, RI 02879
Tel. 401-789-9331

FINANCE DEPARTMENT

INVITATION FOR BIDS CLASS A POLICE CUSTOM MADE UNIFORMS SK0071PD

The Town of South Kingstown will accept sealed bids for the above referenced in the Finance Department, addressed to: Julie A. Mason, Procurement Administrator, 180 High Street, Wakefield, RI 02879, not later than 10:15AM June 12, 2026 and will then be publicly opened and read aloud.

NO BIDS WILL BE ACCEPTED AFTER THE 10:15 AM DEADLINE

Bids will be evaluated pursuant to R.I.G.L. 45-55. Firms interested in submitting a bid may register on-line to download and print packages. For further details please visit: <http://www.southkingstownri.gov/165/Invitations-to-Bid>

For questions related to this request, please contact Julie A. Mason, Procurement Administrator by email: jmason@southkingstownri.gov or by phone: (401) 789-9331 Ext 1205.

Individuals requesting American Sign Language Interpreters or CART service must call the Town Clerk's Office at (401)789-9331 at least seventy-two (72) hours in advance of the bid opening date.

SELECTION CRITERIA

The bid will be evaluated as to R.I.G.L. 45-55-5. (2) "Competitive Sealed Bidding" and the award shall be made on the basis of the lowest evaluated or responsive bid price.

Meets or exceeds bid specifications;

Bid price;

Discounts available;

Quality of service;

Ability to meet the Town's needs;

Delivery schedule.

Physical location to proximity of SK Public Safety Complex, 1790 Kingstown Rd., Wakefield, RI

TOWN OF SOUTH KINGSTOWN, RHODE ISLAND
GENERAL INFORMATION FOR BIDDERS

1. Receipt and Opening of Bids:

Sealed proposals (bids) will be accepted in the office of the Finance Department, Town of South Kingstown, 180 High Street, Wakefield, RI 02879, until the time indicated on the advertisement for Bids, for the commodities, equipment or services designated in the specifications and will then be publicly opened and read aloud at specified time. **Envelopes must be clearly marked with the name of the item bid and time and date of the opening.**

It is the bidder's responsibility to see that their proposal is delivered within the time and at the place prescribed. Bids received prior to the time of opening will be securely kept unopened. No responsibility will attach to any officer or person for the premature opening of a proposal not properly addressed and identified.

Any documents incorrectly addressed or misdirected to other locations other than the Finance Department, Town of South Kingstown, and are not present at the time and date specified of the bid opening for whatever cause will be deemed late and will not be considered. Postmarks will not be considered proof of timely submission. Proposals received by facsimile will not be considered.

2. Preparation of Bids:

Proposals must be submitted on and in accordance with the forms attached hereto, blank places must be filled in as noted, no change shall be made in the phraseology of the proposal or in the item or items mentioned therein, must contain the name and proper address of the bidding firm, and must be signed by a responsible member of the firm with his/her signature and official title. Proposals that are not complete, or contain any omissions, erasures, alterations, additions or contain irregularities of any kind, may be rejected.

3. Telegraphic Modification:

Telephonic, telegraphic, or oral bids, amendments or withdrawals will not be accepted.

4. Withdrawal of Bids:

Bids may be withdrawn personally or by written request at any time prior to the time specified for the opening. Bids may be modified in the same manner. Negligence on the part of the bidder in preparing the bid confers no right of withdrawal or modification of his bid after such bid has been opened.

5. Bid Security:

Not Applicable

6. Qualification of the Bidder:

Each bidder must be a tailor by trade and be highly experienced in the making of custom uniforms and shall present evidence that he/she is normally engaged in making custom uniforms for a minimum of five years. The bidder shall be thoroughly familiar with the contents of this notice before submitting a proposal; the bidder automatically acknowledges and accepts all the provisions, conditions and specifications of this notice; no bid shall be considered from bidders who are unable to show they are normally engaged in the making of custom uniforms.

Each bidder must show evidence that he/she has supplied custom uniforms of equal complexity to other municipalities. A minimum of five (5) references must be submitted with the bid. This information should include name, address, telephone number, and contact person.

Prior to the award of bid, vendors under consideration will be required to provide samples of their work to the South Kingstown Police Department. This will be on an individual basis through scheduled appointments.

7. Workmanship, Measurement and Fitting:

- a. All uniforms must be made in accordance with the specifications provided by the South Kingstown Police Department, no deviations will be accepted. No substitutions shall be allowed without the authorization of the Chief of Police.
- b. Workmanship of the highest quality only will be accepted.
- c. Vendor will be responsible for the custom tailoring of the uniforms from measuring, cutting, sewing, and final fittings.
- d. The vendor shall be required to make custom uniforms with a seam allowance of one inch or more. This will ensure that sufficient material is available for future alterations (if necessary).

- e. The vendor will be responsible for measuring each individual requesting a new uniform item.
- f. Vendor must custom fit all uniforms at a time and place designated by the South Kingstown Police Department. **The successful bidder must have a physical location within not more than one hour travel time under normal driving conditions of the South Kingstown Public Safety Complex.** Officers must be able to visit the physical location during normal business hours to be fitted. For multiple orders, the Town reserves the right to require on-site measuring and fitting.
- g. All uniforms are to be tailored and fitted to individual measurements. Stock size cutting will not be accepted, with the exception of items #SKPD- 7.a., SKPD.-7.b., SKPD-8.a., and SKPD-8.b. The vendor will be responsible for ensuring a proper fit at the time of delivery. If any alterations are required, the vendor will be responsible for completing the necessary alterations within thirty days of the delivery date.
- h. The South Kingstown Police Department will supply police embroidered shoulder uniform emblems for the completion of the uniforms. The vendor will be responsible for sewing these patches on the uniforms.

8. Obligations of the Bidder:

At the time of the opening of the bids, each bidder will be presumed to have inspected the Specifications and Contract documents (including all Addenda). The failure or omission of any bidder to receive or examine any form, instrument or document shall in no way relieve any bidder from any obligation in respect to this bid. Any exceptions or deviations from the provisions contained in this specification must be explained in detail and attached to the proposal. If such deviations do not part from the intent of this notice and are in the best interest of the Town, the proposal will receive careful consideration.

9. Specific Quantity:

The department consists of fifty-eight (58) sworn officers. Both male and female officers are represented. All articles of clothing will be individually priced. There shall be no minimum order set by the vendor. No vendors will be considered that require orders to be placed in multiples of two or more. It is the intent of the South Kingstown Police Department to streamline the ordering process by developing a schedule of one or two primary orders per year; however, we reserve the right to place orders on an item-by-item basis to fulfill order requests for new recruits and emergency replacement articles as deemed necessary.

10. Prices:

Bidders shall state the proposed price in the manner as designated in the Bid Proposal Form. The Town reserves the right to award contract on a per item basis, or in total, whichever is in the best interest of the Town.

Unit pricing shall be valid through June 30, 2027, with the option to extend one additional year through June 30, 2028, inclusive, if mutually agreeable to both parties.

Although quantities may vary from order to order, vendors may specify on the attached bid proposal form if quantity discounts are offered for multiple orders placed at the same time. Vendor must state if oversize charges apply.

11. Delivery:

The delivery time for each order placed for an individual piece of uniform attire must be within sixty (60) days. In the event a vendor is unable to comply with this time frame, a written extension request stating a valid reason must be provided to the Chief of Police for consideration. In no case will the Chief of Police grant an extension to exceed more than ninety (90) days. Vendor will make deliveries to the South Kingstown Police Department, 1790 Kingstown Road, Wakefield, RI 02879. The South Kingstown Police Department will not be responsible for any shipping costs. This expense shall be borne by the vendor.

If the supplier fails to deliver the goods as required in the time indicated, or subsequently agreed to, a credit may be taken in the bid price of 1/10 of 1% per day at the discretion of the Town Manager of the Town of South Kingstown.

12. "Or Equal" Bidding:

If the bid offering differs from the provisions contained in this specification, such differences must be explained in detail on sheets attached to the proposal, and if such deviations do not depart from the intent of these specifications and are in the best interest of the town, the proposal will receive careful consideration.

13. Tax Exemptions:

The Town is exempt from the payment of R.I. Sales Tax under the 1956 General Laws of the State of Rhode Island, 44-18-30 Para.1, as amended. The Town is exempt from payment of Federal Excise Taxes. The bid price must be exclusive of taxes and will be so construed. Exemption certificates will be completed as required by the successful bidder.

14. Acceptance or Rejection:

The Town of South Kingstown reserves the right to reject any or all proposals, to accept any bid or waive any formality in the proposal as deemed advisable in the best interest of the Town. The Town also reserves the right to award the bid on a per item basis. The Town of South Kingstown in addition to soliciting bids in response to this bid, may consult, consider, and make an award for any and all open bid offers for a comparable service as sought herein from an approved cooperative or consortium.

15. Payment Terms:

The Town agrees to pay for the equipment within thirty (30) days after acceptance. Acceptance means 100% delivery of satisfactory equipment to comply with our specifications.

16. Tests:

Before approval, the Town Manager or his Agent shall have the right to inspect and test the material furnished in accordance with this notice.

17. Termination of Agreement

The Town reserves the right to cancel this agreement if goods received are unacceptable, or if the supplier is non-compliant with the agreement terms. Chronic delivery delays will also be cause for termination.

18. Town Bidding Website:

The Town of South Kingstown officially distributes bid documents through the Bid Net website under the RI Purchasing Group. There are no fees required to register on the website. **Copies of solicitation documents obtained from any other source are not considered official copies and the Town is not responsible for those documents.** Only those vendors who download the documents from the Bid Net website will receive addendum information, if such information is issued. If you received this document from any other source, we recommend that you register on the Bid Net website: <https://www.bidnetdirect.com/> to obtain an official copy and any associated addendum.

19. Indemnification:

The Vendor agrees to defend, indemnify, protect, save and hold harmless the organization, the **Town of South Kingstown, its officers, agents and employees** from any claims, damages and actions of any kind or nature, whether at law or in equity, arising from or caused by the use of any materials, goods, or equipment of any kind or nature furnished by the vendor, any services of any kind or nature furnished by the vendor, provided that such a liability is not attributable to the sole negligence of the using agency or to failure of the using agency to use the materials, goods, or equipment in the manner already and permanently described by the vendor on the materials, goods or equipment delivered.

**SOUTH KINGSTOWN POLICE DEPARTMENT
SPECIFICATIONS
CLASS A CUSTOM UNIFORMS
SK0071PD**

ITEM #SKPD-1.a.

SHIRT. MEN'S LONG SLEEVE WINTER (DARK NAVY)

MATERIAL:

Winter weight 14.5 ounces, 55/45 Dacron Polyester/Wool, Serge, Hamburger Woolen Company, color dark navy police & fire

STYLE:

Modified Army officers style, "V" back (pointed yoke). Military style shoulder epaulets. To be made for metal buttons, keyed through.

SIZES:

Made to individual measurements. STOCK SIZE CUTTING NOT ACCEPTABLE.

FRONT BUTTONS:

Five (5) metal "P" buttons (silver or gold as specified at time of order) keyed on front with removable carter pin, with one plastic button at the collar and one below the last metal button, plastic buttons to match fabric.

FRONT POCKET BUTTONS:

Metal "P" buttons (silver or gold as specified at time of order) on front pockets; secured with removable carter pin.

CUSTOMIZED SHOULDER HARD EPAULETS:

Military style made from 100% polyester fabric (color dark navy to match uniform), with plastic board stiffener inside, and trimmed with Gabardine 100% polyester fabric (color royal – manufactured by RYCO Inc., Lincoln, RI - color # WG0008-592). Epaulets to be set into each sleeve head. Epaulets to have cut out hole for metal "P" button (silver or gold as specified at time of order – to be supplied by vendor) secured with removable carter pin. Epaulets to be tacked to yoke. *Note: Hard epaulets, long sleeve cuff trim, number board, and trouser stripe all have the same color pattern.*

SLEEVES:

Conventional style tapered sleeves, three inch (3") cuff, with square corners. Sleeves to contain reinforcement of self cloth, half-banjo shaped measuring approximately six and one half inches (6½") at widest point, set into the sleeve and extending into the cuff. Cuff to button with two (2) metal "P" buttons keyed on cuff and one (1) bone on sleeve vent. Cuffs shall be interlined with poly-cotton VIKING PRESS canvas. Sleeve pleats, formed from excess material to be placed close to underarm seam and open side of pleats shall face the underarm seam.

CUSTOMIZED SLEEVE CUFF:

Cuffs to have one inch trim applied, made from 100% polyester fabric (color dark navy to match uniform), trimmed at top of cuff with one quarter inch (¼") Gabardine 100% polyester fabric (color royal – manufactured by RYCO Inc., Lincoln, RI - color # WG0008-592). *Note: Hard epaulets, long sleeve cuff trim, number board, and trouser stripe all have the same color pattern.*

NUMBER BOARD ATTACHMENT:

Apply velcro to shirt for the purpose of number board attachment, one half inch (½") above right breast pocket flap, centered. (Note: Number boards will be ordered separately as needed.)

BACK:

To have a full piece back, a three (3) pointed "V" yoke top stitched. Side points measuring five and three quarter inches (5¾") deep from shoulder seam at top of sleeve head and six and one half inches (6½") deep from bottom of neck band at center back.

COLLAR:

Shall have a banded collar with points to finish three and one half inches (3½"). Collar to be interlined with poly-cotton VIKING PRESS canvas. Plastic collar stays are to be sewn in so as not to show stitching on outside of collar.

POCKETS & FLAPS:

Two (2) pleated patch pockets approximately five and one quarter inches (5¼") by six inches (6") deep with Velcro at top of corners. The lower corners of the pockets are to be mitered. Left pocket to have a separate pen and pencil pocket with opening through top of flap. The manufacturer to take special note of this pencil pocket as it is a pocket within a pocket made with silesia material.

Pocket flaps to be three-pointed scalloped, sewn, turned and top stitched. Pocket flaps to measure two and three eighths inches (2 3/8") on sides and two and five eighths inches (2 5/8") at center. Left flap to have one inch (1") opening at top for pencils. Flaps to be placed approximately six and one half inches (6½") down from shoulder seam centered. This six and one half inches (6½") to vary according to size of shirt.

BADGE EYELET REINFORCEMENT:

Inside badge sling of self-cloth one and one half inches (1½") wide, to be set into shoulder seam and extend to top of pocket of left front. To have two (2) one-quarter inch (¼") buttonholes uncut, set one and one quarter inches (1¼") apart with the lower buttonhole approximately one and one quarter inches (1¼") above pocket flap.

STITCHING:

Shall be double stitched throughout with the exception of the collar. Collar to be single stitched one quarter inch (¼") from edge, using best grade Poly-Cotton 60/36, three (3) cord thread, with not less than ten (10) stitches per inch. Emblems and insignias shall be sewn with single needle. Sleeves to be set with two (2) needle flat bed felling machine. Side seams must be felled on and off the arm double needle chain stitch felling machine. SAFETY SERGE SLEEVE SETTING AND SAFETY SERGE SIDE SEAMING CONSTRUCTION IS NOT ACCEPTABLE.

MILITARY CREASES:

There shall be five (5) Military creases stitched in, two (2) in front and three (3) in back.

EMBLEMS:

South Kingstown Police Department embroidered shoulder uniform emblem to be sewn on both sleeves – emblems to be supplied by South Kingstown Police Department.

Vendor to apply Sergeants' chevrons (if applicable) on both sleeves – to be sewn below SKPD emblem – emblems to be supplied by South Kingstown Police Department.

Vendor to **furnish and apply** service bar hash marks to left sleeve, color Royal/White stripe, angle type, with black background, 1¼" width (Note: One service bar is issued for every three years of service – number of service bars for each shirt to be designated at time of order.)

FITTING:

All shirts shall be made to each individual's measurement. STOCK CUTTING WILL NOT BE ALLOWED.

PRESSING:

All shirts shall be pressed with military creases. Three (3) creases in back, two (2) in front. The sleeve is to be pressed from bottom of shoulder insignia to top of cuff.

WORKMANSHIP:

UNIFORM SHIRTS SHALL BE FIRST QUALITY, FREE FROM ANY DEFECT AFFECTING APPEARANCE OR SERVICEABILITY.

ITEM #SKPD-1.b.

SHIRT, WOMEN'S LONG SLEEVE WINTER (DARK NAVY)

STYLE:

To be same as men with these exceptions:

POCKET:

There shall be two (2) pleated patch pockets approximately four and three quarter inches (4¾") in width by six inches (6") overall in depth including the flap.

COLLAR:

Collar point shall finish not less than two and one half inches (2½").

FACINGS:

Women have the option of having their shirts made to button right side over left or left side over right (like men).

FRONT:

Five (5) button front for women instead of a six (6) button front for men.

WORKMANSHIP:

UNIFORM SHIRTS SHALL BE FIRST QUALITY, FREE FROM ANY DEFECT AFFECTING APPEARANCE OR SERVICEABILITY.

ITEM #SKPD-2.a.

SHIRT, MEN'S SHORT SLEEVE SUMMER (DARK NAVY)

MATERIAL:

Summer tropical weight 12 ½ ounces, 55/45 Dacron Polyester/Wool, Serge, Hamburger Woolen Company, color dark navy

STYLE:

Modified Army officer's style, "V" back (pointed yoke). Military style shoulder epaulets. To be made for metal buttons, keyed through.

SIZES:

Made to individual measurements. STOCK SIZE CUTTING NOT ACCEPTABLE.

FRONT BUTTONS:

Five (5) metal "P" buttons (silver or gold as specified at time of order) keyed on front with removable carter pin, with one plastic button at the collar and one below the last metal button, plastic buttons to match fabric.

FRONT POCKET BUTTONS:

Metal "P" buttons (silver or gold as specified at time of order) on front pockets; secured with removable carter pin.

CUSTOMIZED SHOULDER HARD EPAULETS:

Military style made from 100% polyester fabric (color dark navy to match uniform), with plastic board stiffener inside, and trimmed with Gabardine 100% polyester fabric (color royal – manufactured by RYCO Inc., Lincoln, RI - color # WG0008-592). Epaulets to be set into each sleeve head. Epaulets to have cut out hole for metal "P" button (silver or gold as specified at time of order – to be supplied by vendor) secured with removable carter pin. Epaulets to be tacked to yoke. *Note: Hard epaulets, long sleeve cuff trim, number board, and trouser stripe all have the same color pattern.*

SLEEVES:

Short sleeves with one inch (1") hem.

NUMBER BOARD ATTACHMENT:

Apply velcro to shirt for the purpose of number board attachment, one half inch (½") above right breast pocket flap, centered. (Note: Number boards will be ordered separately as needed.)

BACK:

To have a full piece back, a three (3) pointed "V" yoke top stitched. Side points measuring five and three quarter inches (5³/₄") deep from shoulder seam at top of sleeve head and six and one half inches (6¹/₂") deep from bottom of neck band at center back.

COLLAR:

Shall have a banded collar with points to finish three and one half inches (3¹/₂"). Collar to be interlined with poly-cotton VIKING PRESS canvas. Plastic collar stays are to be sewn in so as not to show stitching on outside of collar.

POCKETS & FLAPS:

Two (2) pleated patch pockets approximately five and one quarter inches (5¹/₄") by six inches (6") deep with Velcro at top of corners. The lower corners of the pockets are to be mitered. Left pocket to have a separate pen and pencil pocket with opening through top of flap. The manufacturer to take special note of this pencil pocket as it is a pocket within a pocket made with silesia material.

Pocket flaps to be three-pointed scalloped, sewn, turned and top stitched. Pocket flaps to measure two and three eighths inches (2 ³/₈") on sides and two and five eighths inches (2 ⁵/₈") at center. Left flap to have one inch (1") opening at top for pencils. Flaps to be placed approximately six and one half inches (6¹/₂") down from shoulder seam centered. This six and one half inches (6¹/₂") to vary according to size of shirt.

BADGE EYELET REINFORCEMENT:

Inside badge sling of self-cloth one and one half inches (1¹/₂") wide, to be set into shoulder seam and extend to top of pocket of left front. To have two (2) one-quarter inch (¹/₄") buttonholes uncut, set one and one quarter inches (1¹/₄") apart with the lower buttonhole approximately one and one quarter inches (¹/₄") above pocket flap.

STITCHING:

Shall be double stitched throughout with the exception of the collar. Collar to be single stitched one quarter inch (¹/₄") from edge, using best grade Poly-Cotton 60/36, three (3) cord thread, with not less than ten (10) stitches per inch. Emblems and insignias shall be sewn with single needle. Sleeves to be set with two (2) needle flat bed felling machine. Side seams must be felled on an off the arm double needle chain stitch felling machine. SAFETY SERGE SLEEVE SETTING AND SAFETY SERGE SIDE SEAMING CONSTRUCTION IS NOT ACCEPTABLE.

MILITARY CREASES:

There shall be five (5) Military creases stitched in, two (2) in front and three (3) in back.

EMBLEMS:

South Kingstown Police Department embroidered shoulder uniform emblem to be sewn on both sleeves – emblems to be supplied by South Kingstown Police Department.

Vendor to apply Sergeants' chevrons (if applicable) on both sleeves – to be sewn below SKPD emblem – emblems to be supplied by South Kingstown Police Department.

FITTING:

All shirts shall be made to each individual's measurement. STOCK CUTTING WILL NOT BE ALLOWED.

PRESSING:

All shirts shall be pressed with military creases. Three (3) creases in back, two (2) in front. The sleeve is to be pressed from bottom of shoulder insignia to top of cuff.

WORKMANSHIP:

UNIFORM SHIRTS SHALL BE FIRST QUALITY, FREE FROM ANY DEFECT AFFECTING APPEARANCE OR SERVICEABILITY.

ITEM #SKPD-2.b.

SHIRT, WOMEN'S SHORT SLEEVE SUMMER (DARK NAVY)

STYLE:

Style to be same as mens with these exceptions:

POCKET:

There shall be two (2) pleated patch pockets approximately four and three quarter inches (4³/₄") in width by six inches (6") overall in depth including the flap.

COLLAR:

Collar point shall finish not less than two and one half inches (2¹/₂").

FACINGS:

Women have the option of having their shirts made to button right side over left or left side over right (like men).

FRONT:

Five (5) button front for women instead of a six (6) button front for men.

WORKMANSHIP:

UNIFORM SHIRTS SHALL BE FIRST QUALITY, FREE FROM ANY DEFECT AFFECTING APPEARANCE OR SERVICEABILITY.

ITEM #SKPD-3
TROUSERS, WINTER WEIGHT (DARK NAVY)

MATERIAL:

Winter weight 14.5 ounces, 55/45 Dacron Polyester/Wool, Serge, Hamburger Woolen Company, color dark navy Police & Fire

STYLE:

Men's slack type trouser. Modified Military Dress, cut from up to date men's trouser patterns. Trousers to have a one inch (1") outlet running the full length of inseam.

SIZES:

To be tailored to individual measurements. STOCK SIZE CUTTING IS NOT ACCEPTABLE.

WAISTBAND:

Separate waistband to be two inches (2") wide (self material) to be sewn to the waistband curtain with a Zig-Zag Ro-Cap stitch. Inside waistband curtain to be constructed from 65% Polyester, 35% Cotton Twill with Snug-TEX and one inch (1") Ban-Rol. Waistband to be finished in an open manner (Browne outlet method) for ease in alteration, showing no raw edges or serging on curtain edges and to finish with a minimum two and one half inch (2½") outlet. To close in front with one (1) crush proof Hook-Flex fastener. Right fly lining and crotch piece lining to be of same material as waistband curtain.

BELT LOOPS:

A minimum of seven (7) tunnel belt loops with additional loops in proportion to waist size. Each loop to be one inch (1") wide by two inches (2") long. One (1) loop to be placed at the rear seam with the other loops being proportionately spaced in back, on the hips, and in front. All loops with the exception of the back loop are to be sewn into top of waistband and bottom of waistband. The back center belt loop to be sewn to the outside waistband.

POCKETS:

Two (2) front, and two (2) hip. All pockets must be stitched, turned, and top stitched (serge edges not acceptable). Pocket material to be black poly/cotton. All pocketing to be inserted into waistband curtain. Pockets to be firmly bar tacked at each end of pocket.

FRONT POCKETS:

Side pocket style, six and one half inches (6½") at the opening and six and one half inches (6½") deep at bottom opening.

HIP POCKETS:

Hip pockets to be located a minimum of three inches (3") below bottom of waist-band and to be a minimum of five and one half inches (5½") wide and a maximum of six inches (6") deep. Hip pockets to be made on a Reece pocket machine model #46 Lockstitch with three sixteenth inch (3/16") double piping, left with tab to button.

STRIPE:

Trousers to have one inch (1") wide stripe applied, made from 100% polyester fabric (color dark navy to match uniform), trimmed on both sides with one quarter inch (¼") Gabardine 100% polyester fabric (color royal – manufactured by RYCO Inc., Lincoln, RI - color # WG0008-592). Thread color to match fabric. *Note: Hard epaulets, long sleeve cuff trim, number board, and trouser stripe all have the same color pattern.*

FLY:

Trousers shall be closed with a Talon Brass Flip Lock Zipper and have a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. Right fly to have a separate french fly tab with buttonhole and button to attach to waistband curtain.

BOTTOM HEM:

Trouser to have a plain bottom with no less than two and one half inch (2½") hem for adjustment.

STITCHING:

Trouser stitching with no less than twelve (12) stitches per inch. All seat seams to be double chain stitched with tandem needle machine. Side seam and inseam to be single needle chain stitch. The entire trouser is to be sewn with Polyester core or 100% Polyester spun Tex-40 thread.

FINISHING & PRESSING:

All loose threads shall be removed. Trouser must be pressed completely and properly with side seam, inseam and seat seam pressed open.

ITEM #SKPD-4
TROUSERS, SUMMER WEIGHT

MATERIAL:

Summer tropical weight 12 ½ ounces, 55/45 Dacron Polyester/Wool, Serge, Hamburger Woolen Company, color dark navy

STYLE:

Men's slack type trouser. Modified Military Dress, cut from up to date men's trouser patterns. Trousers to have a one inch (1") outlet running the full length of inseam.

SIZES:

To be tailored to individual measurements. STOCK SIZE CUTTING IS NOT ACCEPTABLE.

WAISTBAND:

Separate waistband to be two inches (2") wide (self material) to be sewn to the waistband curtain with a Zig-Zag Ro-Cap stitch. Inside waistband curtain to be constructed from 65% Polyester, 35% Cotton Twill with Snug-TEX and one inch (1") Ban-Rol. Waistband to be finished in an open manner (Browne outlet method) for ease in alteration, showing no raw edges or serging on curtain edges and to finish with a minimum two and one half inch (2½") outlet. To close in front with one (1) crush proof Hook-Flex fastener. Right fly lining and crotch piece lining to be of same material as waistband curtain.

BELT LOOPS:

A minimum of seven (7) tunnel belt loops with additional loops in proportion to waist size. Each loop to be one inch (1") wide by two inches (2") long. One (1) loop to be placed at the rear seam with the other loops being proportionately spaced in back, on the hips, and in front. All loops with the exception of the back loop are to be sewn into top of waistband and bottom of waistband. The back center belt loop to be sewn to the outside waistband.

POCKETS:

Two (2) front, and two (2) hip. All pockets must be stitched, turned, and top stitched (serge edges not acceptable). Pocket material to be black poly/cotton. All pocketing to be inserted into waistband curtain. Pockets to be firmly bar tacked at each end of pocket.

FRONT POCKETS:

Side pocket style, six and one half inches (6½") at the opening and six and one half inches (6½") deep at bottom opening.

HIP POCKETS:

Hip pockets to be located a minimum of three inches (3") below bottom of waist-band and to be a minimum of five and one half inches (5½") wide and a maximum of six inches (6") deep. Hip pockets to be made on a Reece pocket machine model #46 Lockstitch with three sixteenth inch (3/16") double piping, left with tab to button.

STRIPE:

Trousers to have one inch (1") wide stripe applied, made from 100% polyester fabric (color dark navy to match uniform), trimmed on both sides with one quarter inch (¼") Gabardine 100% polyester fabric (color royal – manufactured by RYCO Inc., Lincoln, RI - color # WG0008-592). Thread color to match fabric. *Note: Hard epaulets, long sleeve cuff trim, number board, and trouser stripe all have the same color pattern.*

FLY:

Trousers shall be closed with a Talon Brass Flip Lock Zipper and have a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. Right fly to have a separate french fly tab with buttonhole and button to attach to waistband curtain.

BOTTOM HEM:

Trouser to have a plain bottom with no less than two and one half inch (2½") hem for adjustment.

STITCHING:

Trouser stitching with no less than twelve (12) stitches per inch. All seat seams to be double chain stitched with tandem needle machine. Side seam and inseam to be single needle chain stitch. This is to insure seam that will not separate. The entire trouser is to be sewn with Polyester core or 100% Polyester spun Tex-40 thread.

FINISHING & PRESSING:

All loose threads shall be removed. Trouser must be pressed completely and properly with side seam, inseam and seat seam pressed open.

ITEM #SKPD-5
MOTORCYCLE BREECHES

Custom tailor made to measure motorcycle breeches, must meet specifications in item #SKPD-3 (trousers) with the following enhancements:

Med PEG, patch seat, double knee patch, bottom side zipper 8 inches long brass YKK45, fly brass zipper YKK45, military grade pockets, rear pockets with flaps and button, exact fit at the thigh, knee, and bottom in order to be worn with motorcycle boots.

ITEM #SKPD-6
NUMBER BOARD

Made from 100% polyester fabric (color dark navy to match uniform) with board stiffener inside. Material to measure finished one and five eighths by two and three quarter inches (1 5/8" x 2 3/4") long, trimmed top and bottom with one eighth inch (1/8") Gabardine 100% polyester fabric (color royal – manufactured by RYCO Inc., Lincoln, RI - color # WG0008-592).

Number board to have velcro backing so it can be attached to uniform shirt.

Note: Hard epaulets, long sleeve cuff trim, number board, and trouser stripe all have the same color pattern.

The following style WHITE uniform shirts are worn by the Chief, Major, Captains, and Lieutenants. These shirts are manufactured by BLAUER and are customized with South Kingstown Police Department shoulder epaulets and accessories as follows:

ITEM #SKPD-7.a.

SHIRT, MEN'S LONG SLEEVE WINTER (white)

Blauer model 8670 Supershirt, or equivalent, 100% polyester, color white, traditional 5-crease military style; left breast badge tab, to be fitted to each person individually, customized with the following options.

REMOVE FACTORY INSTALLED ZIPPER FRONT CLOSURE.

SHOULDER EPAULETS:

South Kingstown Police Department military style shoulder epaulets, made and installed per specifications referenced in item #SKPD-1.a., secured with gold metal buttons.

FRONT POCKET BUTTONS:

Gold metal buttons on front pockets; secured with removable carter pin.

FRONT BUTTONS:

Five (5) gold metal "P" buttons keyed on front with removable carter pin, with one plastic button at the collar and one below the last metal button, plastic buttons to match fabric.

CUSTOMIZED SLEEVE CUFF:

Cuff to button with two (2) metal "P" buttons keyed on cuff and one (1) bone on sleeve vent. Cuffs to have one inch trim applied, made from 100% polyester fabric (color dark navy to match uniform), trimmed at top of cuff with one quarter inch (1/4") Gabardine 100% polyester fabric (color royal – manufactured by RYCO Inc., Lincoln, RI - color # WG0008-592). *Note: Hard epaulets, long sleeve cuff trim, number board, and trouser stripe all have the same color pattern.*

NUMBER BOARD ATTACHMENT:

Apply velcro to shirt for the purpose of number board attachment, one half inch (1/2") above right breast pocket flap, centered. (Note: Number boards will be ordered separately as needed)

EMBLEMS:

South Kingstown Police Department embroidered shoulder uniform emblem to be sewn on both sleeves – emblems to be supplied by South Kingstown Police Department.

Vendor to furnish and apply service bar hash marks to left sleeve, color Royal/White stripe, angle type, with black background, 1 1/4" width (Note: one service bar is issued for every three years of service).

ITEM #SKPD-7.b.

SHIRT, WOMEN'S LONG SLEEVE WINTER (white)

To be same as men's (item #SKPD-7.a.) with the following exception:
Style No. - Blauer model 8670W (women) Supershirt, or equivalent.

ITEM #SKPD-8.a.

SHIRT, MEN'S SHORT SLEEVE SUMMER (white)

Blauer model 8675 Supershirt, or equivalent, white, 100% polyester, color white, traditional 5-crease military style; left breast badge tab, to be fitted to each person individually, factory installed zipper front closure, customized with the following options.

SHOULDER EPAULETS:

South Kingstown Police Department military style shoulder epaulets, made and installed per specifications referenced in item #SKPD-1.a., secured with gold metal buttons.

FRONT POCKET BUTTONS:

Gold metal buttons on front pockets; secured with removable carter pin.

FRONT BUTTONS:

Five (5) gold metal "P" buttons keyed on front with removable carter pin, with one plastic button at the collar and one below the last metal button, plastic buttons to match fabric.

NUMBER BOARD ATTACHMENT:

Apply velcro to shirt for the purpose of number board attachment, one half inch (1/2") above right breast pocket flap, centered. (Note: Number boards will be ordered separately as needed)

EMBLEMS:

South Kingstown Police Department embroidered shoulder uniform emblem to be sewn on both sleeves – emblems to be supplied by South Kingstown Police Department.

ITEM #SKPD-8.b.

SHIRT, WOMEN'S SHORT SLEEVE SUMMER (white)

To be same as men's (item #SKPD-8.a.) with the following exception:
Style No. - Blauer model 8675W (women) Supershirt, or equivalent.

Vendor Name: _____

TOWN OF SOUTH KINGSTOWN
POLICE DEPARTMENT

CLASS A POLICE CUSTOM MADE
UNIFORMS
SK0071PD

We the undersigned propose to furnish the Town of South Kingstown with the following uniforms per said specifications for the unit prices stated below:

VENDOR NOTES:

1. Bid price to include delivery.
2. This bid establishes unit price per item, orders will be placed on an as needed basis, no guarantee on quantities.
3. Vendor should state if quantity discounts or oversize charges apply.
4. Pricing to be held through **JUNE 30, 2027**, with the option to extend one additional year through **June 30, 2028**, inclusive, if mutually agreeable to both parties.

QTY	DESCRIPTION	UNIT PRICE	STATE IF OVERSIZE CHARGES APPLY SUPPLY DETAIL BY SIZE	STATE IF QUANTITY DISCOUNT AVAILABLE SUPPLY DETAILS	DELIVERY TIME
1 ea	ITEM #SKPD-1.a. SHIRT, MEN'S LONG SLEEVE WINTER (DARK NAVY) CUSTOM MADE PER BID SPECIFICATIONS	\$			
1 ea	ITEM #SKPD-1.b. SHIRT, WOMEN'S LONG SLEEVE WINTER (DARK NAVY) CUSTOM MADE PER BID SPECIFICATIONS	\$			
1 ea	ITEM #SKPD-2.a. SHIRT, MEN'S SHORT SLEEVE SUMMER (DARK NAVY) CUSTOM MADE PER BID SPECIFICATIONS	\$			
1 ea	ITEM #SKPD-2.b. SHIRT, WOMEN'S SHORT SLEEVE SUMMER (DARK NAVY) CUSTOM MADE PER BID SPECIFICATIONS	\$			

Vendor Name: _____

QTY	DESCRIPTION	UNIT PRICE	STATE IF OVERSIZE CHARGES APPLY SUPPLY DETAIL BY SIZE	STATE IF QUANTITY DISCOUNT AVAILABLE SUPPLY DETAILS	DELIVERY TIME
1 ea	ITEM #SKPD-3 TROUSERS, WINTER WEIGHT (DARK NAVY) CUSTOM MADE PER BID SPECIFICATIONS MALE & FEMALE	\$			
1 ea	ITEM #SKPD-4 TROUSERS, SUMMER WEIGHT (DARK NAVY) CUSTOM MADE PER BID SPECIFICATIONS MALE & FEMALE	\$			
1 ea	ITEM #SKPD-5 MOTORCYCLE BREECHES CUSTOM MADE PER BID SPECIFICATIONS	\$			
1 ea	ITEM #SKPD-6 NUMBER BOARD CUSTOM MADE PER BID SPECIFICATIONS	\$			

Vendor Name: _____

QTY	DESCRIPTION	UNIT PRICE	STATE IF OVERSIZE CHARGES APPLY SUPPLY DETAIL BY SIZE	STATE IF QUANTITY DISCOUNT AVAILABLE SUPPLY DETAILS	DELIVERY TIME
1 ea	ITEM #SKPD-7.a. SHIRT, MEN'S LONG SLEEVE WINTER (WHITE) BLAUER 8670 SUPERSHIRT CUSTOMIZED PER BID SPECIFICATIONS	\$			
1 ea	ITEM #SKPD-7.b. SHIRT, WOMEN'S LONG SLEEVE WINTER (WHITE) BLAUER 8670W SUPERSHIRT CUSTOMIZED PER BID SPECIFICATIONS	\$			
1 ea	ITEM #SKPD-8.a. SHIRT, MEN'S SHORT SLEEVE SUMMER (WHITE) BLAUER 8675 SUPERSHIRT CUSTOMIZED PER BID SPECIFICATIONS	\$			
1 ea	ITEM #SKPD-8.b. SHIRT, WOMEN'S SHORT SLEEVE SUMMER (WHITE) BLAUER 8675W SUPERSHIRT CUSTOMIZED PER BID SPECIFICATIONS	\$			

Vendor Name: _____

>Did you deviate from the specifications in any way?
(If YES, you must explain in detail on a cover sheet attached to this proposal.)

>List of references supplied with bid (name, address, phone, contact person)

SUBMITTED BY:

Authorized Signature

Print Name & Title

Telephone

Date

Please check appropriate box

--	--

Yes

No

--	--

Yes

No

Company Name

Street Address

City State Zip Code

email address