

NYPD SPEC #672 (Navy) and # 673 (White)

06/30/2026

**POLICE DEPARTMENT - CITY OF NEW YORK
POLICE EQUIPMENT SECTION**

BIKE POLO SHORT SLEEVE SHIRT

Sample Approval:

- a. Before the award of contract the successful bidder shall submit (1) finished garments at the time of the bid opening.
- b. The approval of the pre-production sample authorizes the commencement of production but does not relieve the contractor of responsibility for compliance with all provisions of this specification.

Style: This loose-fit knit polo has gusseted side panels, three-button placket with mic loop, and full-fashion knit collar. All measurements are taken without stretching the material.



Fabric: 100% polyester, circular-knit, Swiss pique, weighing 7.25 oz. per square yard. Permanent Nano moisture wicking takes moisture away from the body for superior comfort, thermal protection, ultimate dryness, and enhanced performance while providing UV protection. Fabric is colorfast, abrasion-resistant, and pill-proof. Permanent anti-microbial technology is odor, mildew, and 99.9% bacteria resistant. Abrasion resistant, machine and hand washable and hang dryable.


Colors: White and Navy (Coloro.com code 134-20-03).

Collar: To be 100% polyester, circular-knit, full-fashion collar with 2¾" points and permanent built-in stays placed along the edge for no-curl collar performance. Weight is 7.25 oz. per square yard.

Sleeves: To be one piece and have a 1" rib knit welt hem and graded lengths. Sleeve setting and closing are done with a merrow stitch. There is a ¼" top-stitch around the armhole and next to welt at sleeve hem. A ½" reflective heat seal is applied around the full sleeve's circumference, set 1½" from finished sleeve edge.

Placket: Three-button placket is lined and finishes 1½” wide x 7” long. Bottom of placket has a ½” stitched box with a ⅜” mic loop sewn over the full width of the placket. Three buttons are evenly spaced on the placket with a horizontal buttonhole at the top and vertical buttonholes for the two remaining buttons. Placket laps left over right.

Flex Vent: Flex vent is made from 92% polyester/8% spandex mesh knit. Diamond-shaped mesh measuring 3½” wide x 10¼” long is set into the sleeve and body panels at the underarm to allow body heat ventilation, increased mobility, and comfort.



Shoulder Straps: Shoulder straps are pointed at the ends towards the neck. The other ends are centered on shoulder seams. Pointed ends are fastened with one matching button. Straps measure 2” at sleeves and taper to 1⅜” and are set about 2” from the collar. Straps are box-stitched to shoulders with row of cross-stitching 1½” from neck seam.

Emblems: There shall be a NYPD Department Shoulder Patch to be securely sewn to both sleeves centered ½” below shoulder seam secured. Patches will be purchased at the current authorized manufacturer or the Police Equipment Section.

Back: A semi-circular patch measuring 4½” at the widest point is sewn at the neckline, running ¼” from each shoulder seam. Seam edge is merrowed with single-needle topstitching sewn around the edge. The heat transfer label is applied to the inside of this patch below the collar.

An “NYPD” reflective heat seal measuring 4½” long x 12¼” wide is set 6” below neck seam in Vitesse font.

Seams: Shoulder seams contain stretch elastic for increased mobility and are edge-stitched on the back.

Thread: Thread for seaming, stitching, buttonholes, and buttons is cotton-covered polyester core. Thread is stabilized so as not to shrink in boiling water more than 1.5%.

Bottom Hem: To be 1” deep and top-stitched.

Labels: A heat seal brand label in yoke contains size, country of origin, care, and content. Size shall be clearly indicated with manufacturers’ information. Label to indicate “**NYPD Approved ES Spec #672/3**”

Pressing and Packing: Polos are carefully completed in first class manner and individually packed in polyethylene bags. Polos are bulk packed. *Each bag shall have the size clearly marked on the bag.*

Workmanship: To be free from any defects affecting durability, service ability, appearance, or the safety of the user. Workmanship and construction details, cutting, stitching, and finishing shall be in all cases in accordance with first-class commercial textile standard practices for the intended purpose.

Code of Conduct: All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions is made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions:

Size	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Collar Length	14	15	16	17	18	19	20	20	21	22
Chest	36	40	44	48	52	56	60	64	68	72
Bottom	35½	39½	43½	47½	51½	55½	59½	63½	67½	71½
Back Length	27¼	28¼	29¼	30¼	31¼	32¼	33¼	34¼	35¼	36¼
Sleeve Length	9	9	9½	10	10½	11	11½	12	12½	13